



TALL STEM WALL TABLE: The table assumes 40 ksi for #5 rebar and 60 ksi for #7 & #8 rebar with 6" hook in the footing and bent 24" into the reinforced slab at the top. The vertical steel is to be placed toward the tension side of the CMU wall (away from the soil pressure, within 2" of the exterior side of the wall). If the wall is over 8' high, add Durowall ladder reinforcement at 16"OC vertically or a horizontal bond beam with 1#5 continuous at mid height. For higher parts of the wall 12" CMU may be used with reinforcement as shown in the table below. STEMWALL UNBALANCED VERTICAL REINFORCEMENT HEIGHT BACKFILL FOR 8" CMU STEMWALL (FEET) HEIGHT (INCHES O.C.) VERTICAL REINFORCEMENT FOR 12" CMU STEMWALL (INCHES O.C.) #7 #8 #5 #7 8.3 32 8


9.0 8 16 24 16 40



S-2 SCALE: 1/2" = 1'-0"





INTERIOR BEARING FOOTING



	2.4F	Coating
	2.4F	Coating
∠CONCRETE SLAB		
CONCRETE SLAB	3.3.E.2	Pipes, c
	3.3.E.7	Moveme
16" W X 12" D THICKENED SLAB FOOTING w/ (2) #5 CONTINUOUS		

F3 INTERIOR BE S-2 SCALE: 1/2" = 1'-0" INTERIOR BEARING STEP FOOTING







MASONRY NOTE:
MASONRY CONSTRUCTION AND MATERIALS FOR THIS PROJECT
SHALL CONFORM TO ALL REQUIREMENTS OF "SPECIFICATION
FOR MASONRY STRUCTURES" (ACI 530.1/ASCE 6/TMS 602).
THE CONTRACTOR AND MASON MUST IMMEDIATELY, BEFORE
PROCEEDING, NOTIFY THE ENGINEER OF ANY CONFLICTS
BETWEEN ACI 530.1-02 AND THESE DESIGN DRAWINGS.
ANY EXCEPTIONS TO ACI 530.1-02 MUST BE APPROVED BY
THE ENGINEED IN WORTING

	ACI530.1-02 Section	Specific Requirements
1.4A	Compressive strength	8" block bearing walls F'm = 1500 psi
2.1	Mortar	ASTM C 270, Type N, UNO
2.2	Grout	ASTM C 476, admixtures require approval
2.3	CMU standard	ASTM C 90-02, Normal weight, Hollow, medium surface finish, 8"x8"x16" running bond and 12"x12" or 16"x16" column block
2.3	Clay brick standard	ASTM C 216-02, Grade SW, Type FBS, 5.5"x2.75"x11.5"
2.4	Reinforcing bars, #3 - #11	ASTM 615, Grade 40, Fy = 40 ksi, Lap splices min 40 bar dia. (25" for #5)
2.4F	Coating for corrosion protection	Anchors, sheet metal ties completely embedded in mortar or grout, ASTM A525, Class G60, 0.60 oz/ft2 or 304SS
2.4F	Coating for corrosion protection	Joint reinforcement in walls exposed to moisture or wire ties, anchors, sheet metal ties not completely embedded in mortar or grout, ASTM A153, Class B2, 1.50 oz/ft2 or 304SS
3.3.E.2	Pipes, conduits, and accessories	Any not shown on the project drawings require engineering approval.
3.3.E.7	Movement joints	Contractor assumes responsibility for type and location of movement joints if not detailed on project drawings.

BOTTOM OF EXTERIOR FOOTINGS SHALL BE A MINIMUM OF 12" BELOW UNDISTURBED SOIL OR ENGINEERED FILL





ROOF OVER FRAMING & BRACING DETAIL

STRUCTURAL PLAN NOTES

TRUSS PACKAGE

BEAM / HEADERS (SIZE)


HEADERS (STRAPING)

HEADER LEGEND

(2) 2X6X0',1J 1K **◄**

-SPAN OF HEADER

HEADERS (JACK & KING STUDS)



C=US, O=Florida,

dnQualifier=A014

₹ 0, CN=Mark d


Disosway

11:34

Suite 103

231515

S-3



DETAIL @ TRUSSES WITH RAISED HEELS

SCALE: 1/2" = 1'-0"