

Q.PEAK DUO XL-G10.3 / BFG 470-485

BIFACIAL DOUBLE GLASS MODULE WITH EXCELLENT RELIABILITY AND ADDITIONAL YIELD



NAME AND ADDRESS AND ADDRESS AD







BIFACIAL ENERGY YIELD GAIN OF UP TO 20%

Bifacial Q.ANTUM solar cells with zero gap cell layout make efficient use of light shining on the module rear-side for radically improved LCOE.



LOW ELECTRICITY GENERATION COSTS

Q.ANTUM DUO Z combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology for higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to 21.2%.



INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behavior.



ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID and Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q[™].



FRAME FOR VERSATILE MOUNTING OPTIONS

High-tech aluminum alloy frame protects from damage, enables use of a wide range of mounting structures and is certified regarding IEC for high snow (5400 Pa) and wind loads (2400 Pa).



A RELIABLE INVESTMENT

Double glass module design enables extended lifetime with 12-year product warranty and improved 30-year performance warranty².

¹ APT test conditions according to IEC/TS 62804-1:2015 method B (-1500V, 168h) including post treatment according to IEC 61215-1-1 Ed. 2.0 (CD)
² See data sheet on rear for further information.



MECHANICAL SPECIFICATION

Format	87.2 in × 41.1 in × 1.38 in (including frame) (2216 mm × 1045 mm × 35 mm)
Weight	64.2 lbs (29.1 kg)
Front Cover	0.08 in (2.0 mm) thermally pre-stressed glass with anti-reflection technology
Back Cover	0.08 in (2.0 mm) semi-tempered glass
Frame	Anodized aluminum
Cell	6×26 monocrystalline Q.ANTUM solar half cells
Junction Box	2.09-3.98 in × 1.26-2.36 in × 0.59-0.71 in (53-101 mm × 32-60 mm × 15-18 mm), IP67, with bypass diodes
Cable	4 mm² Solar cable; (+) ≥27.6 in (700 mm), (-) ≥13.8 in (350 mm)
Connector	Stäubli MC4-Evo2, Hanwha Q CELLS HQC4, IP68



Drawing not to scale

ELECTRICAL CHARACTERISTICS

PO	WER CLASS			470		475		480		485	
MIN	IIMUM PERFORMANCE AT STANDA	RD TEST CONDITIO	NS, STC ¹ A	ND BSTC ¹ (F	POWER TOL	ERANCE +5	W/-0W)				
					BSTC*		BSTC*		BSTC*		BSTC*
	Power at MPP ¹	P _{MPP}	[W]	470	514.1	475	519.6	480	525.0	485	530.5
Minimum	Short Circuit Current ¹	I _{sc}	[A]	11.04	12.08	11.08	12.12	11.12	12.17	11.16	12.21
	Open Circuit Voltage ¹	V _{oc}	[V]	52.91	53.10	53.15	53.34	53.39	53.58	53.63	53.82
	Current at MPP	I _{MPP}	[A]	10.51	11.50	10.55	11.54	10.59	11.58	10.63	11.63
	Voltage at MPP	V _{MPP}	[V]	44.73	44.72	45.03	45.02	45.33	45.32	45.63	45.62
	Efficiency1	η	[%]	≥20.3	≥22.2	≥20.5	≥22.4	≥20.7	≥22.7	≥20.9	≥22.9

Bifaciality of P_{MPP} and I_{SC} 70% ±5% • Bifaciality given for rear side irradiation on top of STC (front side) • According to IEC 60904-1-2

¹Measurement tolerances $P_{MPP} \pm 3\%$; I_{SC} , $V_{OC} \pm 5\%$ at STC: 1000W/m²; *at BSTC: 1000W/m² + $\phi \times 135$ W/m², $\phi = 70\% \pm 5\%$, 25 ± 2 °C, AM 1.5 according to IEC 60904-3 MINIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS. NMOT²

	Power at MPP	P _{MPP}	[W]	353.8	357.6	361.4	365.1
E	Short Circuit Current	I _{SC}	[A]	8.89	8.92	8.96	8.99
Minim	Open Circuit Voltage	V _{oc}	[V]	50.04	50.27	50.49	50.72
	Current at MPP	IMPP	[A]	8.27	8.30	8.34	8.37
	Voltage at MPP	V _{MPP}	[V]	42.77	43.06	43.35	43.63

²800W/m², NMOT, spectrum AM 1.5 Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.45% degradation per year. At least 93.95% of nominal power up to 10 years. At least 84.95% of nominal power up to 30 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 $^\circ C, 1000 \, W/m^2)$

TEMPERATURE COEFFICIENTS

Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of V _{oc}	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.34	Nominal Module Operating Temperature	NMOT	[°F]	108±5.4 (42±3°C)

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage V_{sys}	[V]	1500	PV module classification	Class II
Maximum Series Fuse Rating	[A DC]	20	Fire Rating based on ANSI / UL 61730	TYPE 294
Max. Design Load, Push / Pull ³	[lbs/ft2]	75 (3600 Pa)/33 (1600 Pa)	Permitted Module Temperature	–40°F up to +185°F
Max. Test Load, Push / Pull ³	[lbs/ft ²]	113 (5400Pa)/50 (2400Pa)	on Continuous Duty	(–40°C up to +85°C)
³ See Installation Manual			⁴ New Type is similar to Type 3 but with metallic frame	

QUALIFICATIONS AND CERTIFICATES

UL 61730, CE-compliant, IEC 61215:2016, IEC 61730:2016 U.S. Patent No. 9,893,215 (solar cells); Certification in process.



Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS America Inc.