Freeman Sulte #102 Lake CITY, FL. 32055 (386)758-4209

OF 1
PROJECT NO. 05.R018

出

ROUGH SAWN 1x4 TRIM

Freeman

DATE DRAWN BY 5/2/06 W.H.F. REVISIONS

PROJECT NO.

06.R018

CONSTRUCTION DOCUMENTS THE CUSTOMER IS RESPONSIBLE FOR DELIVERING THE REQUIRED SETS OF CONSTRUCTION DOCUMENTS TO THE PERMIT ISSUING AUTHORITY FOR THE ISSUANCE OF CONSTRUCTION PERMITS. THE CONTRACTOR IS SOLELY RESPONSIBLE FOR REVIEWING THE PLANS AND VERIFYING ALL EXISTING CONDITIONS, ELEVATIONS, AND DIMENSIONS PRIOR TO COMMENCING CONSTRUCTION INCLUDING FABRICATION. ALL DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECT/ENGINEER FOR RESOLUTION.

DO NOT SCALE THESE PLANS:

AMPLE DIMENSIONS ARE SHOWN ON THE PLANS TO LOCATE ALL ITEMS. SIMPLE ARITHMATIC MAY BE USED TO DETERMINE THE LOCATION OF THOSE ITEMS NOT DIMENSIONED.

CHANGES TO PLAN SETS:

PLEASE DO NOT MAKE ANY STRUCTURAL CHANGES TO THES PLANS WITHOUT CONSULTING WITH THE ARCHITECT/ENGINEER. THE OWNER SHALL ASSUME ANY AND ALL LIABILITY FOR STRUCTURAL DAMAGE RESULTING FROM CHANGES MADE TO THE PLANS OR BY SUBSTITUTION OF MATERIALS DIFFERENT FROM SPECIFICATIONS ON THE PLANS.

PROVIDE "Z" FLASHING AT PANEL JOINTS


FRONT ELEVATION
SCALE: 1/4" = 1'-0"

T1-11 SIDING

ROUGH SAWN 1x4 TRIM

T1-11 SIDING

RIGHT ELEVATION SCALE: 1/4" = 1'-0"



GENERAL NOTES:

THE CONTRACTOR SHALL INDEMNIFY THE OWNER AGAINST ALL.

CLAIMS, WHETHER FROM PERSONAL INJURY OR PROPERTY

2. THE CONTRACTOR AND/OR SUB-CONTRACTORS SHALL WARRAANT

PERFORMED UNDER THE CONTRACT FOR THIS PROJECT.

DAMAGE, ARISING FORM EVENTS ASSOCIATED WITH THE WORKK

THE MINIMUM ENERGY REQUIREMENTS OF THE BUILDING CODGE

ANY DISCREPANCIES SHALL BE REPORTED TO THE ARCHITECTT IN WRITING PRIOR TO THE COMMENCEMENT OF THE WORK.

ALL INSULATION SHALL BE LEFT EXPOSED AND ALL LABELS LEFT INTACT ON THE WINDOWS AND DOORS UNTIL INSPECTEDD

BY THE BUILDING OFFICIAL.

BE PRESSURE TREATED.

ALL WOOD IN CONTACT WITH CONCRETE SHALL

GARAGE FLOOR PLAN

AREA SUMMARY

PRODUCT CODE	SIZE	COUNT
36x80 colonial	3'-1"	1
192x84 wide panel garage door	16'-0"	1

(2) 1.75"x11.25" 2.0 GP Lam LVL

110 MPH

1.0

+/- 0.18

ELECTRICAL	SYMBOL
fluorescent fixture	
outlet	ф
outlet gfi	⊕ GF1
switch	\$

SHINGLES T1-11 SSIDING LEFT ELEVATION SCALE: 1/4" = 1'-0"

Top of Brg.

Top of Rdg.

ELECTRICAL PLAN NOTES ALOWARI E DEELECTION OF STRUCTURAL MEMBERS

STRUCTURAL MEMBER	ALLOWABLE DEFLECTION	
rafters having slopes greater than 2/12 with no finished ceiling attached to rafters	L/180	
interior walls and partitions	H/180	
floors and plastered ceilings	L/360	
all other structural members	L/240	
exterior walls with plaster or stucco finish	H/360	
exterior walls - wind loads with brittle finishes	L/240	
exterior walls - wind loads with flexible finishes	L/120	

WIRE ALL APPLIANCES, HVAC UNITS AND COTHER EQUIPMENT PER MANUF. SPECIFICATIONS.

CONSULT THE OWNER FOR THE NUMBER! OF SEPERATE TELEPHONE LINES TO BE INSTALLED.

INSTALLATION SHALL BE PER NAT'L. ELEC'TRIC CODE.

ELECTRICAL CONT'R SHALL PREPARE "AS3-BUILT" SHOP DWGS INDICATING ALL ELECTRICAL WORKK, INCLUDING ANY CHANGES TO THE ELEC. PLAN, ADD'NS TO) THE ELEC. PLAN, RISER DIAGRAM, AS-BUILT PANEL SCHEDULLE W/ ALL CKTS IDENTIFIED W/ CKT Nr., DESCRIPTION & BRRKR, SERVICE ENT. & ALL UNDERGROUND WIRE LOCATIONS/RROUTING/DEPTH. RISER DIA. SHALL INCLUDE WIRE SIZES/TYYPE & EQUIPMENT TYPE W/ RATINGS & LOADS.

CONTRACTOR SHALL PROVIDE 1 COPY OFF AS-BUILT DWGS TO OWNER & 1 COPY TO THE PERMIT ISSUJING AUTHORITY.



REAR ELEVATION SCALE: 1/4 = 1'-0"

WALLS +21.8/-29.1 PSF COMPONENT AND ROOF +12.5/-29.1 PSF CLADDING PRESSURE **OVERHANGS** -71.6 PSF **ENCLOSED** TYPE OF STRUCTURE ROOF DEAD LOAD 10 psf ROOF LIVE LOAD 20 psf FLOOR DEAD LOAD 20 psf FLOOR LIVE LOAD 40 psf

ALL WIND LOADS ARE IN ACCORDANCE WITH SECTION

1609, FLORIDA BUILDING CODE, 2004 EDITION.

BASIC WIND SPEED

IMPORTANCE FACTOR

BUILDING CATEGORY

INTERNAL PRESSURE

EXPOSURE

COEFFICIENT

PROJECT NO. 06.R016

TYPICAL GARAGE FLOOR:

4" CONCRETE SLAB OW
FIBRE MESH REINFORGEMENT
6 mil POLY VAPOR BARRIER
COMPACTED GRANULAR FILL

4"-6"

16"-0"

4"-6"

4"-6"

GARAGE FOUNDATION PLAN

SCALE: 1/4" = 1'-0"

FOUNDATION NOTES

COVER OVER REINFORCING STEEL
FOR FOUNDATIONS, MINIMUM CONCRETE COVER OVER REINFROCING BARS
SHALL BE:

3 INCHES IN FOUNDATIONS WHERE THE CONCRETE IS CAST AGAINST AND PERMANENTLY IN CONTACT WITH THE EARTH OR EXPOSED TO THEE EARTH OR WEATHER AND 1 1/2 INCHES ELSEWHERE. REINFORCING BARS; EMBEDDED IN GROUTED CELLS SHALL HAVE A MINIMUM CLEAR DISTANCE OF 1 1/4 INCH FOR FINE GROUT OR 1/2 INCH FOR COARSE GROUT BETWEEN REINFORCING BARS AND ANY FACE OF A CELL. REINFORCING BARS USED IN MASONRY WALLS SHALL HAVE A MASONRY COVER (INCLUDING GROUT) OF NOT LESS THAN 2 INCHES FOR MASONRY UNITS WITH FACE EXPOSED TO EARTH ORR WEATHER 1 1/2 INCHES FOR MASONRY UNITS NOT EXPOSED TO EARTH OR WEATHER

CONCRETE:
CONCRETE SHALL HAVE A MINIMUM SPECIFIED COMPRESSIVE STIRENGTH
OF 2500 PSI AT 28 DAYS.

GALVANIZATION:
METAL ACCESSORIES FOR USE IN EXTERIOR WALL CONSTRUCTION AND NOT DIRECTLY EXPOSED TO THE WEATHER SHALL BE GALVANIZED IN LACCORDANCE WITH ASTM A 153, CLASS B-2. METAL PLATE CONNECTORS, SCREEWS, BOLTS AND NAILS EXPOSED DIRECTLY TO THE WEATHER SHALL BE STAILINLESS STEEL OR HOT DIPPED GALVANIZED.

REINFORCING STEEL:
THE REINFORCING STEEL SHALL BE MINIMUM GRADE 40.

BEARING CAPACITY:

THE FOOTING IS DESIGNED FOR SOIL WITH AN ALLOWABLE BEEARING CAPACITY OF 1,000 PSF. THE FOOTINGS SHALL REST ON UNDISTURBED LOR COMPACTED SOIL OF UNIFORM DENSITY AND THICKNESS. AT THE OWNER'S REQUEST. COMPACTED SOILS SHALL BE TESTED TO A MINIMUM OF 95% COF MODIFIED PROCTOR AND COMPACTED IN LIFTS NOT TO EXCEED 12 INCHAES

SLAB REQUIREMENTS

JOINTS ARE NOT REQUIRED IN UNREINFORCED PLAIN CONCRETE SLABS ON GROUND OR IN SLABS FOR ONE AND TWO FAMILY DWELLINGS COMPLYING WITH ONE OF THE FOLLOWING

- 1. CONCRETE SLABS ON GROUND CONTAINING SYNTHETIC FILBER
 REINFORCEMENT: FIBER LENGTHS SHALL BE 1/2 INCH TO 1/2 INCHES
 IN LENGTH. DOSAGE AMOUNTS SHALL BE
 FROM 0.75 TO 1.5 POUNDS PER CUBIC YARD
 IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENUDATIONS.
 SYNTHETIC FIBERS SHALL COMPLY WITH ASTM C 1116.
 THE MANUFACTURER OR SUPPLIER SHALL PROVIDE
 CERTIFICATION OF COMPLIANCE WHEN
 REQUESTED BY THE BUILDING OFFICIAL; OR,
 CONCRETE SLABS ON GROUND CONTAINING 6x6 W1.4 x W1.1.4
- WELDED WIRE REINFORCEMENT FABRIC LOCATED IN
 THE MIDDLE TO THE UPPER 1/3 OF THE SLAB. WELDED WIRRE
 REINFORCEMENT FABRIC SHALL BE SUPPORTED WITH
 APPROVED MATERIAL OR SUPPORTS AT SPACING NOT TO
 EXCEED 3 FT OR IN ACCORDANCE WITH THE MANUFACTURKER'S
 SPECIFICATION. WELDED PLAIN WIRE REINFORCEMENT FAABRIC
 FOR CONCRETE SHALL CONFORM TO ASTM A 185, STANDARD
 SPECIFICATION FOR STEEL WELDED WIRE REINFORCEMEN'IT
 FABRIC, PLAIN, FOR CONCRETE REINFORCEMENT.

STEEL COATING RECOMMENDATIONS IN PRESSURE TREATED WOOD:

- Thicker galvanizing generally extends service life of a product. The treated wood industry recommends use of Stainless Steel and hot-dip galvanized connectors and fasteners with treated wood.
- Due to the uncertainties, which are out of the specifiers control, in regard to the chemicals used in pressure treated wood, Simpson recommends the use of stainless steel fasteners, anchors and connectors with treated wood when possible. At a minimum, customers should use ZMAX (G185 HDG per ASTM A663), Batch/Post Hot-Dip Galvanized (per ASTM A123 for connectors and ASTM A163 for fasteners), or mechanically galvanized fasteners (per ASTM B695, Class 55 or greater), product with the newer alternative treated woods.
- G60 galvanized products should not be used with treated woods.
- G90 galvanized connectors can be used with Sodium Borate (DOT Disodium Octaborate Tetrahydrate) treated woods.
 Sodium Borate Treated woods are not suitable for applications where moisture exposure is likely. They are suitable for mudsill applications when transported, stored, and installed appropriately.
- When using stainless steel or hot-dip galvanized connectors, the connectors and fasteners should be made of the same material.

Simpson Strong-Tie Product Finishes	Lintreated Wood	Chromated Copper Arsenate (CCA-C)	DOT Sodium Borate (SBX)	Alkaline Copper Quat ACQ-C and ACQ-D (Carbonate)	Copper Azole (CBA-A and CA-B)	SBX (DOT) with NASiO	Ammoniacal Copper Zinc Arsenale (ACZA)	Other Pressur Treated Woods
Standard (G90)	×	X	×					
ZMAX (G185)	X	Χ	×	X	×	×		
Post Hot-Dip Galvanized (HDG)	×	Х	×	×	×	×	х	х
SST300 (Stainless Steel)	X	х	х	×	×	×	X	×

GRADE	80	(
	.02		-4" CHAM
	121		
	1 1	•	
		12"	
2-#5's CONT ON CHAIRS			
1	M@NOLIT	HIC FOO	TING
A-3			
8"x16" MONO FT	rg		-
W/ 2-#5's			
EDGE OF WALL		-	
		J 10"	-X
3/4" RECESS			
	4	_	
EXP JT		-	
CAP. UI.			
	•		- 1
DRIVEWAY— SLAB			

FT6. SECTION

ATSARAGE

4" CONC SLAB-

Freeman su St. Design Group inc (38)

DATE DRAWN BY
5/206 W.H.F.


REVISIONS

SHEET A-3


OF 4

ROJECT NO. 06.R018

ROOF SHEATHING FASTENINGS NAILING SHEATHING FASTENER SPACING TYPE 6 in. o.c. EDE 12 in. o.c. FILD 8d COMMON OR 1/2" O.S.B. 6 in. o.c. EDE 8d HOT DIPPED OR 15/32 CDX 6 in. o.c. FIED GALVANIZED **BOX NAILS** 4 in. o.c. @ GABL ENDWALL OR GABLE TUSS 6 in. o.c. EDE 6 in. o.c. FIED



ROOF SHEATHING NAILING ZONES (GABLE ROOF)



ROOF PLAN SCALE: 1/4" = 1'-0"

NOTE: VENTILATE ROOF TO 1/300TH THE INSULATED ATTIC. (625 SF / 300 = 2.08 SF * 144 SQ.IN./SF = 300 SQ. IN.)

SHEARWALL NOTES:

- ALL SHEARWALLS SHALL BE TYPE 2 SHEARWALLS AS DEFINED BY STD 10-99 305.4.3.
- THE WALL SHALL BE ENTIRELY SHEATHED WITH 7/16" O.S.B. INCLUDING AREAS ABOVE AND BELOW OPENINGS.
- ALL SHEATHING SHALL BE ATTACHED TO FRAMING ALONG ALL FOUR EDGES WITH JOINTS FOR ADJACENT PANELS OCCURING OVER COMMON FRAMING MEMBERS OR ALONG BLOCKING.
- NAIL SPACING SHALL BE 6" O.C. EDGES AND 12" O.C. IN THE FIELD.
- TYPE 2 SHEARWALLS ARE DESIGNED FOR THE OPENING IT CONTAINS. MAXIMUM HEIGHT OF OPENING SHALL BE 5/6 TIMES THE WALL HEIGHT. THE MINIMUM DISTANCE BETWEEN OPENINGS SHALL BE THE WALL HEIGHT/3.5 ie. FOR 8'-0" WALLS - (2'-3").

OPENING WIDTH	SILL PLATES	16d TOE NAILS EACH END
UP TO 6'-0"	(1) 2x4 OR (1) 2x6	1
> 6' TO 9'-0"	(3) 2x4 OR (1) 2x6	2
> 9' TO 12'-0"	(5) 2x4 OR (2) 2x6	3

	OPENI	NG CONNECTION	N REQUIREMENTS		
CLEAR OPENING WIDTH	HEADER SIZE #2 GRADE OR BETTER	END BEARING	CONNECTOR AT EACH END OF OPENING	ANCHORAGE TO FOUNDATION @ EACH END OF OPENING	
0' - 3'	(2) 2x8	1.5"	N/A	N/A	
>3' - 6'	(2) 2x10	3"	N/A	N/A	
>6' - 9'	(2) 2x12	3"	1/2" ALL THREAD ROD	1/2" ALL THREAD ROD	
>9' - 12'	(2) 1 3/4" x 11 1/4" LVL - 2.0E	3"	1/2" ALL THREAD ROD	1/2" ALL THREAD ROD	
>12' - 15'	(2) 1 3/4" x 11 1/4" LVL - 2.0E	3"	1/2" ALL THREAD ROD	1/2" ALL THREAD ROD	
>15' - 18'	(2) 1 3/4" x 11 1/4" LVL - 2.0E	4.5"	1/2" ALL THREAD ROD	1/2" ALL THREAD ROD	

ALL THREAD LOCATION


4'-6"

25'-0" SW

> 4'-6" SW

SHEARWALL DETAIL
SCALE: 1/2" = 1'-0"

SPACE ALL THREAD ROD @ 6'-0" ALONG LOAD BRG. WALL



SHEARWALL DETAILS
SCALE: 1/2" = 1'-0')"


5/2/0f W.H.F. **FEVISIONS**


PROJECT NO. (6.R018

COMPOSITE SHINGLES INSTALLED PER MFGR. RECOMMENDATIONS OVER #15 FELT 1/2" O.S.B. ROOF SHEATHING INSTALLED PERPENDICULAR TO ROOF TRUSSES WITH STAGGERED END JOINTS. NAILED WITH 8d COMMON NAILS @ 6" O.C. ON EDGES AND 12" O.C. IN FIELDS OVER ENG. WOOD TRUSSES @ 24" O.C FASTENED WITH SIMPSON MTS12 7-10d NAILS TO TRUSS 7-10d NAILS TO TOP PLATE 110'-0" CONTINUOUS BOTTOM CHORD BRACING - 2x4 SUBFASCIA 2x4 #2 SYP @ 6'-0" O.C. FASTENED WITH 1x6 ROUGH SAWN CEDAR FASCIA 2-16d NAILS AT EACH TRUSS -ROUGH SAWN PLYWOOD SOFFIT WITH 4" BUG SCREEN VENTING AND 3/4" HALF ROUND TRIM 5/8" T1-11 SIDING FASTEN W/8d COMMON @ 6" O.C. EDGES / 12" O.C. INT TO NO. 15 FELT 2 x 4 #2 SPF GRADE OR BTR. STUDS @ 16" O.C. SECURED WITH 1/2" ALL THREAD ROD SEE SHEARWALL DETAILS FOR LOCATIONS 4" CONC. SLAB (2500 PSI. MIN.) REINFORCED WITH SYNTHETIC FIBERS -ON 6 MIL. POLYETHYLENE VAPOR BARRIER, LAPPED 6" @ JOINTS AND P.T. PLATE ANCHORED WITH SEALED WITH DUCT TAPE OVER A307 X 1/2" ANCHOR BOLT TERMITE TREATED COMPACTED FILL - W/2" WASHER @ 6" FROM CORNERS AND 48" O.C. GRADE 12" x 20" MONO. FOOTING REINF. WITH 2-#5's CONT.

TYPICAL WALL SECTION

3/4" = 1'-0"






SOFFIT/DROPPED CLG.

FIREBLOCK

2x SCAB TO


REDUCE OPENING -



END WALL BRACING FOR CEILING DIAPHRAGM

NTS

NOTE: ALL WOOD TO BE NUIJMBER 2 GRADE SOUTHERN YELLOW PINE



FIREBLOCKING NOTES:

FIREBLOCKING SHALL BE INSTALLED IN WOOD FRAME CONSTRUCTION IN THE FOLLOWING LOCATIONS:

PENETRATIONS

- 1. IN CONCEALED SPACES OF STUD WALLS AND PARTITIONS INCLUDING FURRED SPACES AT CEILING AND FLOOR LEVELS.
- 2. AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL AND HORIZONTAL
- SPACES SUCH AS OCCUR AT SOFFITS, DROP CEILINGS, COVE CEILINGS, ETC. 3. IN CONCEALED SPACES BETWEEN STAIR STRINGERS AT THE TOP AND BOTTOM OF
- THE RUN.
- 4. AT OPENINGS AROUND VENTS, PIPES, DUCTS, CHIMNEYS AND FIREPLACES AT CEILING AND FLOOR LEVELS WITH PYROPANEL MULTIFLEX SEALANT
- 5. AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL STUD WALL OR PARTITION SPACES AND CONCEALED SPACES CREATED BY AN ASSEMBLY OF FLOOR JOISTS, FIREBLOCKING SHALL BE PROVIDED FOR THE FULL DEPTH OF THE JOISTS AT THE ENDS AND OVER THE SUPPORTS.

