

Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

50'7"

Basic Building
Dimension
to outside of Base Rail

50'

BUILDING SLAB

See Corner
Detail Sheet 3

3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions

Building
Base Rail

30'
Basic Building
Dimension
to outside of Base Rail

30'7"


Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

IMPORTANT - NOTES

Record Measurements
in these spaces provided

All basic building dimensions
are to the outside of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing


See Sheet 3 of 3
for Detail of Building
corner configuration




TYPICAL WALL SECTION


TYPICAL BUILDING

FOUNDATION MEASUREMENTS





TYPICAL BUILDING FOUNDATION MEASUREMENTS DIAGONALS



See Corner
Detail Sheet 3


3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions

IMPORTANT - NOTES



Record Measurements
in these spaces provided

All basic building diagonal dimensions
are to the outside corner of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing

See Sheet 3 of 3
for Detail of Building
corner configuration



TYPICAL WALL SECTION



Basic Building Size
is measured to the
outside of the
Base Rail

Base Rail

BASE RAIL

BASE RAIL

Siding rests on
concrete notch

FOUNDATION

GROUND

3-1/2" wide x 1-1/2" high
Notch in Concrete outside
of basic building
dimensions

TYPICAL BUILDING

CORNER DETAIL