

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION
**DRIVEWAY CONNECTION PERMIT
FOR ALL CATEGORIES****PART 1: PERMIT INFORMATION**APPLICATION NUMBER: 2025-A-292-00041Permit Category: A - less than 20 VTPD

Access Classification: _____

Project: US.41S Dubose Residential Access (Columbia co.)Permittee: Trey DuboseSection/Mile Post: /

State Road: _____

Section/Mile Post: /

State Road: _____

PART 2: PERMITTEE INFORMATIONPermittee Name: Trey DubosePermittee Mailing Address: 18651 NW.244th St. Unit 2City, State, Zip: High Springs, Florida 32643Telephone: (352) 538-6398 ext. _____

Engineer/Consultant/or Project Manager: _____

Engineer responsible for construction inspection: _____

NAME

P.E. #

Mailing Address: _____

City, State, Zip: _____

Telephone: _____ FAX, Mobile Phone, etc. Fax: / Mobile: _____**PART 3: PERMIT APPROVAL**

The above application has been reviewed and is hereby approved subject to all Provisions as attached.

Permit Number: 2025-A-292-00041

Department of Transportation

Signature: Dan MorganTitle: MAINTENANCE MANAGER/PERMITSDepartment Representative's Printed Name Dan MorganTemporary Permit ☐ YES ☒ NO (If temporary, this permit is only valid for 6 months)Special provisions attached ☐ YES ☒ NODate of Issuance: 1/8/2026

If this is a normal (non-temporary) permit it authorizes construction for one year from the date of issuance. This can only be extended by the Department as specified in 14-96.007(6).

See following pages for General and Special Provisions

Approved

2025-A-292-00041

Dan Morgan

1/8/2026

PART 4: GENERAL PROVISIONS

1. Notify the Department of Transportation Maintenance Office at least 48 hours in advance of starting proposed work.
Phone: 3869617066, Attention: Dan Morgan
2. A copy of the approved permit must be displayed in a prominent location in the immediate vicinity of the connection construction.
3. Comply with Rule 14-96.008(1), F.A.C., Disruption of Traffic.
4. Comply with Rule 14-96.008(7), F.A.C., on Utility Notification Requirements.
5. All work performed in the Department's right of way shall be done in accordance with the most current Department standards, specifications and the permit provisions.
6. The permittee shall not commence use of the connection prior to a final inspection and acceptance by the Department.
7. Comply with Rule 14-96.003(3)(a), F.A.C., Cost of Construction.
8. If a Significant Change of the permittee's land use, as defined in Section 335.182, Florida Statutes, occurs, the Permittee must contact the Department.
9. Medians may be added and median openings may be changed by the Department as part of a Construction Project or Safety Project. The provision for a median might change the operation of the connection to be for right turns only.
10. All conditions in NOTICE OF INTENT WILL APPLY unless specifically changed by the Department.
11. All approved connection(s) and turning movements are subject to the Department's continuing authority to modify such connection(s) or turning movements in order to protect safety and traffic operations on the state highway or State Highway System.
12. **Transportation Control Features and Devices in the State Right of Way.** Transportation control features and devices in the Department's right of way, including, but not limited to, traffic signals, medians, median openings, or any other transportation control features or devices in the state right of way, are operational and safety characteristics of the State Highway and are not means of access. The Department may install, remove or modify any present or future transportation control feature or device in the state right of way to make changes to promote safety in the right of way or efficient traffic operations on the highway.
13. The Permittee for him/herself, his/her heirs, his/her assigns and successors in interest, binds and is bound and obligated to save and hold the State of Florida, and the Department, its agents and employees harmless from any and all damages, claims, expense, or injuries arising out of any act, neglect, or omission by the applicant, his/her heirs, assigns and successors in interest that may occur by reason of this facility design, construction, maintenance, or continuing existence of the connection facility, except that the applicant shall not be liable under this provision for damages arising from the sole negligence of the Department.
14. The Permittee shall be responsible for determining and notify all other users of the right of way.
15. Starting work on the State Right of Way means that I am accepting all conditions on the Permit.

Approved
2025-A-292-00041
Dan Morgan
1/8/2026

NON-CONFORMING CONNECTIONS:

If this is a non-conforming connection permit, as defined in Rule Chapters 14-96 and 14-97, then the following shall be a part of this permit.

PART 5: SPECIAL PROVISIONS

☒ YES

☐ NO

850-040-18
SYSTEMS PLANNING - 06/06
Page 3 of 3

1. The non-conforming connection(s) described in this permit is (are) not permitted for traffic volumes exceeding the Permit Category on page 1 of this permit, or as specified in "Other Special Provisions" below.
2. All non-conforming connections will be subject to closure or relocation when reasonable access becomes available in the future.

OTHER SPECIAL PROVISIONS:

1. Preconstruction meeting required.
2. Driveway to the north of the proposed new driveway location to be removed prior to installation of new driveway.
3. Notify Permits office 48hrs prior to any work within FDOT RW. (386-961-7229)

PART 6: APPEAL PROCEDURES

You may petition for an administrative hearing pursuant to sections 120.569 and 120.57, Florida Statutes. If you dispute the facts stated in the foregoing Notice of Intended Department Action (hereinafter Notice), you may petition for a formal administrative hearing pursuant to section 120.57 (1), Florida Statutes. If you agree with the facts stated in the Notice, you may petition for an informal administrative hearing pursuant to section 120.57(2), Florida Statutes. You must file the petition with:

Clerk of Agency Proceedings
Department of Transportation
Haydon Burns Building
605 Suwannee Street, M.S. 58
Tallahassee, Florida 32399-0458

The petition for an administrative hearing must conform to the requirements of Rule 28-106.201(2) or Rule 28-106.301(2), Florida Administrative Code, and be filed with the Clerk of Agency Proceedings by 5:00 p.m. no later than 21 days after you received the Notice. The petition must include a copy of the Notice, be legible, on 8 1/2 by 11 inch white paper, and contain:

1. Your name, address, telephone number, any Department of Transportation identifying number on the Notice, if known, the name and identification number of each agency affected, if known, and the name, address, and telephone number of your representative, if any, which shall be the address for service purposes during the course of the proceeding.
2. An explanation of how your substantial interests will be affected by the action described in the Notice;
3. A statement of when and how you received the Notice;
4. A statement of all disputed issues of material fact. If there are none, you must so indicate;
5. A concise statement of the ultimate facts alleged, including the specific facts you contend warrant reversal or modification of the agency's proposed action, as well as an explanation of how the alleged facts relate to the specific rules and statutes you contend require reversal or modification of the agency's proposed action;
6. A statement of the relief sought, stating precisely the desired action you wish the agency to take in respect to the agency's proposed action.


If there are disputed issues of material fact a formal hearing will be held, where you may present evidence and argument on all issues involved and conduct cross-examination. If there are no disputed issues of material fact an informal hearing will be held, where you may present evidence or a written statement for consideration by the Department.

Mediation, pursuant to section 120.573, Florida Statutes, may be available if agreed to by all parties, and on such terms as may be agreed upon by all parties. The right to an administrative hearing is not affected when mediation does not result in a settlement.

Your petition for an administrative hearing shall be dismissed if it is not in substantial compliance with the above requirements of Rule 28-106.201(2) or Rule 28-106.301(2), Florida Administrative Code. If you fail to timely file your petition in accordance with the above requirements, you will have waived your right to have the intended action reviewed pursuant to chapter 120, Florida Statutes, and the action set forth in the Notice shall be conclusive and final.

Approved
Dan Morgan
1/8/2026

16' earth and limerock or millings driveway min. 6" deep 25' radii with 5' grass shoulders.
 37' of 18" cmp with concrete mitered ends and sod. Note Driveway medium to extend to RW line.



LEGEND

- 5' SOD

NAME: Dubose

DATE:

PERMIT NUMBER:

REVIEWED BY:

APPROVED BY:

STATE OF FLORIDA
 DEPARTMENT OF TRANSPORTATION

ROAD NO. COUNTY FINANCIAL PROJECT ID

Columbia

DISTRICT 3 LAKE CITY MAINTENANCE
 ACCESS CONNECTION
 RESIDENTIAL CENTERWAY - RURAL CLASS

SHEET NO.

2023-A-232-Q0041

Dan Morgan
 1/8/2026

NOTE:

1. This Index applies to Two-Lane, Two-Way and Multilane Roadways, including Medians of divided roadways with work on the shoulder.

2. L = Taper Length
X = Work Zone Sign Spacing
B = Buffer Length
See Index 102-600 for "L", "X", "B", and channelizing device spacing values

3. Where work activities are between 2' and 15' from the edge of traveled way, the Engineer may omit signs and channelizing devices for work operations 60 minutes or less.

4. When four or more work vehicles enter the through traffic lanes in a one hour period (excluding establishing and terminating the work area), use a flagger or lane closure to accommodate work vehicle ingress and egress.

5. For work less than 2' from the traveled way and work zone speed is greater than 45 MPH, use a lane closure.

6. The "Speeding Fines Doubled When Workers Present" signs (MOT-13-06) and "End Road Work" signs (G20-2) along with the associated work zone sign spacing distances may be omitted when the work operation is in place for 24 hours or less.

7. Temporary pavement markings may be omitted when the work operation is in place for 3 days or less.

8. Omit "Shoulder Closed" signs (W21-5a) along with associated work zone sign spacing distances for work on the median.

9. When there is no paved shoulder, the "Worker Sign (W21-1) may be used instead of the "Shoulder Closed" sign (W21-5a).

SYMBOLS:



Work Area




Channelizing Device (See Index 102-600)




Work Zone Sign



Lane Identification and Direction of Traffic



TWO-LANE ROADWAY SHOULDER WORK LESS THAN 2' FROM THE TRAVELED WAY WITH WORK ZONE SPEED OF 45 MPH OR LESS



TWO-LANE ROADWAY SHOULDER WORK BETWEEN 2' AND 15' FROM THE TRAVELED WAY

Approved
2025-A-29
Dan Mc
1/8/20


DESCRIPTION
LAST
REVISION
11/01/21

FDOT
FY 2022-23
STANDARD PLANS


TWO-LANE AND MULTILANE, WORK ON SHOULDER

INDEX
102-602

SHEET
1 of 2



MULTILANE ROADWAY
SHOULDER WORK LESS THAN 2' FROM THE TRAVELED WAY
WITH WORK ZONE SPEED OF 45 MPH OR LESS



MULTILANE ROADWAY
SHOULDER WORK BETWEEN 2' AND 15' FROM THE TRAVELED WAY

- SYMBOLS:**
- Work Area
 - Channelizing Device (See Index 102-600)
 - Work Zone Sign
 - Lane Identification and Direction of Traffic

Approved
2025-A-29
Dan Mc
1/8/20

REVISION	DESCRIPTION
1/1/20	1041

DIMENSIONS & QUANTITIES																																			
O	X	A	B	C	E	F	G	H	M				GRADE SIZES				CONCRETE				SIDDING (50' Run)														
									Single Pipe	Double Pipe	Triple Pipe	Quad Pipe	Standard Weight Pipe	Extra Strong Pipe	Single Pipe	Double Pipe	Triple Pipe	Quad Pipe	Single Pipe	Double Pipe	Triple Pipe	Quad Pipe													
8"	2.0	2.5	0.22	3.22	0.7	4.0	0.58	3.3	3.75	5.23	7.75	9.75	10.4	0.52	0.90	1.22	1.54	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
10"	2.5	3.0	0.28	3.84	1.3	5.0	0.81	3.7	3.92	6.08	8.75	10.41	1.04	0.64	0.99	1.22	1.54	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
12"	3.0	3.5	0.36	4.56	2.0	6.0	1.07	4.0	4.08	6.42	9.25	10.41	1.04	0.68	1.09	1.48	1.88	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
15"	3.5	4.0	0.48	5.56	3.0	7.0	1.21	4.0	4.33	6.92	9.50	12.08	1.04	0.70	1.10	1.48	1.88	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			
18"	4.0	4.5	0.63	6.67	4.0	8.0	1.41	4.0	4.58	7.42	10.25	13.08	1.04	0.72	1.11	1.49	1.89	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
20"	4.5	5.0	0.72	7.28	5.0	9.0	1.55	4.0	4.83	7.92	10.75	13.58	1.04	0.73	1.12	1.50	1.90	12	13	14	15	16	17	18	19	20	21	22	23	24					
24"	5.0	5.5	0.96	8.64	6.0	10.0	1.73	4.0	5.08	8.42	11.25	14.08	1.04	0.74	1.13	1.51	1.91	13	14	15	16	17	18	19	20	21	22	23	24						
30"	6.0	6.5	1.20	10.31	8.0	12.0	2.00	4.0	5.58	9.83	12.25	15.33	1.04	0.75	1.14	1.52	1.92	14	15	16	17	18	19	20	21	22	23	24							
36"	7.0	7.5	1.44	12.17	10.0	14.0	2.24	4.0	6.08	11.27	13.58	16.33	1.04	0.76	1.15	1.53	1.93	15	16	17	18	19	20	21	22	23	24								
42"	8.0	8.5	1.68	14.07	12.0	16.0	2.45	4.0	6.58	12.58	14.83	17.33	1.04	0.77	1.16	1.54	1.94	16	17	18	19	20	21	22	23	24									
48"	9.0	9.5	1.92	16.07	14.0	18.0	2.65	4.0	7.08	13.83	15.83	18.33	1.04	0.78	1.17	1.55	1.95	17	18	19	20	21	22	23	24										
54"	10.0	10.5	2.16	18.07	16.0	20.0	2.83	4.0	7.58	14.83	16.83	19.33	1.04	0.79	1.18	1.56	1.96	18	19	20	21	22	23	24											
60"	11.0	11.5	2.40	20.07	18.0	22.0	3.00	4.0	8.08	15.83	17.83	20.33	1.04	0.80	1.19	1.57	1.97	19	20	21	22	23	24												

50'

1'

Beveled Dr Round Corners

Construction Joint Permitted

50'

4"

3"

4"

1.94

4.03

6.12

8.20

12

20




24

28

REMARKS

These sizes are estimated for meter and water mains applications or similar applications.

Values shown for estimating pipe quantities and are for information only.



2010 FDOT Design Standards

SIDE DRAIN MITERED END SECTION

273

SINGLE AND MULTIPLE ROUND CORRUGATED METAL PIPE

NOTES: See Sheets 6 and 7 for details and general notes.

* Slope: 1 to 6 Pipe For Pipe 18" And Smaller 1 to 2 For Pipe 24" And Larger