


Plumbing and Light Details
All Pipe is Sch 40

- 2IN Skimmer -----
- 2 IN Returns -----
- 12 Volt Color Led Light ---
- 2IN Spa Return -----
- 2IN Spa Main Drain -----

Contractor; My Favorite Pool Builder, Inc. CPC1459058 Steve Cronin
386-965-0066 steve@mfpbllc.com

Pump Pentair Inteliflow 3
Filter Pentair SD80 Sand Filter
Pump and filter information located on page 2 of 7




. Reginald or Wendy Davis
. 242 SW Godbold Ave
. Lake City, Fl. 32024

.Par ID #11-4S-15-00336-019
Contractor; My Favorite Pool Builder,
Inc. CPC1459058 Steve Cronin
386-965-0066 steve@mfpbllc.com

Distance from Pool water line to
property line.
77 FT to North
115 FT to South
472 FT to East
414 FT to West
6'± Pool to house
< Well Water< power under ground
Septic tank Right side of house and
private well water
Power Company FPL El L side of
house. Power to house is run
underground and is more than
45.5'< away from pools waters edge

NO Glass with 60IN Of pools water

Pool deck water will Drain away from
pool onto ground. 3" deck drain. No
change to current water drainage
direction



.Safety - Aluminum fence
No Pool lighting is 12 volt LED
No Footer
3IN Deck drain across pool deck
Bonding per code page 2 of 7
Pool is 233 SqFt
Pool Deck is 403 SQ Ft
Pool depth 3' 6" to 6' 0" top of rim

PLAN EXPIRES 1 YEAR FROM THE
SIGNATURE DATE OR THE EFFECTIVE
DATE OF A MAJOR FLORIDA
BUILDING CODE CHANGE
WHICHEVER IS SOONER

2/27/2026



My Favorite Pool Builder, Inc.
4887 N US Hwy 441
Lake City, FL. 32055
(386) 269-3304 OFF
(386) 965-0066 Cell
CPC1459058

Swimming Pool Specification For:
Reginald or Wendy Davis
242 SW Godbold Ave. Lake City, FL
32024
757-752-1401

Scale: None Rev
Page 6 of 7