

Outside measurement of foundation  
 Equals Basic Building Dimension  
 plus Seven (7) inches

25117"

Basic Building  
 Dimension  
 to outside of Base Rail


251"

Basic Building  
 Dimension  
 to outside of Base Rail

30'

Outside measurement of foundation  
 Equals Basic Building Dimension  
 plus Seven (7) inches


30'7"



Building  
 Base Rail


3-1/2" wide x 1-1/2" high Notch  
 in Concrete outside  
 of basic building  
 dimensions

See Corner  
 Detail Sheet 3



# TYPICAL BUILDING

## FOUNDATION MEASUREMENTS




### IMPORTANT - NOTES


Record Measurements  
 in these spaces provided

All basic building dimensions  
 are to the outside of the  
 frame Base Rail and DO NOT  
 INCLUDE the 3-1/2" x 1-1/2"  
 notch in the concrete footing

See Sheet 3 of 3  
 for Detail of Building  
 corner configuration



# TYPICAL BUILDING FOUNDATION MEASUREMENTS DIAGONALS



Building Base Rail

See Corner Detail Sheet 3


3-1/2" wide x 1-1/2" high Notch in Concrete outside of basic building dimensions

## IMPORTANT - NOTES


Record Measurements in these spaces provided

All basic building diagonal dimensions are to the outside corner of the frame Base Rail and **DO NOT INCLUDE** the 3-1/2" x 1-1/2" notch in the concrete footing

See Sheet 3 of 3 for Detail of Building corner configuration




TYPICAL WALL SECTION



Basic Building Size  
is measured to the  
outside of the  
Base Rail

Siding rests on  
concrete notch

3-1/2" wide x 1-1/2" high  
Notch in Concrete outside  
of basic building  
dimensions



**TYPICAL BUILDING**  
**CORNER DETAIL**