



ROOF PLAN
1/4"=1'-0"

ROOF PLAN NOTES:

1. SCHEMATIC ONLY.
2. SHEATHING SHALL BE 3/4" MIN. APA RATED OSB ATTACH W/ B6 RINGSHANK NAILS 6" o/c EDGES & 6" o/c FIELD.
3. SHINGLES & UNDERLAYMENT PER ARCHITECTURAL.
4. FASCIA & SOFFIT PER ARCHITECTURAL WALL SECTION.



THIS SEAL AND BOOK ORIGINALLY ISSUED AND ISSUED BY DOUGLAS VAN LUEDERS ON THE 08/09/2025 AT THE SEA-PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED VALID UNLESS AND THE SIGNATURE IS VERIFIED ON ANY ELECTRONIC COPIES.

DATE	DESCRIPTION
06/09/2025	1. FOOTING DETAIL
	2.
	3.
	4.
	5.

LUCAS & SCOTT ENGINEERING, INC.
 10000 UNIVERSITY BLVD.
 SUITE 100
 LAKELAND, FLORIDA 33803
 PH: 888-333-3333
 FAX: 888-333-3333

LUCAS AS, IV, LUCAS
 D.L.P.C. No. 48488

ROOF PLAN & DETAILS
 NORTHEAST FLORIDA DESIGN

NEW BARN
 251 SW FENNIGAN WAY
 LAKE CITY, FLORIDA

DRAWN BY: LUK
 DATE: 06/09/2025
 SCALE: AS NOTED
 CHECKED BY: DVL
 JOB NO.: 20251152

SHEET NO. 33 OF 33