



PRO
SYNTHETIC ROOFING

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la toit pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la toit pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

PRO
SYNTHETIC ROOFING

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la toit pente.

ABC
Supply Co. inc.

Columbia County, FL, Building & Zoning
 Roof Replacement or Repair Permit, SUBMITTER'S NOTICE TO OWNER

ISSUE DATE: 08/12/2021

CONTRACTOR: [Redacted]

PROJECT DETAILS:

NOTICE TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCIAL CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT, YOU MUST POST IT ON THE JOB SITE WITHIN 10 BUSINESS DAYS OF THE DATE OF RECORDING OF THE NOTICE OF COMMENCEMENT.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la toit pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

PRO
SYNTHETIC ROOFING

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la toit pente.

Columbia County, FL. Building & Zoning
Roof Replacement or Repair Permit #000042743
Issued September 13, 2021



OWNER: AFFRON RICK L
PHONE: 386-454-4438 ADDRESS: 166 SW BONFAY GLN FORT WHITE, FL 32038
Coords: 29.87,-82.85
PARCEL: 19-7S-17-10026-011 ZONING: AGRICULTURE - 3 A-3 FLOOD ZONE: X
SUBDIVISION: COX SURVEY UNR LOT: 11 BLK: PHASE: UNIT: ACRES: 2.53
CONTRACTOR NAME: BENJAMIN T KEELER
BUSINESS: KEELER ROOFING, LLC ADDRESS: 3519 SE 76TH TRAIL TRENTON, FL 32693
PHONE: 352-514-4930 LICENSE: CCC1330509

PROJECT DETAILS

TYPE ROOFING JOB: Replacement - Tear off Existing and Replace
TYPE OF STRUCTURE: House
ROOF AREA (FOR THIS JOB) SQ FT: 27
NO. OF STORIES: 1
VENTILATION: Ridge Vent
USE EXISTING: Use Existing
REPLACE ALL: Replace All
NEW METAL: New Metal
4:12 OR GREATER: 4:12 or Greater
YES: Yes
ASPHALT SHINGLES: Asphalt Shingles
FL 10124.1 R27: FL 10124.1 R27
GAF: GAF
TIMBERLINE HDZ: Timberline HDZ
two layers of felt underlayment comply ASTM 0226 Type II or ASTM D4869 Type III or IV, or two layers of a synthetic underlayment meeting the performance requirements specified, lapped and fastened as specified.
2020 Florida Building Code 7th Edition and Florida Statute 553.844

NOTICE: Addition to the requirements of this permit, there may be restrictions applicable to this property that may be found in the public records of this county and there may be additional permits required from other governmental entities such as water management districts, state or federal agencies.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

NOTICE: All work is to be completed in accordance with the permitted plans and applicable codes of Columbia County, Florida. In order to maintain valid permit the work authorized must commence within 180 days of issuance and have an approved inspection within every 180 days thereafter.
MUST POST ON THE JOBSITE: Copies of the Permit and Recorded Notice of Commencement for inspection.
9/13/2021 4:29 PM



ABC
Supply Co. Inc.

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

PRO GUA
SYNTHETIC ROOFING U

ABC
Supply Co. Inc.

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
Le degré de résistance au glissement peut varier de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo

LÍNEA DE SUPERPOSICIÓN
OVERLAP LINE

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
Le degré de résistance au glissement peut varier de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo

LÍNEA DE SUPERPOSICIÓN
OVERLAP LINE

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

Meets or exceeds all applicable building codes, weather, footwear and roof pitch.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN
OVERLAP LINE

ABC
Supply Co. Inc.

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.



RD 20

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT



ABC Supply Co. Inc.

ABC Supply Co. Inc.

ABC Supply Co. Inc.

ABC Supply Co. Inc.

ABC Supply Co. Inc.

ABC Supply Co. Inc.



La resistencia al deslizar puede variar de acuerdo a las condiciones de la superficie.
Le degré de résistance au glissement peut varier dépendant de la surface.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN



La resistencia al deslizar puede variar de acuerdo a las condiciones de la superficie.
Le degré de résistance au glissement peut varier dépendant de la surface.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN





ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
Slip resistance may vary with surface conditions, weather, footwear and roof pitch

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
Slip resistance may vary with surface conditions, weather, footwear and roof pitch

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

MEETS ASTM D4869 & D726
CAN/CSA A123.3 | CCR - 0306

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
 SYNTHETIC ROOFING UNDERLAYMENT

ABC Supply Co. Inc.

MEET STANDARD D228
 CANADA ULLU / CCR-1098

PRO GUARD 20
 SYNTHETIC ROOFING UNDERLAYMENT

El producto es un tipo de membrana sintética, diseñada para ser usada en el interior de un techo de concreto o de acero, para proporcionar una barrera impermeable y resistente al viento. No debe usarse en exteriores ni en techos de madera. Consulte las instrucciones de instalación para obtener más detalles.

ABC Supply Co. Inc.

LINEA DE SUPERPOSICIÓN

Columbia County, FL Building & Zoning
 Roof Replacement or Repair Permit #200042743
 Issued September 13, 2022

CONTRACTOR
 NAME: WILSON TRENDS
 ADDRESS: 1515 W. UNIVERSITY BLVD, SUITE 100, GAITHERSBURG, MD 20878

PROJECT DETAILS
 TYPE OF STRUCTURE: ROOF REPLACEMENT
 ADDRESS: 1515 W. UNIVERSITY BLVD, SUITE 100, GAITHERSBURG, MD 20878

NOTICE: Addition to the requirements of this permit, there may be additional requirements of the contractor that may be found in the public records of the County and that may be required to be met by the contractor before the start of construction. The contractor is responsible for obtaining all necessary permits and approvals from the appropriate agencies.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF INSPECTION MUST BE POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

NOTICE: All work to be completed in accordance with the approved plans and applicable codes of Columbia County, Florida. It is the responsibility of the contractor to obtain all necessary permits and approvals from the appropriate agencies.

MUST POST ON THE JOB SITE: Copy of the Permit and Record Notice of Commencement for inspection.

ABC Supply Co. Inc.



Columbia County, FL. Building & Zoning
Roof Replacement or Repair Permit #000042743
Issued September 13, 2021



OWNER: AFFRON RICK L
PHONE: 386-454-4438 **ADDRESS:** 188 SW BONIFAY GLN FORT WHITE, FL 32038
PARCEL: 19-75-17-10026-011 **ZONING:** AGRICULTURE - 3 A-3 **FLOOD ZONE:** X **Coords:** 29.87,-82.65
SUBDIVISION: COX SURVEY UNR **LOT:** 11 **BLK:** **PHASE:** **UNIT:** **ACRES:** 2.53

CONTRACTOR
NAME: BENJAMIN T KEELER **ADDRESS:** 3519 SE 76TH TRAIL TRENTON, FL 32693 **PHONE:** 352-514-4900
BUSINESS: KEELER ROOFING, LLC **LICENSE:** CCC1330509 -

PROJECT DETAILS

TYPE ROOFING JOB: Replacement - Tear off Existing and Replace
TYPE OF STRUCTURE: House
ROOF AREA (FOR THIS JOB) SQ FT: 27
NO. OF STORIES: 1
VENTILATION: Ridge Vent
FLASHING: Use Existing
DRIP EDGE: Replace All
VALLEY TREATMENT: New Metal
ROOF PITCH: 4:12 or Greater
IS THE EXISTING ROOF BEING REMOVED?: Yes
TYPE OF NEW ROOFING PRODUCT: Asphalt Shingles
FLORIDA PRODUCT APPROVAL NUMBER: FL 10124.1 R27
PRODUCT MANUFACTURER: GAF
PRODUCT DESCRIPTION: Timberline HDZ
SEALED ROOF DECKING OPTIONS: (MUST SELECT AN OPTION.): two layers of felt underlayment comply ASTM G226 Type II or ASTM D4869 Type III or IV, or two layers of a synthetic underlayment meeting the performance requirements specified, lapped and fastened as specified.
BUILDING CODE EDITION: 2020 Florida Building Code 7th Edition and Florida Statute 553.844

NOTICE: Addition to the requirements of this permit, there may be restrictions applicable to this property that may be found in the public records of this county and there may be additional permits required from other governmental entities such as water management districts, state or federal agencies.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

NOTICE: All work is to be completed in accordance with the permitted plans and applicable codes of Columbia County, Florida. In order to maintain a valid permit the work authorized must commence within 180 days of issuance and have an approved inspection within every 180 days thereafter.

MUST POST ON THE JOBSITE: Copies of the Permit and Recorded Notice of Commencement for inspection.

9/13/2021 4:29 PM

Columbia County, FL. Building & Zoning
Roof Replacement or Repair Permit #000042743
 Issued September 13, 2021



OWNER: AFFRON RICK L
 PHONE: 366-454-4438 ADDRESS: 166 SW BONIFAY GLN FORT WHITE, FL 32038
 FLOOD ZONE: X Coords: 29.87, -82.65

PARCEL: 19-7S-17-10026-011 ZONING: AGRICULTURE - 3 A-3
 SUBDIVISION: COX SURVEY UNR LOT: 11 BLK: PHASE: UNIT: ACRES: 2.53
 PHONE: 352-514-4930

CONTRACTOR
 NAME: BENJAMIN T KEELER
 BUSINESS: KEELER ROOFING, LLC
 ADDRESS: 3519 SE 75TH TRAIL TRENTON, FL 32693
 LICENSE: CCC1530509

PROJECT DETAILS

TYPE ROOFING JOB: Replacement - Tear off Existing and Replace
 TYPE OF STRUCTURE: House
 ROOF AREA (FOR THIS JOB) SQ FT: 27
 NO. OF STORIES: 1
 VENTILATION: Ridge Vent
 FLASHING: Use Existing
 TYPE OF ROOFING PRODUCT: Replace All
 TYPE OF ROOFING PRODUCT APPROVAL NUMBER: New Metal
 MANUFACTURER: 4:12 or Greater
 TYPE OF ROOF DECKING OPTIONS: (MUST SELECT AN OPTION.) Yes
 BUILDING CODE EDITION: Asphalt Shingles
 FL 10124.1 R27
 GAF
 Timberline HDZ
 two layers of felt underlayment comply ASTM 0226 Type II or ASTM D4869
 Type III or IV, or two layers of a synthetic underlayment meeting the
 performance requirements specified, lapped and fastened as specified.
 2020 Florida Building Code 7th Edition and Florida Statute 553.844

NOTICE: Addition to the requirements of this permit, there may be restrictions applicable to this property that may be found in the public records of this county and there may be additional permits required from other governmental entities such as water management districts, state or federal agencies.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

NOTICE: All work is to be completed in accordance with the permitted plans and applicable codes of Columbia County, Florida. In order to maintain a valid permit the work authorized must commence within 180 days of issuance and have an approved inspection within every 180 days thereafter.

MUST POST ON THE JOBSITE: Copies of the Permit and Recorded Notice of Commencement for inspection.
 8/13/2021 4:29 PM