

APPROVED

DATE: **11/19/2025**

PITCH: **8/12**

HEEL HEIGHT: **2-11-06"**

OVERHANG: **1-06-00**

TRUSS SPACING: **24"**

BEARING HEIGHT: **9-00-00"**

LOAD CRITERIA

BUILDING CODE: **FBC 2023**

WIND STANDARD: **ASCE722**

EXPOSURE CATEGORY: **B**

WIND VELOCITY: **130 mph**

ROOF

TCLL	20.0 lb/ft ²
TCDL	10.0 lb/ft ²
BCDL	10.0 lb/ft ²

FLOOR

TCLL	40.0 lb/ft ²
TCDL	10.0 lb/ft ²
BCDL	5.0 lb/ft ²

WARNING

IT IS THE RESPONSIBILITY OF THE BUILDING DESIGNER OR ARCHITECT TO PROVIDE ALL CONNECTIONS OTHER THAN TRUSS TO TRUSS, UNLESS NOTED OTHERWISE

CONVENTIONAL FRAMING, ERECTION OR PERMANENT BRACING IS NOT THE RESPONSIBILITY OF THE TRUSS DESIGNER OR TRUSS MANUFACTURER

TRUSSES SHALL BE HANDLED WITH REASONABLE CARE DURING ERECTION TO PREVENT DAMAGE

DO NOT CUT OR ALTER TRUSSES IN ANY WAY.

***ALL DEMENSIONS ARE FEET-INCHES-SIXTEENTHS**

***NO BACK CHARGES WILL BE ACCEPTED**

APPROVAL OF THIS TRUSS LAYOUT IS REQUIRED BEFORE FABRICATION CAN BEGIN. VERIFY ALL SPANS, PITCHES, OVERHANGS, ELEVATION HEIGHTS, BEARING DETAILS AND TRUSS DETAILS. ACCEPTANCE OF THIS LAYOUT ASSUMES TOTAL RESPONSIBILITY. THE TRUSSES WILL BE BUILT IN ACCORDANCE WITH THIS LAYOUT



APPROVED BY: _____ DATE: _____

