

CHK#166

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION  DATA SHEET

**For Office Use Only** (Revised 7-1-15) Zoning Official LC Building Official TM 2/22/R  
 AP# 1802-83 Date Received 2-22-18 By LH Permit # 36411  
 Flood Zone X Development Permit \_\_\_\_\_ Zoning A3 Land Use Plan Map Category A  
 Comments \_\_\_\_\_

---

FEMA Map# \_\_\_\_\_ Elevation \_\_\_\_\_ Finished Floor 157.5 River \_\_\_\_\_ In Floodway \_\_\_\_\_  
 Recorded Deed or  Property Appraiser PO  Site Plan  EH # 18-0139  Well letter OR  
 Existing well  Land Owner Affidavit  Installer Authorization  FW Comp. letter  App Fee Paid  
 DOT Approval  Parent Parcel # \_\_\_\_\_  STUP-MH \_\_\_\_\_  911 App su  
 Ellisville Water Sys  Assessment owed  Out County  In County  Sub VF Form Sheet  
 (36675)

Property ID # 14-35-16-02117-202 Subdivision Moore Haven S/D Lot# 2

- New Mobile Home \_\_\_\_\_ Used Mobile Home  MH Size 32x80 Year 00
- Applicant Mark Lewis Phone # 386-466-7211
- Address 244 NW Amy Ct Lake City Ga 32055
- Name of Property Owner Mark Lewis Phone# 386-466-7211
- 911 Address 244 NW Amy Ct Lake City Ga 32055
- Circle the correct power company - FL Power & Light - Clay Electric  
 (Circle One) - Suwannee Valley Electric - Duke Energy
- Name of Owner of Mobile Home Mark Lewis Phone # 386-466-7211  
 Address \_\_\_\_\_
- Relationship to Property Owner owner
- Current Number of Dwellings on Property 0
- Lot Size 5.72 Total Acreage 5.72
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)  
 (Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home \_\_\_\_\_
- Driving Directions to the Property 41 North, (2) Moore Rd, (2) Amy Ct, East on left.
- Name of Licensed Dealer/Installer Paul Albright Phone # 386-365-5314
- Installers Address 199 SW Thomas Terr Lake City Ga 32074
- License Number JH 1025239 Installation Decal # 48874

Is pole to Mark 2-22-18 - He knows what is needed. \$615.94


**COLUMBIA COUNTY PERMIT WORKSHEET**

These worksheets must be completed and signed by the installer.  
Submit the originals with the packet.


Installer Tyler C. Albright License # 141025239  
 911 Address where home is being installed. 7134 Amy Ct  
Lake City Fla  
 Manufacturer Reachtree Length x width 32x80

NOTE: if home is a single wide fill out one half of the blocking plan  
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. Installer's initials [Signature]



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home  Used Home   
 Home installed to the Manufacturer's Installation Manual   
 Home is installed in accordance with Rule 15-C   
 Single wide  Wind Zone II  Wind Zone III   
 Double wide  Installation Decal # 48874  
 Triple/Quad  Serial # 2GA2125 A&B

**PIER SPACING TABLE FOR USED HOMES**

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'	8'
1500 psf	4' 6"	6'	7'	8'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

\* interpolated from Rule 15C-1 pier spacing table.

**PIER PAD SIZES**

I-beam pier pad size 17x25  
 Perimeter pier pad size 16x16  
 Other pier pad sizes (required by the mfg.) \_\_\_\_\_

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening	Pier pad size
<u>14</u>	<u>23x32</u>
<u>8</u>	<u>17x25</u>
<u>3</u>	<u>17x25</u>

**TIEDOWN COMPONENTS**

Longitudinal Stabilizing Device (LSD) Manufacturer \_\_\_\_\_  
 Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer \_\_\_\_\_

**ANCHORS**

4 ft  5 ft  Center

**FRAME TIES**

within 2' of end of home spaced at 5' 4" oc

**OTHER TIES**

Number \_\_\_\_\_  
 Sidewall \_\_\_\_\_  
 Longitudinal \_\_\_\_\_  
 Marriage wall \_\_\_\_\_  
 Shearwall \_\_\_\_\_

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

X 1500 X 1500

POCKET PENETROMETER TESTING METHOD

- 1. Test the perimeter of the home at 6 locations.
- 2. Take the reading at the depth of the footer.
- 3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1500 X 1500

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb. loading capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 404

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 404  
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 404

Site Preparation

Debris and organic material removed \_\_\_\_\_  
Water drainage: Natural \_\_\_\_\_ Swale \_\_\_\_\_ Pad  Other \_\_\_\_\_

Fastening multi wide units

Floor: Type Fastener: lag Length: 6' Spacing: 24"  
Walls: Type Fastener: self Length: 4' Spacing: 24"  
Roof: Type Fastener: metal Length: 80" Spacing: 50"  
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials F.P.P.

Type gasket

RTV

Installed:

Between Floors Yes   
Between Walls Yes   
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes  Pg. \_\_\_\_\_  
Siding on units is installed to manufacturer's specifications. Yes   
Fireplace chimney installed so as not to allow intrusion of rain water. Yes NA

Miscellaneous

Skirting to be installed. Yes \_\_\_\_\_ No \_\_\_\_\_  
Dryer vent installed outside of skirting. Yes \_\_\_\_\_ No \_\_\_\_\_  
Range downflow vent installed outside of skirting. Yes N/A No   
Drain lines supported at 4 foot intervals. Yes \_\_\_\_\_ No \_\_\_\_\_  
Electrical crossovers protected. Yes  No \_\_\_\_\_  
Other: \_\_\_\_\_

Bonding wire

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature Todd C. Wright Date \_\_\_\_\_

# Columbia County Property Appraiser

updated: 2/1/2018

2017 Tax Year

Tax Collector Tax Estimator Property Card

Parcel List Generator

Parcel: 14-3S-16-02117-202

<< Next Lower Parcel Next Higher Parcel >>

2017 TRIM (pdf)

Interactive GIS Map

Print


## Owner & Property Info

<< Prev

Search Result: 37 of 56

Next >>

<b>Owner's Name</b>	LEWIS MARK		
<b>Mailing Address</b>	809 NE ABERDEEN AVE LAKE CITY, FL 32055		
<b>Site Address</b>	244 NW AMY CT		
<b>Use Desc. (code)</b>	VACANT (000000)		
<b>Tax District</b>	3 (County)	<b>Neighborhood</b>	14316
<b>Land Area</b>	5.720 ACRES	<b>Market Area</b>	03
<b>Description</b>	NOTE: This description is not to be used as the Legal Description for this parcel in any legal transaction.		
LOT 2 MOORE HAVEN S/D. 819-553, 983-1816, DC 1145-12, WD 1351-367.			



## Property & Assessment Values

2017 Certified Values		
<b>Mkt Land Value</b>	cnt: (0)	\$22,634.00
<b>Ag Land Value</b>	cnt: (1)	\$0.00
<b>Building Value</b>	cnt: (0)	\$0.00
<b>XFOB Value</b>	cnt: (0)	\$0.00
<b>Total Appraised Value</b>		\$22,634.00
<b>Just Value</b>		\$22,634.00
<b>Class Value</b>		\$0.00
<b>Assessed Value</b>		\$22,634.00
<b>Exempt Value</b>		\$0.00
<b>Total Taxable Value</b>	Cnty: \$22,634 Other: \$22,634   Schl: \$22,634	

2018 Working Values <span style="float: right;">(...Hide Values)</span>		
<b>Mkt Land Value</b>	cnt: (0)	\$23,884.00
<b>Ag Land Value</b>	cnt: (1)	\$0.00
<b>Building Value</b>	cnt: (0)	\$0.00
<b>XFOB Value</b>	cnt: (0)	\$0.00
<b>Total Appraised Value</b>		\$23,884.00
<b>Just Value</b>		\$23,884.00
<b>Class Value</b>		\$0.00
<b>Assessed Value</b>		\$23,884.00
<b>Exempt Value</b>		\$0.00
<b>Total Taxable Value</b>	Cnty: \$23,884 Other: \$23,884   Schl: \$23,884	

**NOTE: 2018 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.**

## Sales History

Show Similar Sales within 1/2 mile

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
1/3/2017	1351/367	WD	V	Q	01	\$35,900.00
5/19/2003	983/1816	WD	V	U	03	\$20,000.00

## Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

## Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Legend

Roads

- DEFAULT
- DONTIMPOR
- others
- / Dirt
- / Interstate
- Main
- Other
- Paved
- Private
- Lake City
- Parcels

2016Aerials

- Development Zones

- others
- A-1
- A-2
- A-3
- CG
- CHI
- CI
- CN
- CSV
- ESA-2
- I
- ILW
- MUD-1
- PRD
- PRRD
- RMF-1
- RMF-2
- RO
- RR
- RSF-1
- RSF-2
- RSF-3
- RSF/MH-1
- RSF/MH-2
- RSF/MH-3
- DEFAULT

Addresses

Flood Zones

- 0.2 PCT ANNUAL CHANCE
- A
- AE
- AH

# Columbia County, FLA - Building & Zoning Property Map

Printed: Thu Feb 22 2018 15:28:35 GMT-0500 (Eastern Standard Time)




*911 Address Verification etc per site.*  
*JMA*

## Parcel Information

Parcel No: 14-3S-16-02117-202  
 Owner: PRICE JAMES E JR & LORETTA J  
 Subdivision: MOORE HAVEN  
 Lot: 2  
 Acres: 5.62775326  
 Deed Acres: 5.72 Ac  
 District: District 3 Bucky Nash  
 Future Land Uses: Agriculture - 3, Residential - Very Low  
 Flood Zones: A,  
 Official Zoning Atlas: A-3

# Site Plan





STATE OF FLORIDA  
 DEPARTMENT OF HEALTH  
 ONSITE SEWAGE TREATMENT AND DISPOSAL  
 SYSTEM  
 APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 18-2139  
 DATE PAID: 2/19/18  
 FEE PAID: 310.80  
 RECEIPT #: 1320521

APPLICATION FOR:

- New System     Existing System     Holding Tank     Innovative  
 Repair     Abandonment     Temporary

APPLICANT: Mark Lewis  
 AGENT: Robert W. FOLD Jr. NEST, INC.    TELEPHONE: 386 755-6372  
 MAILING ADDRESS: 741 SE State Rd 100 HC FL 32025

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: 2    BLOCK: 1    SUBDIVISION: MOORE HAVEN    PLATTED: \_\_\_\_\_  
 PROPERTY ID #: 14-35-16-02117-202    ZONING: RS    I/M OR EQUIVALENT: [ Y /  N ]  
 PROPERTY SIZE: 5.720 ACRES    WATER SUPPLY:  PRIVATE    PUBLIC [ ]    <=2000GPD [ ]    >2000GPD  
 IS SEWER AVAILABLE AS PER 381.0065, FS? [ Y /  N ]    DISTANCE TO SEWER: \_\_\_\_\_ FT  
 PROPERTY ADDRESS: 244 NW Amy CT  
 DIRECTIONS TO PROPERTY: 41 NORTH to Moore Rd TL Follow to Amy Ct TR Follow to END on left.

BUILDING INFORMATION

RESIDENTIAL     COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	<u>Single family</u>	<u>4</u>	<u>32x76</u> <u>2432</u>	
2				
3				
4				


Floor/Equipment Drains     Other (Specify) \_\_\_\_\_

SIGNATURE: Robert W. FOLD Jr.    DATE: 02/15/18

STATE OF FLORIDA  
 DEPARTMENT OF HEALTH  
 APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number 28-0139

----- PART II - SITEPLAN -----



Notes: mark Lewis  
LOT 2 Moore Haven  
5.720 Acres 14-35-16-02117-202

Site Plan submitted by: Robert W. Judd 2-15-18 Agent  
 Plan Approved  Not Approved  Date 2-21-18  
 By Salli Ind Env Health Director County Health Department  
Columbia

**ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT**



Manufacturer Address

PEACH STATE HOMES  
P.O. BOX 615  
ADEL, GEORGIA 31620

Date of Manufacture 2-2-2000 HUD Label No. (s) 650 12551699/5700 Plant Number #2  
 Manufacturer's Serial Number and Model Unit Designation  
PSH26A 2125AB 2120 32X80  
 Design Approval by (D.A.P.I.A.)  
Hilborn, Werner, Carter

This manufactured home is designed to comply with the federal manufactured home construction and safety standards in force at time of manufacture (For additional information, consult owner's manual.)

The factory installed equipment includes:

Equipment	Manufacturer	Model Designation
For heating		
For air cooling		
For cooking	<u>Frigidaire</u>	<u>FFH 2125</u>
Refrigerator	<u>Frigidaire</u>	<u>FFH 2125</u>
Water Heater	<u>Rheem</u>	<u>115003</u>
Washer		
Clothes Dryer		
Dishwasher	<u>Frigidaire</u>	<u>FFH 2125</u>
Garbage Disposal		
Fireplace	<u>Martin</u>	<u>5F 3013</u>
Smoker/Cat	<u>Universal</u>	<u>55-785</u>
	<u>Fynetics</u>	<u>1235E</u>

HOME CONSTRUCTED FOR

- Zone I  Zone II  Zone III

This home has not been designed for the higher wind pressure and anchoring provisions required for ocean coastal areas and should not be located within 1500' of the coastline in Wind Zones II and III, unless the home and its anchoring and foundation system have been designed for the increased requirements specified for Exposure D in ANSI/AICC 7-88.

This home has  has not  been equipped with storm shutters or other protective coverings for windows and exterior door openings. For homes designed to be located in Wind Zones II and III, which have not been provided with shutters or equivalent covering devices, it is strongly recommended that the home be made ready to be equipped with these devices in accordance with the method recommended in manufacturers printed instructions.

BASIC WIND ZONE MAP



DESIGN ROOF LOAD ZONE MAP

North 40 PSF South 20 PSF  
Middle 30 PSF Other PSF



COMFORT HEATING

This manufactured home has been thoroughly insulated to conform with the regulation of the federal manufacturing home construction and safety standards for all local within U/O value zone (See map at bottom). Heating equipment manufacturer and model (See list at left). The above heating equipment has the capacity to maintain an average 70° F temperature this home at outdoor temperatures of \_\_\_\_\_ F. To maximize furnace operating economy, and to conserve energy, it is recommended that home be installed where the outdoor winter design temperature (7° 1/2%) is not higher than \_\_\_\_\_ degrees Fahrenheit. The above information has been calculated assuming a maximum wind velocity of 15 mph standard atmospheric pressure.

COMFORT COOLING

- Air conditioner provided at factory (Alternate I)

Air conditioner manufacturer and model (see list at left)

Cooled capacity \_\_\_\_\_ B.T.U./hour in accordance with the appropriate air conditioning and refrigeration institute standards. The central air conditioning system provided in this home has been sized assuming orientation of the front (narrow end) of the home facing \_\_\_\_\_ On this basis the system is designed to maintain an indoor temperature of 75° F when outdoor temperatures are \_\_\_\_\_ °F dry bulb and \_\_\_\_\_ °F wet bulb.

The temperature to which this home can be cooled will change depending upon its exposure of the windows of this home to the sun's radiant heat. Therefore, the home's heat gains will vary dependent upon its orientation to the sun and any permanent shading provided. Information concerning the calculation of cooling loads at various locations, window exposures and shadings are provided in Chapter 22 of the 1989 edition of the ASHRAE Handbook of Fundamentals.

Information necessary to calculate cooling loads at various locations and orientations is provided in the special comfort cooling information provided with this home.

- Air conditioner not provided at factory (Alternate II)

The air distribution system of this home is suitable for the installation of central air conditioning.

The supply air distribution system installed in this home is sized for a manufactured home central air conditioning system of up to 56,567 B.T.U./hr, rated capacity which will vary in accordance with the appropriate air conditioning and refrigeration institute standards, when the air circulators of such air conditioners are rated at 0.3 inch water column static pressure or greater for the cooling air delivered to the manufactured home supply air duct system.

Information necessary to calculate cooling loads at various locations and orientations is provided in the special comfort cooling information provided with this manufactured home.

- Air conditioning not recommended (Alternate III)

The air distribution system of this home has not been designed in anticipation of its use with a central air conditioning system.

To determine the required capacity of equipment to cool a home efficiently and economically, a cooling load (heat gain) calculation is required. The cooling load is dependent on the orientation, location and the structure of the home. Central air conditioners operate most efficiently and provide the greatest comfort when their capacity closely approximates the calculated cooling load. Each home's air conditioner should be sized in accordance with Chapter 22 of the American Society of Heating, Refrigerating and Air Conditioning Engineers (ASHRAE) Handbook of Fundamentals 1989 edition, once the location and orientation are known.

INFORMATION PROVIDED BY THE MANUFACTURER NECESSARY TO CALCULATE SENSIBLE HEAT GAIN

Walls (without windows and doors)	<u>0.093</u>
Ceilings and roofs of light color	<u>0.066</u>
Ceilings and roofs of dark color	<u>NA</u>
Floors	<u>0.067</u>
Air ducts in floor	<u>NA</u>
Air ducts in ceiling	<u>151</u>
Air ducts installed outside the home	<u>162</u>
The following are the duct areas in this home	
Air ducts in floor	<u>NA</u> sq. ft.
Air ducts in ceiling	<u>234</u> sq. ft.
Air ducts outside the home	<u>264</u> sq. ft.

U/O VALUE ZONE MAP





COLUMBIA COUNTY BUILDING DEPARTMENT  
 135 NE Hernando Ave. Suite B-21, Lake City, FL 32055  
 Phone: 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, Paul Albright, give this authority for the job address show below  
Installer License Holder Name

only, 244 NW Amy Ct. Lake City Fl 32055, and I do certify that  
Job Address

the below referenced person(s) listed on this form is/are under my direct supervision and control and is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is... (Check one)
* Mark Lewis	<i>Mark Lewis</i>	<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner
		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner
		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner

I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.

*Paul E Albright* License Holders Signature (Notarized)      1025239 License Number      2-22-18 Date

**NOTARY INFORMATION:**

STATE OF: Florida COUNTY OF: Columbia

The above license holder, whose name is Paul Albright personally appeared before me and is known by me or has produced identification (type of I.D.) Real on this 22 day of Feb, 20 18.

*[Signature]*  
 NOTARY'S SIGNATURE

(Seal/Stamp)

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1802-83 CONTRACTOR Paul Albright PHONE \_\_\_\_\_

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is REQUIRED that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

**Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.**

<p><b>ELECTRICAL</b></p>	<p>Print Name <u>Mark Lewis</u>                  License #: <u>owner</u>                  Qualifier Form Attached <input type="checkbox"/></p>	<p>Signature <u>Mark Lewis</u>                  Phone #: _____</p>
<p><b>MECHANICAL/ A/C</b></p>	<p>Print Name <u>Mark Lewis</u>                  License #: <u>owner</u>                  Qualifier Form Attached <input type="checkbox"/></p>	<p>Signature <u>Mark Lewis</u>                  Phone #: _____</p>

**F. S. 440.103 Building permits; identification of minimum premium policy.**--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.