

DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White, FL 32038



DIGGLE
000055150

163 SW Thistlewood

LE

White, FL 32038



DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White, FL 32038

1-800-43

DIGGLE
000055150
163 SW Thistlewood
White, FL 320

...conditions, weather, footwear and
...condiciones de la superficie, tipo de calzado
...température, chaussure

DIGGLE
000055150
163 SW Thistlewood
White, FL 32038

DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White, FL

photopark.com | 1-800-438-7466

conditions, weather, footwear and roof pitch.
nes de la superficie, tipo de calzado o clima y la pendi
ndant de la température, chaussures hiver et le toit



DIGGLE
000055150
Poomood
163 SW Thistlewood
Ln
Fort White, FL 32038

MEETS / SATISFAIT : ASTM D2238 TYPE IV, ASTM D4465 TYPE IV, ASTM D6627
CAN/CSA A125.2 & A250.1
FLORIDA PRODUCT APPROVAL

www.eavetopeak.com | 1-800-438-7465

DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White, FL 32038

TYPE IV, ASTM D6627

1-800-438-7465

0002919009 510035-4402 L

Si la resistencia may varar de acuerdo a las
La resistencia et deslíz puede variar de acuerdo a las
Le degré de résistance au glissement



eavetopeak.com/RhinoRoof | 800-567-9727

MEETS / SATISFAIT : ASTM D2267 Type IV, ASTM D3085 Type IV, ASTM D9237
CAN/CEA AT 23.9 & A.260.1
FLORIDA PRODUCT APPROVAL

CHENNAI MADE COUNTRY APPROVED

DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White, FL 32038

Slip resistance may vary with surface conditions, weather and conditions de la surface.
La résistance au glissement peut varier dépendant de la température et de l'état de la surface.

ASTM D2267 Type IV
ASTM D3085 Type IV
ASTM D9237
CAN/CEA AT 23.9 & A.260.1
FLORIDA PRODUCT APPROVAL

eavetopeak.com/RhinoRoof

DIGGLE

000055150

Ln

163 SW Thistlewood
Fort White, FL 32038



DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White, FL 32038

www.diggle.com
DIGGLE PRODUCTIONS, INC.
163 SW THISTLEWOOD LN
FORT WHITE, FL 32038

NEED
CALL/



may vary with surface conditions, weather, footwear and foot placement
a surface is in conditions de la superficie tipo de calzado o clima y la colocación del pie
placement peut varier dépendant de la température, chaussures et lieu de placement

DIGGLE
000055150
163 SW Thistlewood
Ln
Fort White FL 32038

POOMBLE
000055150
163 SW Thistlewood
Ln
Fort White, FL 32038

U20
Roof

Rhino

800-667-9727

MEETS / SATISFAIT : ASTM D226 TYPE II, ASTM D4869 TYRE IV, ASTM D8257
CAN/CSA A123.3 & A820.1
FLORIDA PRODUCT APPROVAL

www.eaveoptak.com | 1-800-438-7465



del techo
nto

DIGGLE

000055150

**163 SW Thistlewood
Ln**

D16GLE
000055150
163 SW Thislewood
Ln 1 white fl 32038

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1
27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DIGGLE
1000055150
Ln SW Thistlewood
Fort White FL 32030

DIGGLE
000055150
Ln 5W Thislewood
for white fl 32038

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26