





SCALE: 1/8" = 1'


SEE HEADER SCHEDULE FOR SIZE



TYPICAL HEADER STRAPPING

NOT TO SCALE

HEADER SCHEDULE		NOTE:	
2x STUD CONTINUOUS TO TOP PLATE		UPRIFT CONNECTION IS REQUIRED AT EACH END OF HEADER AND AT BOTTOM OF STUDS IN ADDITION TO CONNECTIONS AT WALL STUDS AND AT TOP AND BOTTOM OF CRIPPLES	
OPENING WIDTH	0'-0" TO 3'-0"	BEARING OR SHEAR WALL	2 - 2x4s
	3'-1" TO 5'-0"		2 - 2x4s
	5'-1" TO 7'-0"		2 - 2x6s
	7'-1" TO 10'-0"		2 - 2x8s
	10'-1" TO 12'-0"		2 - 2x10s
2x STUD UNDER LIFTED WITH OPENINGS LARGER THAN 9'-0"		NON-BEARING WALLS	2 - 2x4s
			2 - 2x6s
			2 - 2x8s
			2 - 2x10s
			2 - 2x12s



TYPICAL WALL FRAMING	
2x4	(3) WALL PER STUD
2x6	(3) WALL PER STUD
2x8	(3) WALL PER STUD
2x10	(3) WALL PER STUD
2x12	(3) WALL PER STUD
3x4	(3) WALL PER STUD
4x4	(3) WALL PER STUD
6x6	(3) WALL PER STUD
8x8	(3) WALL PER STUD
10x10	(3) WALL PER STUD
12x12	(3) WALL PER STUD

PROJECT NO. **F20216**

DATE **NOV. 9, 2020**

REVISION DATE

SHEET **1**

WRIGHT PORCH ENCLOSURE FRAMING PLAN

PREPARED FOR
**PLUMB LEVEL CONSTRUCTION
KEVIN BEDENBAUGH, JR.
306.365.5264**

DATE

REVISION DESCRIPTION

CAROL CHADWICK, P.E.
Professional Engineer
1206 SW 17th Ave
Fort Lauderdale, FL 33311
305.555.1772
ccp@ccpe.com
www.carolchadwick.com
FLORIDA #17724
OREGON #CALIFORNIA #N.C.E.E.