



Columbia County

BUILDING DEPARTMENT

Revised 3/15/12

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2010 FLORIDA BUILDING CODE ,FLORIDA PLUMBING CODE,FLORIDA MECHINICAL CODE,FLORIDA FUEL AND GAS CODE 2010 EFFECTIVE 15 MARCH 2012 AND 2008 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

COMMERCIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609-A THROUGH 1609-C ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

GENERAL REQUIREMENTS:		Items to Include- Each Box shall be Circled as Applicable		
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A
3	The design professional signature shall be affixed to the plans	YES	NO	N/A
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans (seal not embossed)	YES	NO	N/A

Two (2) complete sets of plans containing the following information:

Building Site Plan Requirements		Items to Include- Each Box shall be Circled as Applicable		
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A
6	Driving/turning radius of parking lots	Yes	No	N/A
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	N/A
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A
10	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A
11	All structures exterior views include finished floor elevation	Yes	No	N/A
12	Total height of structure(s) form established grade	Yes	No	N/A
Review required by the Columbia County Fire Department Items 13th 43				

Occupancy group use circle all uses:	Group A	Group B	Group E	Group F	Group H	Group I	Group M	Group R	Group S	Group U D	
13	Special occupancy requirements								Yes	No	N/A
14	Incidental use areas (total square footage for each room of use area)								Yes	No	N/A
15	Mixed occupancies								Yes	No	N/A
16	REQUIRED SEPARATION OF OCCUPANCIES IN HOURS FBC TABLE 707.3.9								Yes	No	N/A
Minimum type of permitted construction by code for occupancy use circle the construction type FBC 602											
17	Type I	Type II	Type III	Type IV	Type V						

Fire-resistant construction requirements shall be shown, include the following components				
18	Fire-resistant separations	Yes	No	N/A
19	Fire-resistant protection for type of construction	Yes	No	N/A
20	Protection of openings and penetrations of rated walls	Yes	No	N/A
21	Protection of corridors and penetrations of rated walls	Yes	No	N/A
22	Fire blocking and draftstopping and calculated fire resistance	Yes	No	N/A
Fire suppression systems shall be shown include:				
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes	Yes	No	N/A
24	Standpipes	Yes	No	N/A
25	Pre-engineered systems	Yes	No	N/A
26	Riser diagram	Yes	No	N/A
Life safety systems shall be shown include the following requirements:				
27	Occupant load and egress capacities	Yes	No	N/A
28	Early warning	Yes	No	N/A
29	Smoke control	Yes	No	N/A
30	Stair pressurization	Yes	No	N/A
31	Systems schematic	Yes	No	N/A
Occupancy load/egress requirements shall be shown include:				
32	Occupancy load	Yes	No	N/A
33	Gross occupancy load	Yes	No	N/A
34	Net occupancy load	Yes	No	N/A
35	Means of egress	Yes	No	N/A
36	Exit access	Yes	No	N/A
37	Exit discharge	Yes	No	N/A
38	Stairs construction/geometry and protection	Yes	No	N/A
39	Doors	Yes	No	N/A
40	Emergency lighting and exit signs	Yes	No	N/A
41	Specific occupancy requirements	Yes	No	N/A
42	Construction requirements	Yes	No	N/A
43	Horizontal exits/exit passageways	Yes	No	N/A

**Items to Include-
Each Box shall
be Circled as
Applicable**

Structural requirements shall be shown include:				
44	Soil conditions/analysis	Yes	No	N/A
45	Termite protection	Yes	No	N/A
46	Design loads	Yes	No	N/A
47	Wind requirements	Yes	No	N/A
48	Building envelope	Yes	No	N/A
49	Structural calculations (if required)	Yes	No	N/A
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A
51	Wall systems	Yes	No	N/A
52	Floor systems	Yes	No	N/A
53	Roof systems	Yes	No	N/A
54	Threshold inspection plan	Yes	No	N/A
55	Stair systems	Yes	No	N/A
Materials shall be shown include the following				
56	Wood	Yes	No	N/A
57	Steel	Yes	No	N/A
58	Aluminum	Yes	No	N/A
59	Concrete	Yes	No	N/A
60	Plastic	Yes	No	N/A
61	Glass	Yes	No	N/A
62	Masonry	Yes	No	N/A
63	Gypsum board and plaster	Yes	No	N/A
64	Insulating (mechanical)	Yes	No	N/A
65	Roofing	Yes	No	N/A
66	Insulation	Yes	No	N/A
Accessibility requirements shall be shown include the following				
67	Site requirements	Yes	No	N/A
68	Accessible route	Yes	No	N/A
69	Vertical accessibility	Yes	No	N/A
70	Toilet and bathing facilities	Yes	No	N/A
71	Drinking fountains	Yes	No	N/A
72	Equipment	Yes	No	N/A
73	Special occupancy requirements	Yes	No	N/A
74	Fair housing requirements	Yes	No	N/A
Interior requirements shall include the following				
75	Review required by the Columbia County Fire Department Items 75 th 80	Yes	No	N/A
	Interior finishes (flame spread/smoke development)			N/A
76	Light and ventilation	Yes	No	N/A
77	Sanitation	Yes	No	N/A
Special systems				
78	Elevators	Yes	No	N/A
79	Escalators	Yes	No	N/A
80	Lifts	Yes	No	N/A
Swimming pools				
81	Barrier requirements	Yes	No	N/A
82	Spas and Wading pools	Yes	No	N/A
83	Access required per Florida Building Code 424.1.2 5.6	Yes	No	N/A

Items to Include-Each Box shall be Circled as Applicable					
Electrical					
84	Wiring	Partial. bulk to be added in tenant improvement design	<input checked="" type="radio"/> Yes	No	N/A
85	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3		<input checked="" type="radio"/> Yes	No	N/A
86	Feeders and branch circuits		<input checked="" type="radio"/> Yes	No	N/A
87	Overcurrent protection		<input checked="" type="radio"/> Yes	No	N/A
88	Grounding		<input checked="" type="radio"/> Yes	No	N/A
89	Wiring methods and materials		<input checked="" type="radio"/> Yes	No	N/A
90	GFCIs		<input checked="" type="radio"/> Yes	No	N/A
91	Equipment	Partial Bulk to be added in tenant improvement design	<input checked="" type="radio"/> Yes	No	N/A
92	Special occupancies		Yes	<input checked="" type="radio"/> No	N/A
93	Emergency systems		Yes	<input checked="" type="radio"/> No	N/A
94	Communication systems	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
95	Low voltage	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
96	Load calculations		<input checked="" type="radio"/> Yes	No	N/A
Plumbing					
97	Minimum plumbing facilities		Yes	No	N/A
98	Fixture requirements		<input checked="" type="radio"/> Yes	No	N/A
99	Water supply piping		<input checked="" type="radio"/> Yes	No	N/A
100	Sanitary drainage		<input checked="" type="radio"/> Yes	No	N/A
101	Water heaters	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
102	Vents		<input checked="" type="radio"/> Yes	No	N/A
103	Roof drainage		<input checked="" type="radio"/> Yes	No	N/A
104	Back flow prevention		<input checked="" type="radio"/> Yes	No	N/A
105	Irrigation		Yes	No	N/A
106	Location of water supply line		<input checked="" type="radio"/> Yes	No	N/A
107	Grease traps		Yes	No	<input checked="" type="radio"/> N/A
108	Environmental requirements		Yes	No	N/A
109	Plumbing riser		Yes	<input checked="" type="radio"/> No	N/A
Mechanical					
110	Energy calculations		<input checked="" type="radio"/> Yes	No	N/A
111	Review required by the Columbia County Fire Department Items 111 th 114		Yes	No	<input checked="" type="radio"/> N/A
	Exhaust systems	To be added in tenant improvement design			
112	Clothes dryer exhaust		Yes	No	<input checked="" type="radio"/> N/A
113	Kitchen equipment exhaust		Yes	No	<input checked="" type="radio"/> N/A
114	Specialty exhaust systems		Yes	No	<input checked="" type="radio"/> N/A
Equipment location					
115	Make-up air		Yes	<input checked="" type="radio"/> No	N/A
116	Roof-mounted equipment		<input checked="" type="radio"/> Yes	No	N/A
117	Duct systems	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
118	Ventilation	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
119	Laboratory		Yes	No	<input checked="" type="radio"/> N/A
120	Combustion air		Yes	No	<input checked="" type="radio"/> N/A
121	Chimneys, fireplaces and vents		Yes	No	<input checked="" type="radio"/> N/A
122	Appliances		Yes	No	<input checked="" type="radio"/> N/A
123	Boilers		Yes	<input checked="" type="radio"/> No	N/A
124	Refrigeration		Yes	<input checked="" type="radio"/> No	N/A
125	Bathroom ventilation	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
Items to Include-Each Box shall be Circled as Applicable					
Gas					
126	Review required by the Columbia County Fire Department Items 126 th 134		Yes	No	<input checked="" type="radio"/> N/A
	Gas piping				
127	Venting		Yes	No	<input checked="" type="radio"/> N/A

128	Combustion air	Yes	No	N/A	
129	Chimneys and vents	Yes	No	N/A	
130	Appliances	Yes	No	N/A	
131	Type of gas	Yes	No	N/A	
132	Fireplaces	Yes	No	N/A	
133	LP tank location	Yes	No	N/A	
134	Riser diagram/shutoffs	Yes	No	N/A	
Notice of Commencement					
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department. <i>Before Any Inspections Will Be Done</i>		Yes	No	N/A
Disclosure Statement for Owner Builders					
			Yes	No	N/A

Private Potable Water						
136	Horse power of pump motor	Well letter provided from the well driller		Yes	No	N/A
137	Capacity of pressure tank			Yes	No	N/A
138	Cycle stop valve if used			Yes	No	N/A

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Permit Application	A current On-Line Building Permit Application www.ccpermit.com is to be completed by following the checklist all supporting documents must be submitted. There is a \$15 00 application fee.	<input checked="" type="radio"/>	No	N/A
140	Parcel Number	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also requested. (386) 758-1084	<input checked="" type="radio"/>	No	N/A
141	Environmental Health Permit or Sewer Tap Approval	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 sewer tap is required before a building permit can be issued. Toilet facilities shall be provided for construction workers	Yes	No	N/A
142	Driveway Connection	If the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00). County Public Works Dept. determines the size and length of every culvert before installation and completes a final inspection before permanent power is granted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with Florida Department of Transportation specifications. If the project is to be located on an F.D O.T. maintained road, then an F.D O T access permit is required	Yes	No	N/A
143	Suwannee River Water Management District Approval	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued.	Yes	<input checked="" type="radio"/>	N/A
144	Flood Management	All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8.8 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.7 of Columbia County Land Development Regulations A development permit will also be required. The development permit cost is \$50.00	Yes	No	N/A

IN PROGRESS

145	Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.	Yes	No	(N/A)
146	911 Address	An application for a 911 address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125 Ext. 3	(Yes)	No	N/A

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.3.2 **Time limitation of application.** An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.4.1 **Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.



Columbia County

BUILDING DEPARTMENT

Revised 3/15/12

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2010 FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHANICAL CODE, FLORIDA FUEL AND GAS CODE 2010 EFFECTIVE 15 MARCH 2012 AND 2008 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

COMMERCIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609-A THROUGH 1609-C ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

GENERAL REQUIREMENTS:		Items to Include- Each Box shall be Circled as Applicable		
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	<input checked="" type="radio"/> YES	<input type="radio"/> NO	<input type="radio"/> N/A
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	<input checked="" type="radio"/> YES	<input type="radio"/> NO	<input type="radio"/> N/A
3	The design professional signature shall be affixed to the plans	<input checked="" type="radio"/> YES	<input type="radio"/> NO	<input type="radio"/> N/A
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	<input type="radio"/> YES	<input checked="" type="radio"/> NO	<input type="radio"/> N/A

Two (2) complete sets of plans containing the following information:

Building Site Plan Requirements										Items to Include- Each Box shall be Circled as Applicable		
4	Parking, including provision Florida Building Code Accessibility Code									<input checked="" type="checkbox"/> Yes	No	N/A
5	Fire access, showing all drive way which will be accessible for emergency vehicles									Yes	No	<input checked="" type="checkbox"/> N/A
6	Driving/turning radius of parking lots IN CIVIL PACKAGE									Yes	<input checked="" type="checkbox"/> No	N/A
7	Vehicle loading include truck dock loading or rail site loading									<input checked="" type="checkbox"/> Yes	No	N/A
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)									Yes	<input checked="" type="checkbox"/> No	N/A
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines									<input checked="" type="checkbox"/> Yes	No	N/A
10	Location of specific tanks(above or under grown , water lines and sewer lines and septic tank and dram fields IN CIVIL PACKAGE									Yes	No	<input checked="" type="checkbox"/> N/A
11	All structures exterior views include finished floor elevation									<input checked="" type="checkbox"/> Yes	No	N/A
12	Total height of structure(s) form established grade									<input checked="" type="checkbox"/> Yes	No	N/A
Review required by the Columbia County Fire Department Items 13th 43												
Occupancy group use circle all uses:		Group A	Group B <input checked="" type="checkbox"/>	Group E	Group F	Group H	Group I	Group M	Group R	Group S	Group U D	
13	Special occupancy requirements									Yes	<input checked="" type="checkbox"/> No	N/A
14	Incidental use areas (total square footage for each room of use area)									Yes	<input checked="" type="checkbox"/> No	N/A
15	Mixed occupancies									Yes	<input checked="" type="checkbox"/> No	N/A
16	REQUIRED SEPARATION OF OCCUPANCIES IN HOURS FBC TABLE 707.3.9									Yes	No	<input checked="" type="checkbox"/> N/A
Minimum type of permitted construction by code for occupancy use circle the construction type FBC 602												
17	Type I	Type II	Type III	Type IV	<input checked="" type="checkbox"/> Type V							
Fire-resistant construction requirements shall be shown, include the following components												
18	Fire-resistant separations ALL IN TENANT									Yes	No	<input checked="" type="checkbox"/> N/A
19	Fire-resistant protection for type of construction FINISH-OUT PACKAGE									Yes	No	<input checked="" type="checkbox"/> N/A
20	Protection of openings and penetrations of rated walls									Yes	No	<input checked="" type="checkbox"/> N/A
21	Protection of corridors and penetrations of rated walls									Yes	No	<input checked="" type="checkbox"/> N/A
22	Fire blocking and draftstopping and calculated fire resistance									Yes	No	<input checked="" type="checkbox"/> N/A
Fire suppression systems shall be shown include:												
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes									Yes	No	<input checked="" type="checkbox"/> N/A
24	Standpipes									Yes	No	<input checked="" type="checkbox"/> N/A
25	Pre-engineered systems									Yes	No	<input checked="" type="checkbox"/> N/A
26	Riser diagram									<input checked="" type="checkbox"/> Yes	No	N/A
Life safety systems shall be shown include the following requirements:												
27	Occupant load and egress capacities									Yes	No	<input checked="" type="checkbox"/> N/A
28	Early warning									Yes	No	<input checked="" type="checkbox"/> N/A
29	Smoke control									Yes	No	<input checked="" type="checkbox"/> N/A
30	Stair pressurization									Yes	No	<input checked="" type="checkbox"/> N/A
31	Systems schematic									Yes	No	<input checked="" type="checkbox"/> N/A
Occupancy load/egress requirements shall be shown include:												
32	Occupancy load									<input checked="" type="checkbox"/> Yes	No	N/A
33	Gross occupancy load									<input checked="" type="checkbox"/> Yes	No	N/A
34	Net occupancy load									<input checked="" type="checkbox"/> Yes	No	N/A
35	Means of egress ALL IN TENANT FINISH OUT PACKAGE									Yes	No	<input checked="" type="checkbox"/> N/A
36	Exit access									Yes	No	<input checked="" type="checkbox"/> N/A
37	Exit discharge									Yes	No	<input checked="" type="checkbox"/> N/A
38	Stairs construction/geometry and protection									Yes	No	<input checked="" type="checkbox"/> N/A
39	Doors									<input checked="" type="checkbox"/> Yes	No	N/A
40	Emergency lighting and exit signs									<input checked="" type="checkbox"/> Yes	No	N/A
41	Specific occupancy requirements									Yes	No	<input checked="" type="checkbox"/> N/A
42	Construction requirements									Yes	No	<input checked="" type="checkbox"/> N/A
43	Horizontal exits/exit passageways									Yes	No	<input checked="" type="checkbox"/> N/A

		Items to Include- Each Box shall be Circled as Applicable		
Structural requirements shall be shown include:				
44	Soil conditions/analysis	Yes	No	N/A
45	Termite protection	Yes	No	N/A
46	Design loads	Yes	No	N/A
47	Wind requirements	Yes	No	N/A
48	Building envelope	Yes	No	N/A
49	Structural calculations (if required)	Yes	No	N/A
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	No	N/A
51	Wall systems	Yes	No	N/A
52	Floor systems	Yes	No	N/A
53	Roof systems	Yes	No	N/A
54	Threshold inspection plan	Yes	No	N/A
55	Stair systems	Yes	No	N/A
Materials shall be shown include the following				
56	Wood	Yes	No	N/A
57	Steel	Yes	No	N/A
58	Aluminum	Yes	No	N/A
59	Concrete	Yes	No	N/A
60	Plastic	Yes	No	N/A
61	Glass	Yes	No	N/A
62	Masonry	Yes	No	N/A
63	Gypsum board and plaster	Yes	No	N/A
64	Insulating (mechanical)	Yes	No	N/A
65	Roofing	Yes	No	N/A
66	Insulation	Yes	No	N/A
Accessibility requirements shall be shown include the following				
67	Site requirements	Yes	No	N/A
68	Accessible route	Yes	No	N/A
69	Vertical accessibility	Yes	No	N/A
70	Toilet and bathing facilities	Yes	No	N/A
71	Drinking fountains	Yes	No	N/A
72	Equipment	Yes	No	N/A
73	Special occupancy requirements	Yes	No	N/A
74	Fair housing requirements	Yes	No	N/A
Interior requirements shall include the following				
75	Review required by the Columbia County Fire Department Items 75 th 80	Yes	No	N/A
76	Interior finishes (flame spread/smoke development)	Yes	No	N/A
77	Light and ventilation	Yes	No	N/A
77	Sanitation	Yes	No	N/A
Special systems				
78	Elevators	Yes	No	N/A
79	Escalators	Yes	No	N/A
80	Lifts	Yes	No	N/A
Swimming pools				
81	Barrier requirements	Yes	No	N/A
82	Spas and Wading pools	Yes	No	N/A
83	Access required per Florida Building Code 424.1 2 5.6	Yes	No	N/A

Items to Include-Each Box shall be Circled as Applicable					
Electrical					
84	Wiring	Partial bulk to be added in tenant improvement design	<input checked="" type="radio"/> Yes	No	N/A
85	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3		<input checked="" type="radio"/> Yes	No	N/A
86	Feeders and branch circuits		<input checked="" type="radio"/> Yes	No	N/A
87	Overcurrent protection		<input checked="" type="radio"/> Yes	No	N/A
88	Grounding		<input checked="" type="radio"/> Yes	No	N/A
89	Wiring methods and materials		<input checked="" type="radio"/> Yes	No	N/A
90	GFCIs		<input checked="" type="radio"/> Yes	No	N/A
91	Equipment	Partial Bulk to be added in tenant improvement design	<input checked="" type="radio"/> Yes	No	N/A
92	Special occupancies		Yes	<input checked="" type="radio"/> No	N/A
93	Emergency systems		Yes	<input checked="" type="radio"/> No	N/A
94	Communication systems	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
95	Low voltage	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
96	Load calculations		<input checked="" type="radio"/> Yes	No	N/A
Plumbing					
97	Minimum plumbing facilities		Yes	No	N/A
98	Fixture requirements		<input checked="" type="radio"/> Yes	No	N/A
99	Water supply piping		<input checked="" type="radio"/> Yes	No	N/A
100	Sanitary drainage		<input checked="" type="radio"/> Yes	No	N/A
101	Water heaters	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
102	Vents		<input checked="" type="radio"/> Yes	No	N/A
103	Roof drainage		<input checked="" type="radio"/> Yes	No	N/A
104	Back flow prevention		<input checked="" type="radio"/> Yes	No	N/A
105	Irrigation		Yes	No	N/A
106	Location of water supply line		<input checked="" type="radio"/> Yes	No	N/A
107	Grease traps		Yes	No	<input checked="" type="radio"/> N/A
108	Environmental requirements		Yes	No	N/A
109	Plumbing riser		Yes	<input checked="" type="radio"/> No	N/A
Mechanical					
110	Energy calculations		<input checked="" type="radio"/> Yes	No	N/A
111	Review required by the Columbia County Fire Department Items 111 th 114 Exhaust systems To be added in tenant improvement design		Yes	No	<input checked="" type="radio"/> N/A
112	Clothes dryer exhaust		Yes	No	<input checked="" type="radio"/> N/A
113	Kitchen equipment exhaust		Yes	No	<input checked="" type="radio"/> N/A
114	Specialty exhaust systems		Yes	No	<input checked="" type="radio"/> N/A
Equipment location					
115	Make-up air		Yes	<input checked="" type="radio"/> No	N/A
116	Roof-mounted equipment		<input checked="" type="radio"/> Yes	No	N/A
117	Duct systems	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
118	Ventilation	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
119	Laboratory		Yes	No	<input checked="" type="radio"/> N/A
120	Combustion air		Yes	No	<input checked="" type="radio"/> N/A
121	Chimneys, fireplaces and vents		Yes	No	<input checked="" type="radio"/> N/A
122	Appliances		Yes	No	<input checked="" type="radio"/> N/A
123	Boilers		Yes	<input checked="" type="radio"/> No	N/A
124	Refrigeration		Yes	<input checked="" type="radio"/> No	N/A
125	Bathroom ventilation	To be added in tenant improvement design	Yes	No	<input checked="" type="radio"/> N/A
Gas					
126	Review required by the Columbia County Fire Department Items 126 th 134 Gas piping		Yes	No	<input checked="" type="radio"/> N/A
127	Venting		Yes	No	<input checked="" type="radio"/> N/A

**Items to Include-
Each Box shall be
Circled as
Applicable**

128	Combustion air	Yes	No	(N/A)
129	Chimneys and vents	Yes	No	(N/A)
130	Appliances	Yes	No	(N/A)
131	Type of gas	Yes	No	(N/A)
132	Fireplaces	Yes	No	(N/A)
133	LP tank location	Yes	No	(N/A)
134	Riser diagram/shutoffs	Yes	No	(N/A)
Notice of Commencement				
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department <i>Before Any Inspections Will Be Done</i>	Yes	No	N/A
Disclosure Statement for Owner Builders		Yes	No	N/A

Private Potable Water					
136	Horse power of pump motor	Well letter provided from the well driller	Yes	No	N/A
137	Capacity of pressure tank		Yes	No	N/A
138	Cycle stop valve if used		Yes	No	N/A

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Permit Application	A current On-Line Building Permit Application www.ccpermit.com is to be completed by following the checklist all supporting documents must be submitted There is a \$15.00 application fee.	Yes	No	N/A
140	Parcel Number	The parcel number (Tax ID number) from the Property Appraiser is required A copy of property deed is also requested. (386) 758-1084	Yes	No	N/A
141	Environmental Health Permit or Sewer Tap Approval	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 sewer tap is required before a building permit can be issued Toilet facilities shall be provided for construction workers	Yes	No	N/A
142	Driveway Connection	If the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00) County Public Works Dept determines the size and length of every culvert before installation and completes a final inspection before permanent power is granted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with Florida Department of Transportation specifications If the project is to be located on an F.D.O T. maintained road, then an F.D.O.T access permit is required	Yes	No	N/A
143	Suwannee River Water Management District Approval	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued	Yes	No	N/A
144	Flood Management	All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8 8 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.7 of Columbia County Land Development Regulations. A development permit will also be required The development permit cost is \$50.00	Yes	No	N/A

145	Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.	Yes	No	N/A
146	911 Address	An application for a 911 address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125 Ext. 3	Yes	No	N/A

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.3.2 **Time limitation of application.** An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.4.1 **Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.