

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 7-1-15) Zoning Official LW Building Official _____

AP# 56558 Date Received _____ By _____ Permit # 46440

Flood Zone X Development Permit _____ Zoning A-3 Land Use Plan Map Category A3

Comments _____
STUP to the home dedicated to the ten acres.

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

Recorded Deed or Property Appraiser PO Site Plan EH # _____ Well letter OR

Existing well Land Owner Affidavit Installer Authorization FW Comp. letter App Fee Paid

DOT Approval Parent Parcel # _____ STUP-MH _____ 911 App

Ellisville Water Sys Assessment owed Out County In County Sub VF Form

Property ID # 29-25-17-04785-000 Subdivision _____ Lot# _____

- New Mobile Home _____ Used Mobile Home MH Size _____ Year _____
- Applicant Marcy Nash + Trent Stormant Phone # 386-234-5724
- Address 7086 N US Highway 441 Lake City, FL 32055
- Name of Property Owner Howard R. Crowder Phone# 386-234-5795
- 911 Address 7114 N US Hwy 441 Lake city, FL 32055
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Duke Energy
- Name of Owner of Mobile Home Marcy Nash + Trent Stormant Phone # 386-234-5724
- Address 7086 N US Hwy 441 Lake City, FL 32055
- Relationship to Property Owner Granddaughter in-law
- Current Number of Dwellings on Property 3
- Lot Size 20 acres / 4 acres Total Acreage 20 acres
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home no
- Driving Directions to the Property North 441 4 miles past I-10 on left

- Name of Licensed Dealer/Installer Robert Sheppard Phone # 386-623-2203
- Installers Address CR 245 Lake city FL
- License Number 1025386 Installation Decal # 89569

email: _____

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER _____ CONTRACTOR _____ PHONE _____

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

<p>ELECTRICAL</p>	<p>Print Name <u>Marcy Nash</u> License #: <u>Home owner</u></p>	<p>Signature <u>Marcy Nash</u> Phone #: <u>386.234.5724</u></p>
<p align="center">Qualifier Form Attached <input type="checkbox"/></p>		
<p>MECHANICAL/ A/C _____</p>	<p>Print Name <u>Marcy Nash</u> License #: <u>Home owner</u></p>	<p>Signature <u>Marcy Nash</u> Phone #: <u>386.234.5724</u></p>
<p align="center">Qualifier Form Attached <input type="checkbox"/></p>		


F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

SITE PLAN CHECKLIST

- 1) Property Dimensions
- 2) Footprint of proposed and existing structures (including decks). Label these with existing address
- 3) Distance from structures to all property lines
- 4) Location and size of easements
- 5) Driveway path and distance at the entrance to the nearest property line
- 6) Location and distance from any waters; sink holes; wetlands; and etc.
- 7) Show slopes and or drainage paths
- 8) Arrow showing North direction


SITE PLAN EXAMPLE

Revised 7/1/15



NOTE:

This site plan can be copied and used with the 911 Addressing Dept. application forms.




Used for
reference to
issue
permit

SITE PLAN CHECKLIST


- ___ 1) Property Dimensions
- ___ 2) Footprint of proposed and existing structures (including decks), label these with existing addresses
- ___ 3) Distance from structures to all property lines
- ___ 4) Location and size of easements
- ___ 5) Driveway path and distance at the entrance to the nearest property line
- ___ 6) Location and distance from any waters; sink holes; wetlands; and etc.
- ___ 7) Show slopes and or drainage paths
- ___ 8) Arrow showing North direction

SITE PLAN EXAMPLE

Revised 7/1/15



NOTE:
This site plan can be copied and used with the 911 Addressing Dept. application forms.



S

CODE ENFORCEMENT
PRELIMINARY MOBILE HOME INSPECTION REPORT

DATE RECEIVED _____ BY _____ IS THE M/H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? _____

OWNERS NAME Marey Nash PHONE 386-234-5124 CELL " _____ "

ADDRESS _____

MOBILE HOME PARK _____ SUBDIVISION _____

DRIVING DIRECTIONS TO MOBILE HOME 441 N under I10 4 miles on the left

MOBILE HOME INSTALLER Robert Sheppard PHONE 386-627-2203

MOBILE HOME INFORMATION

MAKE Destiny YEAR 2011 SIZE 76 x 32 COLOR Grey

SERIAL No. _____

WIND ZONE 11 Must be wind zone 11 or higher NO WIND ZONE I ALLOWED

INSPECTION STANDARDS

INTERIOR:

(P or F) - P= PASS F= FAILED

P SMOKE DETECTOR () OPERATIONAL () MISSING

P FLOORS () SOLID () WEAK () HOLES DAMAGED LOCATION _____

P DOORS () OPERABLE () DAMAGED

P WALLS () SOLID () STRUCTURALLY UNSOUND

P WINDOWS () OPERABLE () INOPERABLE

P PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING

P CEILING () SOLID () HOLES () LEAKS APPARENT

P ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE () EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT FIXTURES MISSING

EXTERIOR:

P WALLS / SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING

P WINDOWS () CRACKED/ BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT

P ROOF () APPEARS SOLID () DAMAGED

STATUS

APPROVED WITH CONDITIONS: _____

NOT APPROVED _____ NEED RE-INSPECTION FOR FOLLOWING CONDITIONS _____

SIGNATURE Robert Sheppard ID NUMBER 1025386 DATE 6-20-22



COLUMBIA COUNTY BUILDING DEPARTMENT
 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055
 Phone: 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, Robert Sheppard, give this authority for the job address show below
Installer License Holder Name

only, _____, and I do certify that
Job Address

the below referenced person(s) listed on this form is/are under my direct supervision and control and is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is... (Check one)
Marcy Nash	<i>Marcy Nash</i>	<input checked="" type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner
		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner
		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner

I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.

Robert Sheppard License Holders Signature (Notarized) 1025386 License Number 6-20-22 Date


NOTARY INFORMATION:

STATE OF: Florida COUNTY OF: Suwannee

The above license holder, whose name is Robert Sheppard, personally appeared before me and is known by me or has produced identification (type of I.D.) _____ on this 20th day of June, 2022.

Lisa L. Paul
 NOTARY'S SIGNATURE

(Seal/Stamp)



Columbia County Property Appraiser

Jeff Hampton

2022 Working Values

updated: 6/23/2022

Parcel: << **29-2S-17-04785-000 (24175)** >>

Aerial Viewer Pictometry Google Maps

Owner & Property Info

Result: 1 of 1

Owner	CROWDER HOWARD P SR 7114 N HWY 441 LAKE CITY, FL 32055		
Site	7086 N US HIGHWAY 441, LAKE CITY 7114 N US HIGHWAY 441		
Description*	N1/2 OF SW1/4 OF NE1/4. ORB 331-250, 840-275, 924-1974, PROBATE 1079-1128 THRU 1151 (LIFE EST).		
Area	20 AC	S/T/R	29-2S-17
Use Code**	IMPROVED AG (5000)	Tax District	3
<small>*The Description above is not to be used as the Legal Description for this parcel in any legal transaction. **The Use Code is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.</small>			



Property & Assessment Values

2021 Certified Values		2022 Working Values	
Mkt Land	\$7,250	Mkt Land	\$6,000
Ag Land	\$3,965	Ag Land	\$4,215
Building	\$44,567	Building	\$53,333
XFOB	\$150	XFOB	\$1,400
Just	\$108,482	Just	\$117,248
Class	\$55,932	Class	\$64,948
Appraised	\$55,932	Appraised	\$64,948
SOH Cap [?]	\$13,550	SOH Cap [?]	\$21,201
Assessed	\$42,382	Assessed	\$43,747
Exempt	HX HB \$25,000	Exempt	HX HB \$25,000
Total Taxable	county:\$17,382 city:\$0 other:\$0 school:\$17,382	Total Taxable	county:\$18,747 city:\$0 other:\$0 school:\$18,747

Sales History

Sale Date	Sale Price	Book/Page	Deed	V/I	Qualification (Codes)	RCode
4/17/2001	\$100	0924/1974	WD	V	U	01

Building Characteristics

Bldg Sketch	Description*	Year Blt	Base SF	Actual SF	Bldg Value
Sketch	SINGLE FAM (0100)	1966	1020	1332	\$53,333

*Bldg_Desc determinations are used by the Property Appraisers office solely for the purpose of determining a property's Just Value for ad valorem tax purposes and should not be used for any other purpose.

Extra Features & Out Buildings (Codes)


Code	Desc	Year Blt	Value	Units	Dims
0040	BARN,POLE	2015	\$100.00	1.00	0 x 0
0252	LEAN-TO W/O FLOOR	2015	\$50.00	1.00	0 x 0
9947	Septic		\$1,250.00	1.00	0 x 0

Land Breakdown


Code	Desc	Units	Adjustments	Eff Rate	Land Value
0100	SFR (MKT)	1.000 AC	1.0000/1.0000 1.0000/ /	\$6,000 /AC	\$6,000
5200	CROPLAND 2 (AG)	8.000 AC	1.0000/1.0000 1.0000/ /	\$325 /AC	\$2,600
5910	SWAMP/CYPRESS (AG)	6.000 AC	1.0000/1.0000 1.0000/ /	\$40 /AC	\$240
6200	PASTURE 3 (AG)	5.000 AC	1.0000/1.0000 1.0000/ /	\$275 /AC	\$1,375
9910	MKT.VAL.AG (MKT)	19.000 AC	1.0000/1.0000 1.0000/ /	\$2,974 /AC	\$56,515


Search Result: 1 of 1

Crowder, Howard Columbia County, FL Wetland delineation for setback purposes



- Columbia Co. Parcels
- Wetland Delineation Flagging
- Columbia Co. Parcel ID 04785-000
- Wetland_Easternmost_Extent




 SE Environmental Geology, LLC
 PO Box 45
 White Springs, FL 32096

Needs revised

SS# 166204673 done on 06/15/2022



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 22-0547
DATE PAID: 6/15/22
FEE PAID: 310.00
RECEIPT #: 1852769

APPLICATION FOR:

- New System Existing System Holding Tank Innovative
- Repair Abandonment Temporary

APPLICANT: HOWARD P. CROWDER SR

AGENT: Ronald Ford - Ford's Septic TELEPHONE: 386-755-6288

MAILING ADDRESS: 116 NW Lawtey Way Lake City, Florida 32055

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3)(m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: N/A BLOCK: N/A SUBDIVISION: MEETS & BOUNDS PLATTED: _____

PROPERTY ID #: 29-2S-17-04785-000 ZONING: _____ I/M OR EQUIVALENT: [Y / N]

PROPERTY SIZE: 20.00 ACRES WATER SUPPLY: PRIVATE PUBLIC <=2000GPD >2000GPD

IS SEWER AVAILABLE AS PER 381.0065, FS? [Y / N] DISTANCE TO SEWER: N/A FT

PROPERTY ADDRESS: TBD NORTH US HIGHWAY 441 LAKE CITY, FLORIDA 32055

DIRECTIONS TO PROPERTY: Hwy 441 North. go approx 3 3/10 mile past I-10 overpass. Turn (L) at house # 7114. Follow driveway to doublewide to right. (911 address pending)

BUILDING INFORMATION RESIDENTIAL COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	mobile home	4	2432	(32' x 76')
2				
3				
4				

Floor/Equipment Drains Other (Specify) _____

SIGNATURE: Ronald Ford DATE: 6-15-2022


STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number 22-0547



PART II - SITEPLAN

* one acre
of 20.00
total acres



Notes:

(Scale: one inch = 60 Feet)

* PARCEL ID #: 29-25-17-04785-000

* ADDRESS: TBD

NORTH US Hwy 441
Lake City, Florida 32055

Site Plan submitted by: KC - Ronald Ford

Plan Approved _____ Not Approved _____ Date 6/29/22

By [Signature] ES2 Columbia County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

CODE ENFORCEMENT DEPARTMENT
COLUMBIA COUNTY, FLORIDA
OUT OF COUNTY MOBILE HOME INSPECTION REPORT

COUNTY THE MOBILE HOME IS BEING MOVED FROM Hamilton
OWNERS NAME Mary Nash PHONE _____ CELL 386-234-5124
INSTALLER Robert Sheppard PHONE 386-623-2203 CELL _____
INSTALLERS ADDRESS CR 245 Lake city FL

MOBILE HOME INFORMATION

MAKE Destiny YEAR 2011 SIZE 32 x 76
COLOR grey SERIAL No. DISH04718GAA
WIND ZONE 2 SMOKE DETECTOR Yes (8)

INTERIOR:

FLOORS _____
DOORS _____
WALLS _____
CABINETS _____
ELECTRICAL (FIXTURES/OUTLETS) _____

EXTERIOR:

WALLS / SIDING _____
WINDOWS _____
DOORS _____

INSTALLER: APPROVED NOT APPROVED _____

INSTALLER OR INSPECTORS PRINTED NAME Robert Sheppard

Installer/Inspector Signature Robert Sheppard License No. 1025386 Date 06/20/2022

NOTES: _____

ONLY THE ACTUAL LICENSE HOLDER OR A BUILDING INSPECTOR CAN SIGN THIS FORM.

NO WIND ZONE ONE MOBILE HOMES WILL BE PERMITTED. MOBILE HOMES PRIOR TO 1977 ARE PRE-HUD AND THE WIND ZONE MUST BE PROVEN TO BE PERMITTED.

BEFORE THE MOBILE HOME CAN BE MOVED INTO COLUMBIA COUNTY THIS FORM MUST BE COMPLETED AND RETURNED TO THE COLUMBIA COUNTY BUILDING DEPARTMENT.

ONCE MOVED INTO COLUMBIA COUNTY AN INSPECTOR MUST COMPLETE A PRELIMINARY INSPECTION ON THE MOBILE HOME. CALL 386-758-1008 TO SET UP THIS INSPECTION. NO PERMIT WILL BE ISSUED BEFORE THIS IS DONE.

Code Enforcement Approval Signature Anthony John Date 09-22-2022



Mobile Home Permit Worksheet

Application Number: _____ Date: _____

Installer: Robert Sheppard License # 10255386
 Address of home _____
 being installed _____

Manufacturer Dectiny Length x width 716 x 32

NOTE: If home is a single wide fill out one half of the blocking plan
 If home is a triple or quad wide sketch in remainder of home
 I understand Lateral Arm Systems cannot be used on any home (new or used)
 where the sidewall ties exceed 5 ft 4 in.



New Home Used Home

Home installed to the Manufacturer's Installation Manual
 Home is installed in accordance with Rule 15-C

Single wide Wind Zone II Wind Zone III

Double wide Installation Decal # 89569

Triple/Quad Serial # _____

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'
2500 psf	7'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

PIER PAD SIZES

PIER PAD SIZE	171625
I-beam pier pad size	171625
Perimeter pier pad size	16x16

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening _____ Pier pad size _____

ANCHORS _____

FRAME TIES _____

OTHER TIES _____

Number _____

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) _____

Longitudinal Stabilizing Device w/ Lateral Arms _____

Manufacturer OTI

Mobile Home Permit Worksheet

Application Number: _____ Date: _____

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil without testing.

X 1 X 1 X 1

- POCKET PENETROMETER TESTING METHOD**
1. Test the perimeter of the home at 6 locations.
 2. Take the reading at the depth of the footer.
 3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1 X 1 X 1

TORQUE PROBE TEST

The results of the torque probe test is _____ inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. 1 understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name: Robert Sheppard
 Date Tested: 6-20-02
 Installer's initials: RS

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____



Site Preparation

Debris and organic material removed _____
 Water drainage: Natural Swale Pad Other _____

Fastening multi wide units

Floor: _____ Type Fastener: 1455 Length: 6" Spacing: 16" c/c
 Walls: _____ Type Fastener: 3000 Length: 4" Spacing: 12" o/c
 Roof: _____ Type Fastener: metal Length: 7L Spacing: 6" c/c
 For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Pa. Factory Installed: Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes _____ Pg. _____
 Siding on units is installed to manufacturer's specifications. Yes _____
 Fireplace chimney installed so as not to allow intrusion of rain water. Yes _____

Miscellaneous

Skirting to be installed. Yes No
 Dryer vent installed outside of skirting. Yes N/A
 Range downflow vent installed outside of skirting. Yes N/A
 Drain lines supported at 4 foot intervals. Yes
 Electrical crossovers protected. Yes
 Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature: Robert Sheppard Date: 6-20-02



Destiny Industries
P.O. Box 2947
Moultrie, GA 31771

Plant Number **I**

Date of Manufacture **8-17-10** HUD Label No.(s) **1496438**
GED 1496439

Manufacturer's Serial Number and Model Unit Designation

DISHAW 718 GA. A+B E804-350-108T

Design Approval by (D.A.P.I.A.)

N.T.A

This manufactured home is designed to comply with the federal manufactured home construction and safety standards in force at time of manufacture.
(For additional information, consult owner's manual.)

The factory installed equipment includes:

Equipment	Manufacturer	Model Designation
For heating		
For air cooling		
For cooking	GE	JP346BM3BB
Refrigerator	GE	GSH22JFXBB
Water Heater	STATE	SCT40DHMSE3
Washer		
Clothes Dryer		
Dishwasher	GE	QSD3300RBB
Garbage Disposal		
Fireplace	SUPERIDR	BCD-36MH
Whirlpool Tub		
Micro.	GE	JEB1860DMBB
Wall oven	GE	JKP30DPIBB

HOME CONSTRUCTED FOR Zone I Zone II Zone III

This home has not been designed for the higher wind pressure and anchoring provisions required for ocean/coastal areas and should not be located within 1500' of the coastline in Wind Zones II and III, unless the home and its anchoring and foundation system have been designed for the increased requirements specified for Exposure D in ANSI/ASCE 7-88.

This home has has not been equipped with storm shutters or other protective coverings for windows and exterior door openings. For homes designed to be located in Wind Zones II and III, which have not been provided with shutters or equivalent covering devices, it is strongly recommended that the home be made ready to be equipped with these devices in accordance with the method recommended in manufacturers printed instructions.

BASIC WIND ZONE MAP



This manu
of the fed

within U/O
Heating eq
The above

this home a
To maximize
home be ins

70 d
The above in
standard atm

Air cond

Air condi

Certified
air condit
The centr

orientation
system is

temperatur

The tempe
amount of
home's hea
shading pr
locations, w
of the ASHF

Information
provided in

Air condition

The air distr
conditioning.

The supply ai

central air con
certified in ac
standards, wh
column static
supply air duc
Information ne
provided in the

Air condition

The air distribu
with a central a

To determine the req
a cooling load (heat g
tion, location and the
and provide the grea
cooling load. Each h
the American Society
Handbook of Fundame

INFO
NEC

Walls (without windows

Ceilings and roofs of ligh

Ceilings and roofs of dark

Floors

Air ducts in floor

WALSH DUBOIS
GE
GE
SEP 12 1964
SEP 30 1964

NAME CONSTRUCTION Zone I Zone II Zone III

This figure has been prepared by the higher wind pressure and structural provisions required for windstorm areas and should not be applied other than for the conditions of wind zones II and III unless the user has the necessary and appropriate engineering judgment for the conditions represented by the provisions in this figure.

This figure has been prepared with many studies of wind conditions covering the windward and leeward sides of buildings. The provisions are to be applied in wind zones II and III, which have not been correlated with observed or predicted average storm winds. It is strongly recommended that the user be made fully to be satisfied with these provisions in accordance with the actual representation in construction of windstorm areas.

BASIC WIND ZONE MAP

