



Tibbetts Lumber Ocala

6100 SE 68th St
 Ocala, FL 34472
 Phone: 352-347-7661
 www.tibbettslumber.com

Reaction Summary

Job Number: 6252401-R

Quoted On:

Ordered On: 9/29/2025

Scheduled Delivery On:

Product: Roof




Customer Information	
Adams Homes of NW FL - Gainesville	
Address & Phone	Contact
Phone:	

Job Information		
The Preserve at Laurel Lake 035		
Address	Lot	Sub-Division
525 SW Bellflower Dr Lake City FL 32024	035	The Preserve at Laurel Lake
	Sales Person	Customer P.O. No.
	Chris Adam	
Estimator	Designer	
Steven Roberts	Steven Roberts	

Loading				Building Code	Wind Design Method	Velocity	Exp Cat	Wind Max	
TCLL	TCDL	BCLL	BCDL					TCDL	BCDL
20	10	0	10	FBC2023/TPI2014	MWFRS (Directional)/C-C hybrid Wind ASCE 7-22	130 mph	B II	4.2	6

Roof Trusses									
Label	Profile	Qty	Span	TC Pitch	TC	Reactions			
		Ply	Height	BC Pitch	BC				
A01		1	34-00-00	6 /12	2 x 6	Joint 2	Joint 9	2874	2962
		2-ply	4-05-15		2 x 6	-267	-271		
A02		1	34-00-00	6 /12	2 x 4	Joint 2	Joint 9	1439	1346
		1-ply	5-05-15		2 x 4	-94	-65		
A03		1	34-00-00	6 /12	2 x 4	Joint 2	Joint 9	1599	1493
		1-ply	6-05-15		2 x 4	-96	-64		
A04		1	34-00-00	6 /12	2 x 4	Joint 1	Joint 10	1501	1477
		1-ply	6-10-03	3 /12	2 x 4	-51	-62		
A05		1	34-00-00	6 /12	2 x 4	Joint 1	Joint 9	1355	1356
		1-ply	7-10-03	3 /12	2 x 4	-51	-63		
A06		1	34-00-00	6 /12	2 x 4	Joint 1	Joint 10	1355	1356
		1-ply	8-10-03	3 /12	2 x 4	-51	-63		
A07		1	34-00-00	6 /12	2 x 4	Joint 1	Joint 10	1516	1495
		1-ply	9-10-03	3 /12	2 x 4	-48	-57		
A08		1	38-00-00	6 /12	2 x 4	Joint 1	Joint 10	1332	1820
		1-ply	10-10-03	3 /12	2 x 4	-47	-100		
A09		1	38-00-00	6 /12	2 x 4	Joint 1	Joint 10	1320	1795
		1-ply	10-10-03	3 /12	2 x 4	-52	-118		
A10		4	38-00-00	6 /12	2 x 4	Joint 11	Joint 2	1788	1449
		1-ply	11-09-15	3 /12	2 x 4	-115	-115		
A14		1	30-00-00	6 /12	2 x 4	Joint 2	Joint 9	1279	1186
		1-ply	11-03-15	3 /12	2 x 4	-80	-66		
A15		1	30-00-00	6 /12	2 x 4	Joint 2	Joint 9	1279	1186
		1-ply	10-03-15	3 /12	2 x 4	-80	-66		
A16		1	30-00-00	6 /12	2 x 4	Joint 10	Joint 2	1309	1417
		1-ply	9-03-15	3 /12	2 x 4	-66	-80		
A17		1	30-10-00	6 /12	2 x 4	Joint 11	Joint 2	1220	1313
		1-ply	9-05-15	3 /12	2 x 4	-65	-83		
A18		1	30-10-00	6 /12	2 x 4	Joint 11	Joint 2	1230	1318
		1-ply	9-05-15		2 x 4	-58	-80		
A19		1	30-10-00	6 /12	2 x 4	Joint 2	Joint 9	1318	1230
		1-ply	9-05-15		2 x 4	-81	-57		
A20		1	30-10-00	6 /12	2 x 4	Joint 2	Joint 9	1318	1230
		1-ply	9-05-15		2 x 4	-85	-53		
A21		1	30-10-00	6 /12	2 x 4	Joint 2	Joint 9	1316	1226
		1-ply	8-05-15		2 x 4	-90	-52		
A22		1	30-10-00	6 /12	2 x 4	Joint 2	Joint 9	1322	1233
		1-ply	7-05-15		2 x 4	-91	-23		

Roof Trusses									
Label	Profile	Qty	Span	TC Pitch	TC	Reactions			
		Ply	Height	BC Pitch	BC				
A23		1	34-00-00	6 /12	2 x 4	Joint 2	Joint 8		
		1-ply	6-05-15		2 x 4	1437	1437		
A24		1	34-00-00	6 /12	2 x 4	Joint 2	Joint 8		
		1-ply	5-05-15		2 x 4	1437	1437		
A25		1	34-00-00	6 /12	2 x 4	Joint 2	Joint 8		
		2-ply	4-05-15		2 x 6	2932	2932		
B01		1	11-00-00	6 /12	2 x 4	Joint 1	Joint 5		
		1-ply	1-10-03		2 x 4	469	469		
B02		1	11-00-00	6 /12	2 x 4	Joint 1	Joint 5		
		2-ply	2-02-11		2 x 6	3305	4176		
BV1		1	7-03-00	6 /12	2 x 4	Joint 1	Joint 3	Joint 4	
		1-ply	1-09-12		2 x 4	121	121	237	
C1		16	1-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	1-05-15		2 x 4	178	24	19	
C1E		4	1-00-00	6 /12	2 x 4	Joint 3	Joint 4		
		1-ply	1-05-15		2 x 4	0	159	-58	
C3		12	3-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	2-05-15		2 x 4	224	60	56	
C5		10	5-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	3-05-15		2 x 4	294	130	96	
D01		1	11-08-00	6 /12	2 x 4	Joint 1	Joint 5		
		1-ply	2-10-03		2 x 4	706	818		
D02		1	11-08-00	6 /12	2 x 4	Joint 1	Joint 5		
		2-ply	3-09-11		2 x 6	4151	4015		
E01		1	8-00-00	6 /12	2 x 4	Joint 2	Joint 5		
		1-ply	2-05-15		2 x 4	533	533		
E02		1	7-02-08	6 /12	2 x 4	Joint 1	Joint 4		
		1-ply	2-04-03		2 x 4	283	283		
E03		1	7-02-08	6 /12	2 x 4	Joint 6	Joint 8		
		1-ply	2-04-03		2 x 4	247	307		
E3		4	3-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	2-05-15		2 x 4	224	60	56	
E3E		2	3-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	2-05-15		2 x 4	224	60	56	
E04		1	5-07-00		2 x 4	Joint 4	Joint 5		
		1-ply	2-07-03		2 x 4	212	212		
E05		1	5-07-00		2 x 4	Joint 4	Joint 5		
		1-ply	3-07-03		2 x 4	212	212		
E5		4	5-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	3-05-15		2 x 4	294	130	96	
E7		29	7-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	4-05-15		2 x 4	370	194	136	
E77		1	7-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	4-05-15		2 x 4	366	200	140	
G01		1	20-00-00	6 /12	2 x 4	Joint 2	Joint 6		
		1-ply	4-05-15		2 x 4	1735	1735		
G02		1	20-00-00	6 /12	2 x 4	Joint 2	Joint 7		
		1-ply	5-05-15		2 x 4	877	877		
G03		3	20-00-00	6 /12	2 x 4	Joint 2	Joint 6		
		1-ply	5-11-15		2 x 4	1025	1025		
G04		2	20-00-00	6 /12	2 x 4	Joint 2	Joint 6		
		1-ply	5-11-15		2 x 4	1028	933		
H3E		2	4-02-03	4.24 /12	2 x 4	Joint 2	Joint 3	Joint 4	
		1-ply	2-05-07		2 x 4	499	104	136	

Roof Trusses								
Label	Profile	Qty	Span	TC Pitch	TC	Reactions		
		Ply	Height	BC Pitch	BC			
HJ3		2	4-02-03	4.24 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	2-05-07		2 x 4	262	89	79
						-94	-40	0
HJ5		1	7-00-02	4.24 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	3-05-07		2 x 4	353	259	135
						-93	-95	0
HJ7		5	9-10-01	4.24 /12	2 x 4	Joint 2	Joint 4	Joint 5
		1-ply	4-05-07		2 x 4	492	359	279
						-99	-128	0