


This item has been electronically signed and sealed by Billy B. Bingham. It is a digital signature and seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



PROPOSED RENOVATION FOR



FRESENIUS MEDICAL CARE

179 SOUTH WEST PROSPERITY PLACE
LAKE CITY, FL. 32024

REV	DATE	DESCRIPTION

PROPOSED RENOVATION FOR
FRESENIUS KIDNEY CARE
179 SOUTH WEST PROSPERITY PLACE
LAKE CITY, FL. 32024

34660 US-19 N.
SUITE 207
PALM HARBOR,
FL. 34684
727-487-9777



CONTRACT DATE: 02.04.26

JOB NO. 26-09

COVER

SHEET NO.

CS

ABBREVIATIONS

A.F.F.	ABOVE FINISHED FLOOR	EA.	EACH	MFR.	MANUFACTURER	S.A.B.	SOUND ATTENUATION BLANKET
A.P.	ACCESS PANEL	E.W.	EACH WAY	MAS.	MASONRY	SCHED.	SCHEDULE
A.C.P.	ACOUSTICAL CEILING PANEL	ELEC.	ELECTRIC	M.O.	MASONRY OPENING	SECT.	SECTION
A.C.T.	ACOUSTICAL CEILING TILE	E.W.C.	ELECTRIC WATER COOLER	MAX.	MAXIMUM	SHT.	SHEET
A.H.U.	AIR HANDLER UNIT	ELEV.	ELEVATION	M.E.P.	MECH./ELEC./PLUMB.	SIM.	SIMILAR
ALT.	ALTERNATE	EQ.	EQUAL	MECH.	MECHANICAL	S.O.G.	SLAB ON GRADE
ALUM.	ALUMINUM	EQUIP.	EQUIPMENT	M.D.F.	MEDIUM DENSITY FIBERBOARD	STC.	SOUND TRANSMISSION COEFFICIENT
A.B.	ANCHOR BOLT	EXIST.	EXISTING	MTL.	METAL	SPEC.	SPECIFICATION
ANOD.	ANODIZED	E.J.	EXPANSION JOINT	MIN.	MINIMUM	SQ.	SQUARE
ARCH.	ARCHITECTURAL	EXT.	EXTERIOR	MISC.	MISCELLANEOUS	S.F.E.C.	SURFACE MTD. FIRE EXT. CAB.
A.D.	AREA DRAIN	FIN.	FINISH	MOD.	MODIFIED	S.S.	STAINLESS STEEL
B.U. ROD	BACK-UP ROD	F.F.	FINISH FLOOR	M.B.	MODIFIED BITUMEN	S.P.	STAND PIPE
BSMT.	BASEMENT	F.B.C.	FIBERBOARD CEMENT	M.S.L.	MEAN SEA LEVEL	STD.	STANDARD
BM.	BEAM	F.E.C.	FIRE EXTINGUISHER CABINET	N.A.	NOT AVAILABLE	STL.	STEEL
BLKG.	BLOCKING	FLASH.	FLASHING	N/A	NOT APPLICABLE	STRUC.	STRUCTURAL
BD.	BOARD	FLR.	FLOOR	O.A.	OVER ALL	S.O.	STRUCTURAL OPENING
BOT.	BOTTOM	F.D.	FLOOR DRAIN	PTD.	PAINTED	SYS.	SYSTEM
BLDG.	BUILDING	FT.	FOOT	PR.	PAIR	T.HK.	THICK
B.U.R.	BUILT-UP ROOF	F.R.P.	FIBERGLASS REINFORCED PANELS	P.LAM.	PLASTIC LAMINATE	T.&G.	TONGUE & GROOVE
B.G.	BUTT GLAZING	F.V.	FIELD VERIFY	PREFAB.	PREFABRICATED	T.C.	TOP OF CURB
C.I.P.	CAST IN PLACE	GALV.	GALVANIZED	P.L.	PROPERTY LINE	T.O.P.	TOP OF PARAPET
CLG.	CEILING	GCB.	GYP SUM CEILING BOARD	PLUMB.	PLUMBING	T.O.S.	TOP OF SLAB
CEM.	CEMENT	G.L.	GRID LINE	PLYWD.	PLYWOOD	T.O.W.	TOP OF WALL
CTR.	CENTER	GA.	GAUGE	PT.	PRESSURE TREATED	T.S.	TRANSITION STRIP
C.L.	CENTER LINE	GEN.	GENERAL	POL.	POLISHED	T.	TREAD
CER.	CERAMIC	GL.	GLASS	REF.	REFER OR REFERENCE	TYP.	TYPICAL
C.T.	CERAMIC TILE	G.T.	GIRDER TRUSS	REINF.	REINFORCING	U.N.O.	UNLESS NOTED OTHERWISE
COL.	COLUMN	GYP. BD.	GYP SUM BOARD	REQ.	REQUIRED	U.O.D.	UNDERSIDE OF DECK
COMM.	COMMUNICATIONS	HDBD.	HARDBOARD	R.	RISER	V.GR.	"V"-GROOVE
CONC.	CONCRETE	HDW.	HARDWARE	RAD.	RADIUS	VERT.	VERTICAL
C.M.U.	CONCRETE MASONRY UNIT	HT.	HEIGHT	R.D.	ROOF DRAIN	VEST.	VESTIBULE
CONST.	CONSTRUCTION	H.P.	HIGH POINT	RM.	ROOM	V.W.C.	VINYL WALL COVERING
CONT.	CONTINUOUS	H.M.	HOLLOW METAL	RF	RADIO-FREQUENCY	V.C.T.	VINYL COMPOSITION TILE
CONTR.	CONTRACTOR	HOR.	HORIZONTAL	R.O.	ROUGH OPENING	W.S.C.T.	WAINSCOT
C.J.	CONTROL JOINT	H.B.	HOSE BIB	R.R.	RESTROOM	W.P.	WATERPROOF (ING)
COORD.	COORDINATE	HR.	HOOR			WP.	WORK POINT
DECOR.	DECORATIVE	I.D.	INSIDE DIAMETER			W.W.M.	WELDED WIRE MESH
DET.	DETAIL	INSUL.	INSULATION			W.F.	WIDE FLANGE
DIA.	DIAMETER	INT.	INTERIOR			W/	WITH
DIM.	DIMENSION	J.T.	JOINT			W/O	WITHOUT
D.S.	DOWN SPOUT	K.P.	KICK PLATE			WD.	WOOD
DWG.	DRAWING	KO.	KNOCK-OUT			W.W.F.	WELDED WIRE FABRIC
DN.	DOWN	LAV.	LAVATORY				
		LT.	LIGHT				
		LG.	LONG				
		LOC.	LOCATION				
		L.V.T.	LAMINATE VINYL TILE				

PROJECT INDEX

SHEET NO.	SHEET NAME
CS	COVER
A001	INDEX / PROJECT DATA
A100	OVERALL PLAN
LS101	LIFE SAFETY
A101	PROPOSED 1ST FLOOR PLANS
M-000	MECHANICAL SPECIFICATIONS
M-100	MECHANICAL DUCTWORK PLAN
M-101	MECHANICAL DUCTWORK PLAN
P-000	PLUMBING & SANITARY SPECIFICATIONS
P-100	SANITARY & VENT PLANS
P-200	PLUMBING PIPING PLANS
F-100	FIRE PLAN
E-1	PROJECT NOTES
E-2	POWER PLAN
E-3	RISER DIAGRAM

SCOPE OF WORK

- RENOVATION TO AN EXISTING MEDICAL DOCTORS OFFICE & CONFERENCE ROOM. CONVERTING THEM INTO (2) TRAINING ROOMS FOR HOME DIALYSIS
- HVAC TO BE REBALANCED IN NEW TRAINING ROOMS
- NEW ELECTRICAL OUTLETS, LIGHTING TO BE RELOCATED
- NEW SINKS & CABINETS

PROJECT SUMMARY

CLINIC BUSINESS OFFICE

LEGAL JURISDICTION:	COLUMBIA COUNTY, FLORIDA
ASSESSOR'S PARCEL NUMBER:	33-35-16-02432-102 (9621)
APPLICABLE CODES:	
BUILDING CODE:	2023 FLORIDA BUILDING CODE 8TH EDITION - BUILDING
PLUMBING CODE:	2023 FLORIDA BUILDING CODE 8TH EDITION - PLUMBING
ELECTRICAL CODE:	NATIONAL ELECTRIC CODE - 2020
MECHANICAL CODE:	2023 FLORIDA BUILDING CODE 8TH EDITION - MECHANICAL
FIRE CODE:	2023 FLORIDA FIRE PREVENTION CODE 8TH EDITION
FLORIDA ACCESSIBILITY CODE:	2023 FLORIDA BUILDING CODE 8TH EDITION - ACCESSIBILITY
ENERGY CODE:	2023 FLORIDA BUILDING CODE 8TH EDITION - ENERGY CONSERVATION
EXISTING BUILDING CODE:	2023 FLORIDA BUILDING CODE 8TH EDITION - EXISTING BUILDING

BUILDING INFORMATION:	
CONSTRUCTION TYPE:	II B (SPRINKLER SYSTEM)
OCCUPANCY CLASSIFICATION: (PER 2023 FBC 8TH ED.)	BUSINESS (GROUP B)
	SEE LIFE SAFETY PLAN: LS101

BUILDING AREA	
SPACE / LEVEL:	SQUARE FEET
BASE	10,206
CANOPY	936
TOTAL AREA:	11,142 S.F. (UNCHANGED)

ALLOWABLE BUILDING AREA / HEIGHT / STORIES	
ALLOWABLE BUILDING AREA / HEIGHT / STORIES (FBC TABLE 506.2 / 504.3 / 504.4 GROUP XX):	92,000 SF / 75' / 4 STORIES
ACTUAL BUILDING AREA / HEIGHT / STORIES:	UNCHANGED

FIRE RATING OF BUILDING ELEMENTS (FBC TABLE 601): UNCHANGED



LEVEL OF ALTERATION: LEVEL 2

EGRESS REQUIREMENTS	
EGRESS WIDTH PER OCCUPANT (FBC SECT 1005.3.1 / 1005.3.2 & NFPA TABLE 7.3.3.1):	90 OCC. x 0.2 = 18"
DEAD END CORRIDORS (FBC SECT 1020.5 / NFPA 101 CH. 39.2.5.3):	50' MAX. / 50' MAX.
COMMON PATH (NFPA 101 CH. 39.2.5.2.1):	100' MAX. / 100' MAX.
TRAVEL DISTANCE (FBC TABLE 1017.2 / NFPA 101 CH. 39.2.6.3):	300' MAX. / 300' MAX.

GENERAL NOTES

- THESE PLANS HAVE BEEN PREPARED TO LIMIT, CONVEY, EXPLAIN, & DEFINE CONDITIONS & SPECIFIED REQUIREMENTS, PIPE SIZES, & MANNER OF ERECTING WORK. THE CONTRACTOR SHALL REALIZE THAT THE DRAWINGS COULD NOT DELVE INTO EVERY STEP, SEQUENCE, OR OPERATION NECESSARY FOR THE COMPLETION OF THE PROJECT WITHOUT DRAWING ON THE CONTRACTOR'S INGENUITY OR EXPERIENCE.
- OMISSIONS FROM THE DRAWINGS, SPECIFICATIONS OR THE DETAILS OF WORK WHICH ARE CUSTOMARILY PERFORMED, SHALL NOT RELIEVE THE CONTRACTOR FROM PERFORMING SUCH OMITTED OR MIS-DESCRIBED DETAILS OF THE WORK. ALL WORK SHALL BE PERFORMED AS FULLY & CORRECTLY AS SET FORTH & DESCRIBED IN THE DRAWINGS & SPECIFICATIONS.
- THE CONTRACTOR SHALL CHECK ALL DRAWINGS FURNISHED HIM IMMEDIATELY UPON THEIR RECEIPT, & SHALL PROMPTLY NOTIFY BINGHAM ARCHITECTURE OF ANY DISCREPANCIES. THE CONTRACTOR SHALL COMPARE ALL DRAWINGS & VERIFY THE FIGURES BEFORE LAYING OUT THE WORK, & WILL BE RESPONSIBLE FOR ANY ERRORS WHICH MIGHT HAVE BEEN AVOIDED THEREBY.
- SUBCONTRACTORS BIDDING THIS PROJECT SHOULD CAREFULLY REVIEW ALL PAGES OF THE PLANS. ITEMS UNDER THEIR SUB-TRADE MAY BE DENOTED ON SHEETS OTHER THAN THOSE SPECIFICALLY MARKED M, E OR P. GENERAL CONTRACTOR SHOULD INSURE THAT SUBCONTRACTORS REVIEW COMPLETE SETS OF DRAWINGS.
- THE CONTRACTOR SHALL COORDINATE ALL PORTIONS OF THE WORK AS DESCRIBED IN THE CONSTRUCTION DOCUMENTS
- ALL WORK SHALL BE PERFORMED IN ACCORDANCE/COMPLIANCE W/ THE LOCAL, STATE, FEDERAL CODES & ORDINANCES
- THESE CONSTRUCTION DOCUMENTS ARE THE EXCLUSIVE PROPERTY OF BINGHAM ARCHITECTURE ANY REPRODUCTION, MODIFICATION, DISCLOSURE AND/OR USE OF THESE MATERIALS (OR ANY PORTION OF THEM) WITHOUT BINGHAM ARCHITECTURE PRIOR WRITTEN CONSENT IS STRICTLY PROHIBITED.
- THE CONTRACTOR AND ALL SUBCONTRACTORS SHALL VISIT THE SITE, REVIEW THE CONTRACT DOCUMENTS, PERMIT REQUIREMENTS AND BECOME THOROUGHLY FAMILIAR WITH THE CONDITIONS OF THIS SITE
- THE CONTRACTOR SHALL PROVIDE THE FOLLOWING ITEMS:
1.) TRANSITION STRIPS WHERE ALL DIS-SIMILAR FLOOR FINISHES MEET.
2.) BLOCKING FOR ALL ITEMS TO BE ANCHORED OR SECURED TO WALLS, FLOORS AND CEILINGS.
3.) CONCEAL ALL PIPING IN WALLS, FLOORS, ABOVE CEILINGS, ETC.
- ALL SECTIONS, DETAILS, MATERIALS, METHODS, ETC. THAT ARE SHOWN AND/OR NOTED ON ANY PLAN, SECTION, DETAIL OR SCHEDULE SHALL APPLY TO ALL OTHER SIMILAR LOCATIONS U.N.O.


REFERENCE LEGEND



CONSTRUCTION DOCUMENTS

ISSUE DATE: 03.16.2026

This item has been electronically signed and sealed by Billy B. Bingham. It is a digital signature and does not constitute a printed copy of this document and the signature must be verified on any electronic copies.



REV	DATE	DESCRIPTION

PROPOSED RENOVATION FOR
FRESENIUS KIDNEY CARE
179 SOUTH WEST PROSPERITY PLACE
LAKE CITY, FL. 32024

34660 US-19 N.
SUITE 207
PALM HARBOR,
FL. 34684
727-487-9777



CONTRACT DATE: 02.04.26

JOB NO. 26-09

INDEX / PROJECT DATA

SHEET NO.

A001

LIFE SAFETY ROOM SCHEDULE							
ROOM NUMBER	NAME	AREA	FUNCTION OF SPACE	FBC LOAD FACTOR	FBC OCC.	NFPA LOAD FACTOR	NFPA OCC.
101	HT-1	146 SF	BUSINESS (GROSS)	150	1	150	1
102	HT-2	156 SF	BUSINESS (GROSS)	150	2	150	2
TOTAL OCCUPANCY					3	3	

- ### LIFE SAFETY PLAN NOTES
- FIRE ALARM SYSTEMS TO REMAIN UNCHANGED
 - REFER TO INDEX SHEET FOR ADDITIONAL CODE SUMMARY
 - SPACE TO REMAIN UNOCCUPIED WHILE WORK IS BEING DONE
 - ALL FIRE ALARM WORK TO BE PERFORMED BY A LICENSED FIRE ALARM CONTRACTOR UNDER SEPARATE PERMIT & PLANS (IF APPLICABLE)
 - COORDINATE LOCATION OF KNOX BOX & ADDRESS IDENTIFICATION W/ FIRE MARSHALL.

LIFE SAFETY PLAN LEGEND


- TD = INDICATES TRAVEL PATH DISTANCE TO THE NEAREST EXIT
- CPT = INDICATES COMMON PATH TRAVEL DISTANCE
- INDICATES EXISTING 2-HOUR RATED WALL
- EXISTING FIRE EXTINGUISHER TO REMAIN
- EXISTING FIRE ALARM TO REMAIN
- EXISTING SMOKE DETECTOR TO REMAIN

EXIT SIGNAGE

- EXISTING EXIT SIGN FACE W/ ILLUMINATED LETTERS
- EXISTING EXIT SIGNS PATH OF DIRECTION
- NEW EXIT SIGN FACE W/ ILLUMINATED LETTERS
- NEW EXIT SIGNS PATH OF DIRECTION

EGRESS DOOR MATRIX

	DOOR IDENTIFIER
$1i$	OCCUPANT LOAD FACTOR
$0.2i/OCC$	DOOR CLEAR WIDTH PROVIDED
WIDTH ALLOWED 32"	MAX. ALLOWED OCCUPANT LOAD



1 LIFE SAFETY PLAN
3/16" = 1'-0"
NORTH

CONSTRUCTION DOCUMENTS
ISSUE DATE: 03.16.2026

This item has been electronically signed and sealed by Billy B. Bingham. It is a digital signature and seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

REV	DATE	DESCRIPTION

PROPOSED RENOVATION FOR
FRESENIUS KIDNEY CARE
179 SOUTH WEST PROSPERITY PLACE
LAKE CITY, FL. 32024


34660 US-19 N.
SUITE 207
PALM HARBOR,
FL. 34684
727-487-9777



CONTRACT DATE: 02.04.26
JOB NO. 26-09
LIFE SAFETY
SHEET NO. **LS101**

3/16/2026 10:22:11 AM

This form has been electronically signed and sealed by Billy B. Bingham. It is a digital signature and seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



REV	DATE	DESCRIPTION


PROPOSED RENOVATION FOR
FRESENIUS KIDNEY CARE
 179 SOUTH WEST PROSPERITY PLACE
 LAKE CITY, FL. 32024

34650 US-19 N.
 SUITE 207
 PALM HARBOR,
 FL. 34684
 727-487-9777



CEILING LEGEND

	CEILING TYPE / CEILING FINISH
	CEILING HEIGHT ABOVE FINISHED FLOOR.
	2' X 2' ACOUSTICAL CEILING TILE PER FINISH SCHEDULE
	SUPPLY AIR DIFFUSER. REFER TO MECH.
	RETURN AIR DIFFUSER. REFER TO MECH.
	RECESSED LED DOWNLIGHT
	EXISTING EXIT SIGNAGE
	NEW 2' X 4' TROFFER LIGHTING. MATCH EXISTING SHADED INDICATES EMERGENCY LIGHT
	EXISTING TROFFER LIGHTING. SHADED INDICATES EMERGENCY LIGHT



FINISH SCHEDULE

FINISH SURFACE	MATERIAL	FINISH	SIZE	COLOR	MANUFACTURER
FLOORS	SHEET VINYL	AS SELECTED BY OWNER	---	---	MANNINGTON
MOULDINGS /BASE	RUBBER BASE	BURKBASE TYPE TP	4" HIGH	PECAN 504	MANNINGTON
WALLS / CEILINGS	WALL PAINT	MATCH EXISTING	N/A	N/A	
	WALL COVERING	FRP CHINO 0258	FULL HEIGHT / 48" A.F.F.	---	INPRO CORP.
MILLWORK	ACT	DOVAR WHITE PROMAR 400	2' X 2'	MATCH EXISTING	ARMOSTRONG
	SOLID SURFACE	HORIZONTAL CASHMERE MIRAGE 9135MG	---	---	WILSONART
	PLASTIC LAMINATE	VERTICAL WILD CHERRY 7045-60	---	---	

CRITICAL NOTE:
 G.C. TO SUBMIT PRODUCT DATA/ PHYSICAL SAMPLES FOR ALL FINISH SELECTIONS FOR ARCHITECT/ OWNER APPROVAL PRIOR TO FINAL SELECTION.

GENERAL DOOR NOTES

- THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR VERIFYING THAT THE DOORS ORDERED ON BEHALF OF THIS PROJECT CONFORM WITH INTENT OF THE DRAWINGS, ESPECIALLY WITH REGARDS TO SIZE, TYPE, DIRECTION OF SWING, AND OPERATION.
- ALL DOOR HARDWARE SHALL COMPLY W/ THE PROVISIONS OF THE AMERICANS W/ DISABILITIES ACT AND ANY OTHER ACCESSIBILITY REQUIREMENTS OF AUTHORITIES HAVING JURISDICTION. THE MOST STRINGENT OF THE ABOVE STANDARDS SHALL APPLY. REQUIREMENTS INCLUDE, BUT ARE NOT LIMITED TO OPERATING MECHANISM DESIGN & REQUIRED OPENING FORCE.
- CLOSERS TO BE GRADE 2 OR BETTER, 50% ADJUSTABLE, BHMA ALUMINUM FINISH (686) SUBJECT TO DISABLED ACCESSIBILITY & OTHER CODE REQUIREMENTS.
- ALL DOOR HANDLES SHALL BE LEVER TYPE IN CONFORMANCE W/ ANSI 117.1, LATEST EDITION, U.N.O.
- PROVIDE DOOR STOP FOR ALL DOORS U.O.N. PROVIDE WALL TYPE STOP (TYP.) EQUAL TO IVES WS401CVX. AT CONDITIONS WHERE A WALL DOESN'T EXIST. PROVIDE FLOOR MOUNTED EQUAL TO IVES FS13.

CEILING PLAN NOTES

- THIS PLAN IS FOR CLARIFICATION OF SCOPE AND FIXTURE LOCATION ONLY. REFER TO LIFE SAFETY PLAN FOR LOCATION OF EXIT LIGHTING.
- PROVIDE CONTINUOUS CAULK JOINT BETWEEN CEILING GRID AND WALLS, TYPICAL.

FLOOR PLAN GENERAL NOTES

- ALL DOORS TO BE 4" FROM INSIDE CORNER OR CENTERED IN SPACE U.N.O.
- GC SHALL PROVIDE CONDUIT, POWER, PLUMBING & COORDINATION FOR ALL EQUIPMENT & ITEMS PROVIDED BY OWNER OR OTHERS.
- PROVIDE SOUND ATTENUATION INSULATION W/ A MIN. STC RATING OF 40 IN ALL STUD WALLS BETWEEN ROOMS.

DOOR SCHEDULE


MARK	DOOR		DOOR		FRAME	
	WIDTH	HEIGHT	MATERIAL	FINISH	ELEV.	MATERIAL ELEV.
101	3'-6"	7'-0"	WOOD	MATCH EXIST.	A	H.M. 1
102	3'-6"	7'-0"	WOOD	MATCH EXIST.	A	H.M. 1
103	3'-6"	7'-0"	WOOD / GLASS	MATCH EXIST.	B	H.M. 1

FLOOR PLAN LEGEND



	EXISTING WALL TO BE REMOVED
	EXISTING EXTERIOR WALL TO REMAIN
	EXISTING INTERIOR WALL TO REMAIN
	NEW WALL PER WALL TYPE
	NEW DOOR TAG - SEE DOOR SCHEDULE

COORDINATION NOTES


- THE GENERAL CONTRACTOR IS ULTIMATELY RESPONSIBLE FOR THE PROPER INSTALLATION OF ALL EQUIPMENT AND MATERIALS ASSOCIATED WITH THE PROJECT IN ORDER TO ACHIEVE A COMPLETE AND FUNCTIONING SYSTEM OR ASSEMBLY.
- THE GENERAL CONTRACTOR IS TO COORDINATE ALL WORK ASSOCIATED WITH THE PROJECT WITH EACH SUB CONTRACTOR AND VENDOR INVOLVED. PRE-CONSTRUCTION MEETINGS ARE TO INCLUDE THE OWNER, CONTRACTOR, AND VENDOR TO ENSURE ALL GAPS ARE FILLED SO COMPLETE AND FULLY FUNCTIONING SYSTEMS ARE IN PLACE AT THE TIME OF BUILDING TURN OVER. SEPARATE PRE-CONSTRUCTION MEETINGS ARE TO INCLUDE BUT ARE NOT LIMITED TO THE FOLLOWING PHASES OF CONSTRUCTION:
 - A. MILLWORK (FURNITURE)
 - B. SIGNAGE (IF APPLICABLE)
 - C. MEDICAL EQUIPMENT




7 TYP. MTL. HEADER DETAIL
3/4" = 1'-0"




6 H.M. DOOR JAMB
3" = 1'-0"




A WALL TYPE A
1 1/2" = 1'-0"




2 DEMO FLOOR PLAN
1/4" = 1'-0"



1 NEW FLOOR PLAN
1/4" = 1'-0"



3 DEMO CEILING PLAN
1/4" = 1'-0"



4 REFLECTED CEILING PLAN
1/4" = 1'-0"