



ELECTRICAL LEGEND		
ELECTRICAL	COUNT	SYMBOL
ceiling fan	9	
ceiling classic	1	
pendant large	8	
pot light	22	
spotlight double	4	
floor outlet double	3	
dimmer switch	3	
dimmer switch 3-way	2	
light	5	
outlet	37	
outlet 220v	5	
outlet gfi	14	
outlet wp	12	
smoke detector	4	
switch	24	
switch 3 way	10	
vent light combo	2	
vanity bar light 01	1	

- ELECTRICAL PLAN NOTES**
- E-1 WIRE ALL APPLIANCES, HVAC UNITS AND OTHER EQUIPMENT PER MANUFACTURER'S SPECIFICATIONS.
 - E-2 ALL INSTALLATIONS SHALL BE PER NATIONAL ELECTRIC CODE.
 - E-3 ALL SMOKE / CARBON MONOXIDE DETECTORS SHALL BE 120V W/BATTERY BACKUP OF THE PHOTOELECTRIC TYPE AND SHALL BE INTERLOCKED TOGETHER. INSTALL INSIDE AND NEAR ALL BEDROOMS AS PER CODE.
 - E-4 TELEPHONE, TELEVISION AND OTHER LOW VOLTAGE DEVICES OR OUTLETS SHALL BE AS PER THE OWNER'S DIRECTION AND IN ACCORDANCE WITH APPLICABLE SECTIONS OF NATIONAL ELCT. CODE LATEST EDITION.
 - E-5 ELECTRICAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND SIZING OF ELECTRICAL SERVICE AND CIRCUITS.
 - E-6 ENTRY OF SERVICE UNDERGROUND OR OVERHEAD IS TO BE DETERMINED BY THE POWER COMPANY.
 - E-7 ALL BEDROOM RECEPTICALS ARE TO BE AFCI (ARC FAULT CIRCUIT INTERRUPT)
 - E-8 75% OF ALL PERMANENT LIGHTS TO BE ENERGY EFFICIENT.

* **ELECTRIC PLAN** *

SCALE : 1/4" = 1'-0"

**NEW RESIDENCE
for
KERRIE & RICKY
DELOACH**

LAKE CITY, FL

Tesna M. Ruffo
7525 SW DR 41
Lake City Florida, 32025
Cell: (386) 867-1191
Email: tesnaruffo@gmail.com

PRINTED DATE:
Wednesday, April 5, 2023

DRAWN BY: Tesna M. Ruffo
CHECKED BY: BUILDING CONTRACTOR

FINALS DATE:

JOB NUMBER:

DRAWING NUMBER
A-6

OF 6 SHEETS