

SUWANNEE VALLEY FARMS PHASE 1

IN SECTION 29, TOWNSHIP 2 SOUTH, RANGE 16 EAST
COLUMBIA COUNTY, FLORIDA




TOTAL = 129.06 ACRES

DEVELOPER
Subrandy Limited Partnership
P.O. Box 513, Lake City, FL 32956
Ph. (386) 752-8585

DESCRIPTION:


BEGIN at the Northeast corner of the West 1/2 of Section 29, Township 2 South, Range 16 East, Columbia County, Florida and run South 00°09'01" West along the East line of the West 1/2 of Section 29 a distance of 2560.86 feet; thence North 89°34'14" West a distance of 1451.69 feet; thence North 00°17'45" East a distance of 116.45 feet; thence South 69°26'13" West a distance of 741.87 feet; thence North 89°42'15" West a distance of 60.00 feet; thence North 00°17'45" East a distance of 2676.97 feet to a point on the North line of Section 29; thence North 89°33'39" East along said North line of Section 29 a distance of 2198.62 feet to the POINT OF BEGINNING. Containing 129.06 acres, more or less.

OFFICIAL RECORDS
BOOK PAGE
7070/1195



LOT	MIN. FLOOR ELEV.
1	90.0
7	107.0
8	107.0
9	107.0
10	110.0
14	110.0
19	102.0
20	102.0
21	102.0

ABBREVIATION LEGEND
P.L.S. = PROFESSIONAL LAND SURVEYOR
L.B. = LICENSED BUSINESS
P.O.B. = POINT OF BEGINNING
R/W = RIGHT-OF-WAY
PRM = PERMANENT REFERENCE MONUMENT
4x4 CONCRETE MONUMENT WITH BRASS CAP STAMPED LB 7042
PCP = PERMANENT CONTROL POINT
Δ = DELTA (CENTRAL ANGLE)
R = RADIUS OF CURVE
A = ARC LENGTH OF CURVE
O = 5/8" REBAR SET WITH PLASTIC CAP STAMPED LB 7042
□ = 4x4 CONCRETE MONUMENT WITH BRASS CAP STAMPED LB 7042 SET
C = CURVE
L = LINE
PP = POWER POLE
O.H. ELEC. = OVERHEAD ELECTRIC
IPF = IRON PIPE FOUND
CMS = CONCRETE MONUMENT SET
CMF = CONCRETE MONUMENT FOUND
N&D = NAIL AND DISK



NOTE: Areas along Suwannee Valley Road not adjacent to this development, may become temporarily submerged during times of highwater and/or river flooding, making access an issue.

LINE	DISTANCE	BEARING	LINE	DISTANCE	BEARING
L1	111.38'	N 46°32'39" W	L34	164.33'	N 11°43'58" W
L2	155.74'	S 16°32'49" W	L37	83.70'	N 71°52'49" W
L3	70.60'	S 49°52'28" E	L38	75.42'	S 66°27'23" W
L4	111.46'	N 69°54'53" E	L39	62.98'	S 61°45'29" W
L5	86.02'	N 22°13'52" E	L40	180.86'	S 77°40'22" W
L6	114.47'	S 09°16'16" E	L42	100.17'	S 09°16'16" E
L7	138.14'	S 29°21'02" E	L43	59.92'	S 46°18'39" E
L8	150.04'	S 45°11'47" W	L44	38.86'	S 10°30'40" E
L9	141.22'	N 52°48'24" W	L45	69.46'	S 32°30'48" E
L10	138.54'	N 15°30'19" E	L46	137.73'	S 38°33'59" E
L11	107.40'	N 28°56'08" E	L47	141.17'	S 50°55'43" E
L12	116.81'	N 16°17'57" W	L50	99.43'	N 60°27'39" E
L13	135.73'	N 48°40'07" W	L51	122.19'	S 76°55'46" E
L14	74.82'	N 52°57'04" W	L52	155.10'	S 04°50'15" W
L15	94.95'	N 65°32'55" W	L53	133.46'	N 82°22'35" E
L16	80.01'	S 55°13'18" W	L54	109.20'	N 00°05'37" W
L17	78.09'	S 05°42'59" W	L84A	38.23'	N 41°04'24" E
L18	69.55'	S 08°08'35" E	L85	77.81'	N 72°55'49" E
L19	85.78'	S 28°57'51" E	L86	83.42'	S 80°30'05" E
L20	89.05'	S 53°02'05" E	L88	56.63'	N 83°10'11" E
L21	128.79'	S 70°08'40" E	L89	61.41'	S 86°07'54" E
L22	61.55'	S 73°34'12" E	L90	105.99'	S 76°57'15" E
L23	74.61'	S 34°35'53" W	L92A	23.66'	N 33°45'31" W
L24	86.80'	N 14°58'28" W			
L25	65.02'	N 04°12'06" E			
L26	87.60'	N 03°59'52" W			

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY this to be a true and correct representation of the lands surveyed and shown hereon, that the Survey was made under my responsible supervision, direction and control, that Permanent Reference Monuments have been set as shown and that survey data complies with the Columbia County Subdivision Ordinance and Chapter 177 of the Florida Statutes.

SIGNED: Donald F. Lee, P.S.M.
Florida Registered Cert. No. 3628
DATE: 12/22/2005

SHEET 1 OF 2 PLAT DATE: 12/16/2005


Donald F. Lee and Associates, Inc.
SURVEYORS — ENGINEERS
140 Northwest Ridgewood Avenue, Lake City, Florida 32055
Phone: (386) 755-6166 FAX: (386) 755-6167
LB# 7042

SUWANNEE VALLEY FARMS PHASE 1

IN SECTION 29, TOWNSHIP 2 SOUTH, RANGE 16 EAST
COLUMBIA COUNTY, FLORIDA

OFFICIAL RECORDS
BOOK 1070 PAGE 1199

DEVELOPER
Subrandy Limited Partnership
P.O. Box 513, Lake City, FL 32956
Ph. (386) 752-8585



ACCEPTANCE FOR MAINTENANCE

I HEREBY CERTIFY that the improvements have been constructed in an acceptable manner and in accordance with County specifications or that a performance bond or instrument in the amount of \$_____ has been posted to assure completion of all required improvements and maintenance in case of default.

SIGNED: Amie C. Crowder DATE: 1/6/06
Director of Public Works

COUNTY ATTORNEY'S CERTIFICATE

I HEREBY CERTIFY that I have examined the foregoing Plat and that it complies with the Columbia County Subdivision Ordinance and Chapter 177 of the Florida Statutes.

SIGNED: Malin Seagle DATE: 1/05/06
County Attorney, Columbia County

COMMISSION APPROVAL

SIGNED: Ronald Williams
Chairman
DATE: 1/6/2006
ATTEST:

Clerk

CLERK'S CERTIFICATE

THIS PLAT having been approved by the Columbia County Board of County Commissioners is accepted for files and recorded this 6 day of Jan 2006, in Plat Book 8 Page 47-48

SIGNED:

R. Williams
Clerk of Circuit Court

GENERAL NOTES

- 1.) Bearings based on State Plane coordinates.
- 2.) Boundary based on description from client, monuments found and prior survey by this Company.
- 3.) Interior improvements or underground encroachments, if present, were not located with this survey.
- 4.) Survey closure precision exceeds the requirements of the Minimum Technical Standards for Land Surveying in Florida.
- 5.) Examination of the Flood Insurance Rate Maps (FIRM) for Columbia County shows that, per said maps, the described parcel lies partly within Flood Zone "X", which according to said maps is outside of the 500 year flood plain; partly within Flood Zone "A", which according to said maps is inside of the 100 year flood plain; partly within Flood Zone "X-Other", which according to said maps is areas of 500 year flood, areas of 100 year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile, and areas protected by levees from 100 year flood; and partly within Flood Zone "AE", which according to said maps are areas where a base flood elevation has been determined (ref. Community Panel No. 120070 0105 B). Base flood elevation is 88.0 feet. Flood Zones area delineated on the plat per said FIRM maps.
- 6.) Preliminary approval: 2/1/2005.
- 7.) Water Supply and Sewerage disposal to be provided by individual lot owners, subject to County approval.
- 8.) Date of Plat: 12/06/2005.

NOTICE: This Plat as recorded in its graphic form, is the official depiction of the subdivided lands described herein and will in no circumstances be supplanted in authority by any other graphic or digital form of the Plat. There may be additional restrictions that are not recorded on this Plat that may be found in the Public Records of this County.


NOTICE: All Platted utility easements shall provide that such easements shall also be easements for the construction, installation, maintenance, and operation of cable television services; provided however, no such construction, installation, maintenance, and operation of cable television services shall interfere with the facilities and services of electric, telephone, gas, or other public utility. In the event that a cable television company damages the facilities of a public utility, it shall be solely responsible for the damages.

DEDICATION

KNOW ALL MEN BY THESE PRESENTS that Subrandy Limited Partnership, as owner has caused the lands hereon shown to be surveyed, subdivided and platted, to be known as SUWANNEE VALLEY FARMS PHASE 1, and that all Rights-of-Way and easements are hereby dedicated to the perpetual use of the Public for uses as shown hereon.

Bradley N. Dicks
Bradley N. Dicks

Nanci Nettles
Witness
Amey E. Lee
Witness



ACKNOWLEDGMENT STATE OF Florida COUNTY OF Columbia


The foregoing dedication was acknowledged before me this 6 day of Jan 2006 by Bradley N. Dicks, for Subrandy Limited Partnership as owner. He is personally known to me or has produced as identification and (did not) take an oath.

SIGNED: Nanci Nettles
Notary Public

PROJECT ENGINEER'S CERTIFICATE

I, The undersigned Registered Professional Engineer, hereby certify that the proposed drainage system is sufficient with respect to the requirements of the Columbia County Land Development Regulations adopted March 4, 1998 by Ordinance No. 98-1

SIGNED: Arthur P. Bedenbaugh DATE: 1-6-06
Arthur Bedenbaugh, P.E.
Reg. No. 9153



COUNTY SURVEYOR-CHAPTER 177 APPROVAL

KNOW ALL MEN BY THESE PRESENT, that the undersigned, being a licensed and registered Land Surveyor, as provided under Chapter 472, Florida Statutes and in good standing with the Board of Land Surveyors, does hereby certify on behalf of Columbia County, Florida on 01/06/2006 reviewed this Plat for conformity to Chapter 177, Florida Statutes, and said Plat meets all the requirements of said Chapter 177, as amended.

SIGNED: L. Scott Britt
NAME: L. SCOTT BRITT
Florida Reg. Cert. No. 5757



SHEET 2 OF 2 PLAT DATE: 12/06/2005

Donald F. Lee and Associates, Inc.
SURVEYORS — ENGINEERS
140 Northwest Ridgewood Avenue, Lake City, Florida 32055
Phone: (386) 755-6166 FAX: (386) 755-6167
LB# 7042

SUWANNEE VALLEY FARMS PHASE 2

IN SECTION 29, TOWNSHIP 2 SOUTH, RANGE 16 EAST
COLUMBIA COUNTY, FLORIDA

C7
R=430.00'
L=52.18'
Δ=6°57'12"

C8
R=430.00'
L=71.89'
Δ=9°34'45"

C9
R=25.00'
L=21.68'
Δ=49°40'47"


C10
R=60.00'
L=118.24'
Δ=11°54'41"

C12
R=25.00'
L=21.68'
Δ=49°40'47"




C11
R=60.00'
L=174.30'
Δ=166°26'54"

LINE DATA					
LINE	DISTANCE	BEARING	LINE	DISTANCE	BEARING
L55	102.43'	S 42°15'56" E	L81	88.38'	N 10°50'57" W
L56	80.51'	N 66°26'08" E	L82	80.22'	N 37°55'59" E
L57	83.12'	N 04°59'57" E	L83	108.04'	N 67°52'19" E
L58	104.04'	N 69°59'48" W	L84	81.67'	N 41°04'24" E
L59	91.18'	S 34°54'03" W	L85	77.81'	N 72°55'49" E
L60	128.54'	N 41°27'58" W	L86	83.42'	S 80°30'05" E
L61	96.98'	N 83°30'47" W	L88	56.63'	N 83°10'11" E
L62	89.24'	S 68°26'53" E	L89	61.41'	S 86°07'54" E
L64	69.15'	S 64°50'05" W	L90	105.99'	S 76°57'15" E
L65	126.64'	S 62°26'48" W	L92	51.80'	S 33°45'31" E
L66	64.57'	S 24°51'04" W	L93	42.12'	S 63°45'20" E
L67	62.15'	S 64°13'36" W	L94	73.21'	S 58°01'41" E
L68	49.38'	S 47°11'03" W	L95	87.62'	S 23°39'45" E
L69	115.88'	S 51°27'24" W	L96	95.93'	S 15°29'01" E
L70	56.73'	N 46°33'33" W	L97	139.53'	S 04°42'05" W
L71	16.52'	N 74°31'27" E	L98	240.16'	S 34°39'36" W
L72	59.19'	S 42°59'31" W	L99	75.54'	S 69°51'47" W
L73	113.91'	S 75°33'30" W	L100	60.16'	N 87°24'04" E
L74	151.53'	N 44°26'15" W	L101	101.54'	N 63°57'56" E
L75	37.96'	N 64°12'56" W	L102	101.56'	N 71°19'56" E
L76	44.53'	S 47°44'57" W	L103	128.98'	N 89°26'48" E
L77	116.21'	N 46°47'48" W	L105	70.77'	S 75°41'44" E
L78	21.65'	N 27°08'07" E	L106	79.63'	S 69°49'15" E
L79	115.72'	N 42°30'30" W	L107	62.70'	S 40°20'47" E
L80	67.91'	N 21°35'19" W	L108	201.10'	S 34°17'11" E

NOTE: Areas along Suwannee Valley Road not adjacent to this development, may become temporarily submerged during times of highwater and/or river flooding, making access an issue.




LOT	MIN. FLOOR ELEV.
26	107.0
27	107.0
28	107.0
29	97.0
30	97.0
31	97.0
33	97.0



DESCRIPTION:
COMMENCE at the Northeast corner of the West 1/2 of Section 29, Township 2 South, Range 16 East, Columbia County, Florida and run South 00°09'01" West along the East line of the West 1/2 of Section 29 a distance of 2560.86 feet to the POINT OF BEGINNING; thence continue South 00°09'01" West along said East line of the West 1/2 of Section 29 a distance of 1424.34 feet to the Southeast corner of the North 1/2 of the Southwest 1/4 of Section 29; thence South 89°05'41" West along the South line of said North 1/2 of the Southwest 1/4 of Section 29 a distance of 2659.97 feet to the Southwest corner of said North 1/2 of the Southwest 1/4 of Section 29; thence North 00°14'43" East along the West line of said North 1/2 of the Southwest 1/4 of Section 29 a distance of 1335.73 feet to the Southwest corner of the Northwest 1/4 of Section 29; thence North 00°17'45" East along the West line of said Northwest 1/4 of Section 29 a distance of 2671.21 feet to the Northwest corner of the Northwest 1/4 of Section 29; thence North 89°33'39" East along the North line of said Northwest 1/4 of Section 29 a distance of 452.04 feet; thence South 00°17'45" West a distance of 2676.97 feet; thence South 89°42'15" East a distance of 60.00 feet; thence North 69°26'13" East a distance of 741.87 feet; thence South 00°17'45" West a distance of 116.45 feet; thence South 89°34'14" East a distance of 1451.69 feet to the POINT OF BEGINNING. Containing 114.53 acres, more or less.

SURVEYOR'S CERTIFICATE
I HEREBY CERTIFY this to be a true and correct representation of the lands surveyed and shown hereon, that the Survey was made under my responsible supervision, direction and control, that Permanent Reference Monuments have been set as shown and that survey data complies with the Columbia County Subdivision Ordinance and Chapter 177 of the Florida Statutes.

SIGNED: *Donald F. Lee*
Donald F. Lee, P.S.M.
Florida Registered Cert. No. 3628
DATE: 12/16/2005



Donald F. Lee and Associates, Inc.
SURVEYORS — ENGINEERS
140 Northwest Ridgewood Avenue, Lake City, Florida 32055
Phone: (386) 755-6166 FAX: (386) 755-6167
LB# 7042



FILE NUMBER 2006-000-348
FILED AND RECORDED IN THE OFFICIAL RECORDS
OF COLUMBIA COUNTY, FLORIDA
1/6/2006 AT 10:45:00 AM
P. DEWITT GASON
CLERK OF COURTS
COLUMBIA COUNTY, FLORIDA

OFFICIAL RECORDS
BOOK PAGE
1070/200

SUWANNEE VALLEY FARMS PHASE 2

IN SECTION 29, TOWNSHIP 2 SOUTH, RANGE 16 EAST
COLUMBIA COUNTY, FLORIDA

NOTICE: This Plat as recorded in its graphic form, is the official depiction of the subdivided lands described herein and will in no circumstances be supplanted in authority by any other graphic or digital form of the Plat. There may be additional restrictions that are not recorded on this Plat that may be found in the Public Records of this County.

NOTICE: All Platted utility easements shall provide that such easements shall also be easements for the construction, installation, maintenance, and operation of cable television services; provided however, no such construction, installation, maintenance, and operation of cable television services shall interfere with the facilities and services of electric, telephone, gas, or other public utility. In the event that a cable television company damages the facilities of a public utility, it shall be solely responsible for the damages.

CLERK'S CERTIFICATE

THIS PLAT having been approved by the Columbia County Board of County Commissioners is accepted for files and recorded this 6 day of January 2006, in Plat Book 8 Page 49-50

SIGNED: [Signature]
Clerk of Circuit Court

COMMISSION APPROVAL

SIGNED :

Chairman Ronald Williams

DATE: 1/6/2006

ATTEST:

Clerk

COUNTY ATTORNEY'S CERTIFICATE

I HEREBY CERTIFY that I have examined the foregoing Plat and that it complies with the Columbia County Subdivision Ordinance and Chapter 177 of the Florida Statutes.

SIGNED: [Signature] DATE: 1/6/06
County Attorney, Columbia County


ACCEPTANCE FOR MAINTENANCE

I HEREBY CERTIFY that the improvements have been constructed in an acceptable manner and in accordance with County specifications or that a performance bond or instrument in the amount of \$_____ has been posted to assure completion of all required improvements and maintenance in case of default.

SIGNED: [Signature] DATE: 1/6/06
Director of Public Works

PROJECT LOCATION

19 LOTS
114.53 AC.



VICINITY MAP

1 IN. = 500 FT.

DEVELOPER
Subrandy Limited Partnership
P.O. Box 513, Lake City, FL 32956
Ph. (386) 752-8585

GENERAL NOTES

- 1.) Bearings based on State Plane coordinates.
- 2.) Boundary based on description from client, monuments found and prior survey by this Company.
- 3.) Interior improvements or underground encroachments, if present, were not located with this survey.
- 4.) Survey closure precision exceeds the requirements of the Minimum Technical Standards for Land Surveying in Florida.
- 5.) Examination of the Flood Insurance Rate Maps (FIRM) for Columbia County shows that, per said maps, the described parcel lies partly within Flood Zone "X", which according to said maps is outside of the 500 year flood plain; partly within Flood Zone "A", which according to said maps is inside of the 100 year flood plain; partly within Flood Zone "X-Other", which according to said maps is areas of 500 year flood, areas of 100 year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile, and areas protected by levees from 100 year flood; and partly within Flood Zone "AE", which according to said maps are areas where a base flood elevation has been determined (ref. Community Panel No. 120070 0105 B). Base flood elevation is 88.0 feet. Flood Zones area delineated on the plat per said FIRM maps.
- 6.) Preliminary approval: 2/1/05.
- 7.) Water Supply and Sewerage disposal to be provided by individual lot owners, subject to County approval.
- 8.) Date of Plat: 12/06/2005.


DEDICATION

KNOW ALL MEN BY THESE PRESENTS that Subrandy Limited Partnership, as owner has caused the lands hereon shown to be surveyed, subdivided and platted, to be known as SUWANNEE VALLEY FARMS PHASE 2, and that all Rights-of-Way and easements are hereby dedicated to the perpetual use of the Public for uses as shown hereon.

[Signature]
Bradley Dicks

[Signature]
Witness

[Signature]
Witness



ACKNOWLEDGMENT STATE OF Florida

The foregoing dedication was acknowledged before me this 6 day of Jan, 2006 by Bradley N. Dick, for Subrandy Limited Partnership as owner. He is personally known to me or has produced as identification and (did / did not) take an oath.

SIGNED: [Signature]
Notary Public

PROJECT ENGINEER'S CERTIFICATE

I, The undersigned Registered Professional Engineer, hereby certify that the proposed drainage system is sufficient with respect to the requirements of the Columbia County Land Development Regulations adopted March 4, 1998 by Ordinance No. 98-1

SIGNED: [Signature] DATE: 1-6-06
Arthur H. Bederbaugh, P.E.
Reg. No. 7182

COUNTY SURVEYOR-CHAPTER 177 APPROVAL

KNOW ALL MEN BY THESE PRESENT, that the undersigned, being a licensed and registered Land Surveyor, as provided under Chapter 472, Florida Statutes and in good standing with the Board of Land Surveyors, does hereby certify on behalf of Columbia County, Florida on 1/26/2006 reviewed this Plat for conformity to Chapter 177, Florida Statutes, and said Plat meets all the requirements of said Chapter 177, as amended.


SIGNED: [Signature]
NAME: C. SCOTT BRIT
Florida Reg. Cert. No. 5757

SHEET 2 OF 2 PLAT DATE: 12/16/2005

Donald F. Lee and Associates, Inc.
SURVEYORS — ENGINEERS
140 Northwest Ridgewood Avenue, Lake City, Florida 32055
Phone: (386) 755-6166 FAX: (386) 755-6167
LB# 7042

OFFICIAL RECORDS
BOOK 8 PAGE 50
1070/1200

Jones		Description	Columbia County	Drainage
Date	By			
		ARTHUR N. BEDENBAUGH, P.E. 437 SW HILLCREST ST W LAKE CITY, FLORIDA 32025 TELEPHONE: (904) 752-5846		
		SUBRANDY LIMITED PARTNERSHIP SUWANNEE VALLEY FARMS		
			JOB NUMBER: 16-2004	
				William H. Jones DRAINAGE



Suwannee Valley Farms

Phases 1 & 2

Parent Parcel – 29-2s-16-01777-000 243.59 ac. (deleted all used up)

Header Parcel – 29-2s-16-01777-100 A S/D lying in the NW1/4 &
The N1/2 of the SW1/4 of 29-2s-16. containing 243.59 ac. recorded in
Plat book 8 pages 47 thru 50.

Phase 1

Lot 1	29-2s-16-01777-101	10.02 ac.
Lot 2	29-2s-16-01777-102	5.01 ac.
Lot 3	29-2s-16-01777-103	5.01 ac.
Lot 4	29-2s-16-01777-104	5.01 ac.
Lot 5	29-2s-16-01777-105	5.01 ac.
Lot 6	29-2s-16-01777-106	5.01 ac.
Lot 7	29-2s-16-01777-107	5.09 ac.
Lot 8	29-2s-16-01777-108	5.54 ac.
Lot 9	29-2s-16-01777-109	5.01 ac.
Lot 10	29-2s-16-01777-110	5.01 ac.
Lot 11	29-2s-16-01777-111	5.01 ac.
Lot 12	29-2s-16-01777-112	5.01 ac.
Lot 13	29-2s-16-01777-113	5.01 ac.
Lot 14	29-2s-16-01777-114	10.02 ac.
Lot 15	29-2s-16-01777-115	5.01 ac.
Lot 16	29-2s-16-01777-116	5.01 ac.
Lot 17	29-2s-16-01777-117	5.01 ac.
Lot 18	29-2s-16-01777-118	5.02 ac.
Lot 19	29-2s-16-01777-119	5.01 ac.
Lot 20	29-2s-16-01777-120	5.01 ac.
Lot 21	29-2s-16-01777-121	5.08 ac.
Lot 22	29-2s-16-01777-122	5.01 ac.

Phase 2

Lot 23	29-2s-16-01777-123	5.01 ac.
Lot 24	29-2s-16-01777-124	5.01 ac.
Lot 25	29-2s-16-01777-125	5.01 ac.
Lot 26	29-2s-16-01777-126	5.09 ac.
Lot 27	29-2s-16-01777-127	5.07 ac.
Lot 28	29-2s-16-01777-128	6.74 ac.
Lot 29	29-2s-16-01777-129	11.07 ac.
Lot 30	29-2s-16-01777-130	7.52 ac.
Lot 31	29-2s-16-01777-131	8.20 ac.
Lot 32	29-2s-16-01777-132	5.77 ac.
Lot 33	29-2s-16-01777-133	5.72 ac.
Lot 34	29-2s-16-01777-134	5.06 ac.
Lot 35	29-2s-16-01777-135	5.01 ac.
Lot 36	29-2s-16-01777-136	5.01 ac.
Lot 37	29-2s-16-01777-137	5.01 ac.
Lot 38	29-2s-16-01777-138	5.01 ac.
Lot 39	29-2s-16-01777-139	5.01 ac.
Lot 40	29-2s-16-01777-140	5.01 ac.
Lot 41	29-2s-16-01777-141	5.01 ac.