

# Roof Replacement or Repair Application #76537



Friday, May 29, 2026 2:47 PM

## Checklist:

<input type="checkbox"/> Address	<input type="checkbox"/> Application Submitted	
<input type="checkbox"/> Drive/ROW	<input type="checkbox"/> Zoning Review	<input type="checkbox"/> Legal Lot of Record
<input type="checkbox"/> Septic	<input type="checkbox"/> Plans Reviewed	<input type="checkbox"/> Flood Zone
<input type="checkbox"/> Site Use Approved	<input type="checkbox"/> Required Inspections Assigned	<input type="checkbox"/> FDEP Needed
<input type="checkbox"/> Docs Reviewed/Accepted	<input type="checkbox"/> Invoiced	

APPLICANT: Kimberly Dao

PHONE: (561) 556-1144

ADDRESS: 234 W 39th St., New York, New York, 10018

OWNER: LITTLE EDWARD, LITTLE CAROLYN

PHONE: (904) 485-7457

ADDRESS: 576 SE DEFENDER DR LAKE CITY, FL 32025

PARCEL ID: 34-3S-17-07140-000

SUBDIVISION: COUNTRY CLUB ESTATES REPLAT

LOT: 13

BLOCK: 3

PHASE:

UNIT:

ACRES: 0.30

CONTRACTOR	TYPE	LIC#	BUSINESS NAME
ROBERT ROZANSKI	General	CCC1336152	ERIE CONSTRUCTION MID-WEST LLC

### ROOFING JOB DETAILS

Type Roofing Job

Replacement - Tear off Existing and Replace

Further Job Details (Explain if decking is being replaced and or Repairs are being done.)

Remove existing roofing and properly dispose. Furnish and install ice and water shield where applicable. Furnish and install fiberglass dimensional shingle. Furnish and install all accessories that may include drip edge, pipe boots, and flashing. Erie to remove existing roofing and properly dispose. Erie to furnish and install ice and water shield where applicable. Erie to furnish and install fiberglass dimensional shingle. Erie to furnish and install all accessories that may include drip edge, pipe boots, and flashing. Erie to vent roof properly. Erie to furnish and install Premium Synthetic Underlayment. Erie to prep roof for low-slope application. Erie to furnish and install decking with OSB where applicable. Erie to furnish and install wood fascia. Vent roof properly. Furnish and install Premium Synthetic Underlayment. Prep roof for low-slope application. Furnish and install decking with OSB where applicable. Furnish and install wood fascia

Type of structure

House

Further Structure Details (if needed)

Total Estimated Cost

41957

Commercial or Residential

Residential

Roof Area (for this job) Sq Ft

3096

No. of Stories

1

Ventilation:

Ridge Vent

Flashing:

Drip Edge:	Replace All
Valley Treatment:	
Roof Pitch	2:12 to 4:12
Second Roof Pitch (if applicable)	Less than 2:12
Any cable and/or race-way wiring located on or within the roof assembly?	No
Is the existing roof being removed?	Yes
Explain if not removing the existing roofing material?	
Type of New Roofing Product	Asphalt Shingles
Florida Product Approval Number	FL 30310.1
Product Manufacturer	IKO DYNASTY
Product Description	Shingle
Other Roofing Product Type Not Listed	MOD-BIT/ SA Base + Cap (FL2533.1), Standard Ridge (FL6267.1), 2 Layers Synthetic Veer Ultra (FL20767.1)
Sealed roof decking options: (Must select an option.)	two layers of felt underlayment comply ASTM 0226 Type II or ASTM D4869 Type III or IV, or two layers of a synthetic underlayment meeting the performance requirements specified, lapped and fastened as specified.
Sealed roof decking explanation for other option.	

**Review Notes:**