




DG market

30" LETTERS COUNTURED PAINTED BACKER LIGHT BAR LED

GENERAL SPECIFICATIONS:

Materials:
DG Letters: 1" D Embossed Poly
Market Letters: 3"D, 1" Black Trim Caps


Contoured Backer:
 Aluminum, painted Black
 063" D
Mounting:
 Flush to Contour Backer

SQ FT: 98.43

ELECTRICAL:

illumination:
 Light bar White LEDs

COLORS:



NOTE: Final dimensions to be determined by Final Engineering

Everbrite, LLC.
 4949 S. 110th Street, Greenfield, WI 53228
 Phone: 414-529-3500 • Fax 414-529-7191
 Website: www.everbrite.com


Project No: 517816-5
 Drawn By: DB
 Date: 8/22/2025

© 2025 Everbrite, LLC. All rights reserved. This document is confidential and proprietary to Everbrite, LLC. Any disclosure to a third party is expressly prohibited. Drawings are for graphic purposes only and not intended for actual construction. For more specific manufacturing details, please refer to engineering specifications and final drawings.


Everbrite

DOLLAR GENERAL

White














DOLLAR GENERAL



- [illegible]

NOTE:
1. REFER TO SHEET T-1.0 FOR ADDITIONAL INFORMATION ON RECOMMENDED NATIONAL ACCOUNT VENDORS.
2. NATIONAL ACCOUNT AND CONTACT INFORMATION SUBJECT TO CHANGE.



KEYNOTES

1. IF SET FACE CMU PAINTED SW MUST BALANCED BERG ALIGH FACE OF BLOCK WITH STEEL GRK. PROVIDE PROPER ANCHORAGE TO STRUCTURE. CMU WALL TO BE REINFORCED WITH VERT. @ 480 C.Y. TYP. DOWEL 2.10 C. BOND BEARS OF PLATE ALTERNATE. MORTAR SHALL BE TYPE M OR N FOR ALL MASONRY UNITS. TOP COURSE TO BE SMOOTH. GROUT CELL @ ANCHOR BOLT LOCATIONS. MESH AT BASE OF CMU TO COUS STRENGTH. SEE STRUCTURAL DRAWINGS FOR DETAILS.
2. AND EPOXY INTO BLOCK WALL. (4) BOLTS TO BE LOCATED AS SHOWN EACH SIDE OF ENTRY (8) TOTAL BOLTS.
3. SIGN FURNISHED AND SUPPLIED BY TENANT WITH CIRCUIT AS NOTED ON ELECTRICAL DRAWINGS. SIGN SHALL BE SUPPORTED BY 2x4 POSTS. SIGN SHALL BE SUPPORTED BY THE FACE OF THE CANOPY. COORDINATE THE PROPER SIGNAGE TO BE USED WITH TENANT.
4. PRE-FINISHED METAL CORING.
5. STANDING SEAM METAL ROOF BY PERM MANUFACTURER. GALVALUME FINISH.
6. PRE-FINISHED GUTTER AND DOWNSPOUT PROVIDE LEAF GUARDS IF LOCATED WITHIN 25'-0" OF A TREE TO PREVENT NO SIDESWALK EXIST. MIN. 8'-4" RECESSED CANOPY SCHEDULE FOR COLOR.
7. PRE-FINISHED METAL CORING.
8. CONCRETE SLAB AND FOUNDATION WITH STRUCTURAL MIT 68MM. 4 WELDED WIRE REINFORCEMENT. SEE STRUCTURAL DRAWINGS FOR DETAILS.
9. ROOFTOP HVAC UNIT. SEE MECHANICAL DRAWINGS.
10. PRE-FINISHED METAL WALL PANELS FOR THE SIDES AND REAR. PROVIDE TAMPER VENT FOR BATHROOM EXHAUST. SEE MECHANICAL DRAWINGS.
11. PARAPET BEYOND.
12. WALL HYDRANT. EXACT LOCATION TO BE FIELD VERIFIED. SEE PLUMBING DRAWINGS.
13. FLOOD LIGHT ATTACH LIGHTS PER MANUFACTURERS STANDARDS. TYP. SEE ELECTRICAL DRAWINGS.
14. OUTSIDE AIR TEMPERATURE SENSOR MOUNTED ABOVE RECEIVING DOORS.
15. RECEIVING DOOR BUZZER. SEE ELECTRICAL DRAWINGS.
16. DOOR SCOPE.

EXTERIOR FINISHES	PRE-ENGINEERED METAL BUILDING SYSTEM (P.E.M.B.S.)	UP BALANCE SYSTEM (U.B.S.)	STAR BUILDING SYSTEMS (S.B.S.)	NAACOR BUILDING SYSTEMS (N.B.S.)	SIG USE STEEL SYSTEM (S.U.S.)	CHIEF BUILDING SYSTEMS (C.B.S.)	PERFORMED COLORS IF MANUFACTURER ARE NOT METAL PANELS
DOWN SPOUTS							
SOPE AND TRAP METAL WALL PANELS. TYP. RECEIVING A EMERGENCY EXIT							
LOOKS (OUTSIDE OF DOORS) TO BE PAINTED. REFER TO DOOR SCHEDULE FOR							
MASSORY COATING (A-1000 SERIES) TO MATCH THE USE AND REAR METAL WALL PANELS							
FLAT METAL COPY AT STRENGTH VERTICAL AREA							
BUILDING FACIA WALL. PARAPET OVER ENTRANCE AND CANOPY							
STANDING SEAM METAL ROOF PANELS							
UNDER PANELS (INTERIOR SALES AND RECEIVING FLOOR)							

NOTE: REFER TO SHEET T-1 FOR ADDITIONAL INFORMATION ON RECOMMENDED NATIONAL ACCOUNT VENTURES.
2. NATIONAL ACCOUNT AND CONTACT INFORMATION SUBJECT TO CHANGE.

[illegible]

1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
26

11801 Research Drive
Alachua, Florida 32615
(352) 331-1976
WWW.KCHW-INC.COM
© 1998 FLORIDA
CA-8075

EXHIBIT B

LEAD	CONCRETE ASPHALT REFS TO CLIP FOR DETAIL	HEAVY DUTY CONCRETE ASPHALT REFS TO CLIP FOR DETAIL	STANDARD DUTY ASPHALT REFS TO CLIP FOR DETAIL	HAWK DUTY ASPHALT REFS TO CLIP FOR DETAIL	FOOT ROW ASPHALT REFS TO CLIP FOR DETAIL	GRASS BOUNDARY REFS TO CLIP FOR DETAIL	ONDS-ACCESS FENCEMENT


LINE DATA TABLE		
LINE	DIRECTION	LENGTH
L1	S 48°23'28" E	28.14'
L2	S 03°51'18" W	36.68'
L3	S 42°02'25" W	34.93'

NOTES:

SEE SURVEY FOR SOUNDMARK, ELEVATIONS, LOCATIONS, AND DESCRIPTIONS.

CONTRACTOR SHALL REPAIR/RESTORE ANY DISTURBED AREAS TO EXISTING CONDITIONS OR BETTER.

ALL ELEMENTS THAT ARE PLACES OF PUBLIC ACCOMMODATIONS AND COMMERCIAL FACILITIES ON THE SITE INCLUDING ACCESSIBLE ROUTES AND PARKING SHALL MEET THE REQUIREMENTS OF "FLORIDA AMERICANS WITH DISABILITIES IMPROVEMENT ACT," ADA STANDARDS FOR ACCESSIBLE DESIGN, FLORIDA ACCESSIBILITY CODE FOR BUILDING CONSTRUCTION AND THE FAIR HOUSING ACT, WHERE



#75102

wall



COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave., Suite B-21, Lake City, FL 32055

Office: 386-758-1008 Fax: 386-758-2160

www.columbiacountyfla.com/BuildingandZoning.asp

NEW OR REPLACING EXISTING SIGN PERMITS

Submit Permit Applications Online at: <https://www.columbiacountyfla.com/PermitSearch/MyBNZPortalLogin.aspx>

PERMIT EXEMPTION: If the construction job cost is \$4000.00 or less, no permit is required. (County Ord.2012-2) This does not change the requirement for the use of licensed contractors and the requirement of recording a Notice of Commencement when the cost is \$5000.00 or more. (F.S. ch:489, F.S. ch:713)

The Deeded Property Owner must sign the 2nd page of the application. If the customer has a **notarized Power of Attorney for from the Deeded Property Owner**, then that named person can sign for the owner.

For Corporate Ownership we must have documents to prove the person signing as the owner has the Authority to do so. (By: Articles of Incorporation, Proper contract documents, officer's authority on company letterhead, or other notarized documents; these documents will be reviewed prior to permit issuance.)

Agents cannot sign the Application for the contractor this must be the license holder.

☐ Sign regulations and Definitions are attached to this application. **REVIEW THESE FOR COMPLIANCE.** Any questions on these Sign Regulations call County Planner at 386-754-7119.

☐ 1 -Notes: **1st page of application not needed if online submission

Two page Permit Application with **PROPERTY OWNER'S SIGNATURE & notarized** contractor signature on 2nd page

☒ License Holders (Contractors) must complete a "Letter of Authorization" for who signs the permit.

2 -Notes:

☐ If an Owner Builder, Notarized Disclosure Statement (Owner Builders must sign for the Permit).

3 -Notes:

☒ Proof of property ownership. **Provide** a Recorded deed or Property Appraiser's parcel details printout; if owned by a Corporation or Trust, **provide** corporate articles listing the signor, trust executor or POA forms.

4 -Notes:

☒ 2 sets of blueprints, Signed & Sealed Engineering, if new or relocating an existing sign.

5 -Notes: emailed on 2/5/26

☒ For signs located on walls, canopy, or on the building, **provide** Sign panel Specifications.

6 -Notes:

☒ Site plan, showing existing and/or new with setback distances, heights and sizes of signs.

7 -Notes:

☐ Subcontractors Verification Form, SIGNED by the license holder (contractor), if required.

8 -Notes:

☐ Recorded Notice of Commencement; before the 1st inspection.

9 -Notes: N/A

CONTRACTOR FILING:

Certified Contractors not on file, provide ____ state license, ____ (COI) Certificate of Liability insurance including Worker's Comp insurance with Columbia County Building Department as the certificate holder or ____ W/C Exemption card along with ____ the Detail Entity page showing "Active" for your Articles of Incorporation from the website sunbiz.org. No filing fees.

Registered Contractors not on file, call about reciprocity and fees.