


- STANDARD TIE-DOWN STRAP &
APPROVED GROUND ANCHORS
5'-4" O.C. & 2' MAX. FROM EACH
END, TYP.



- STANDARD TIE-DOWN STRAP &
APPROVED GROUND ANCHORS
5'-4" O.C. & 2' MAX. FROM EACH
END, TYP.

1. CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO CONSTRUCTION.
2. EACH BLDG SHALL HAVE TWO (2) EGRESS DOORS.
3. BLDGS MEET FBC 2023, 8TH EDITION FOR CLASSROOMS.
4. BLOCKING SHALL BE WITHIN 2' OF EACH & MAX SPACING OF 8'.




Digitally signed by
Carol Chadwick
DN: c=US,
o=Florida,
dnQualifier=A0141
0D0000017EB6D9
24CE0005954C,
cn=Carol
Chadwick
Date: 2024.01.07
14:25:01 -05'00'

This document has been digitally signed and sealed by Gerald Chadwick, P.E. on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

CAROL CHADWICK P.E.

Carol E. Wipke
1208 S.W. Fairfax Glen
Lake City, FL 32025
307.680.1772
ccpewyo@gmail.com
www.carolelwipke.com
FLORIDA • WYOMING
OREGON • CALIFORNIA • N.C.E.F.S.

[illegible]

PREPARED FOR
THE CROSS CHURCH
12518 S US 441
LAKE CITY, FL
CONTACT: EUGENE RO
386.719.1330

FOOTING & TIE-DOWN PLAN
12518 S US HWY 441
LAKE CITY, FL

PROJECT NO. FL23556

DATE JAN. 7, 2024

REVISION DATE

SHEET	OF	SHEETS
-------	----	--------