



CERTIFICATE OF COMPLETION

ISSUED BY COLUMBIA COUNTY, FLORIDA



BUILDING PERMIT NUMBER:
000050737

CONTRACTOR:
WARREN K PERRY
PERRY ROOFING CONTRACTORS
CCC042888

JOB ADDRESS:
VYP, LLC,
2240 W US HIGHWAY 90
LAKE CITY, FL 32055
36-3S-16-02619-001

This certificate is issued in compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.

Type of development: Roof Replacement or Repair
Building to be occupied as: Install 1.25" EPS Flute Fill Insulation in between the flutes of the existing
Occupancy Type: metal roof system, mechanically fasten one layer of 1.0" flat ISO insulation
Construction Type: through the existing metal roof system with fasteners and rhinobond plates.
Building Code Used: Install wood blocking at gutter edge to capture new insulation, bond 60mil
Sprinkler: TPO directly to the rhinobond plates below using induction welding. Flash
Occupant Load: all roof penetrations such as plumbing VTR's, and curbs. Install 1/4"
Notes: DensDeck roof board over the vertical wall panels.
TPO base flashings at all walls and curbs. (Base flashings at parapet walls will extend up and over.)
NA
NA
2023 Florida Building Code 8th Edition and 2020 National Electrical Code
NA
NA

November 23, 2024

AUTHORIZING SIGNATURE: Troy Crews

DATE SIGNED