



QTY	PART MARK	DESCRIP	LENGTH	LAP TOWARDS LINE # 1	LAP TOWARDS LINE # 6
8	DB1	CAB .25	32' 0		
8	DB3	CAB .25	29' 0		
8	DB4	CAB .25	18' 0		
16	PR1	8Z2.5 2	29' 1- 1/ 2	3 (2)	
16	PR2	8Z2.5 4	29' 3- 1/ 2	2 (3)	2 (1)
16	PR3	8Z2.5 4	27' 3- 1/ 2	1 (2)	2 (3)
16	PR4	8Z2.5 4	27' 3- 1/ 2	1 (2)	1 (2)
6	ES1	8 ES 14	25' 11- 1/ 2		
12	ES2	8 ES 14	24' 11- 1/ 2		
2	ES3	8 ES 14	9' 11- 1/ 2		

LAP INDICATOR	LAP LENGTH (FT & IN)
L 1	1' 1- 3/ 4
L 2	2' 1- 3/ 4
L 3	3' 1- 3/ 4

NOTE:
PORTICO BEAMS (MB3) SHALL BE CONNECTED TO MAIN EW COLS. (IC2) W/ 1/2" DIA RODS.

DESIGN CRITERIA		HARRY V. WHIDDON, P.E. P.O. BOX 207 ADEL, GA. 31620 (229) 896-7569 LICENSE NO 38968
BUILDING CODE:	FBC 12	
LIVE LOAD TO FRAMES:	20 PSF	
LIVE LOAD TO PURLINS:	3 PSF	
COLLATERAL LOAD:	0 PSF	
SNOW LOAD:	110 MPH	
WIND LOAD: (3 SECOND GUST)	1.15	
WIND IMPORTANCE FACTOR:	B	
WIND EXPOSURE:	I	
CATEGORY: (SEISMIC USE GROUP)		

PLAN:	ENDWALL FRAMING	JOB #	5004-EF
		SHEET	5 OF 8

af whid
11-3-05