

DATE 12/17/2010

Columbia County Building Permit

PERMIT

This Permit Must Be Prominently Posted on Premises During Construction

000029077

APPLICANT AMANDA SENEA PHONE 386.755.6918
 ADDRESS POB 933 LIVE OAK FL 32064
 OWNER WINNIE RICHARDSON PHONE 386.755.6918
 ADDRESS 6365 SW CR 242 LAKE CITY FL 32024
 CONTRACTOR DEWEY POURNELLE PHONE 386.364.4622
 LOCATION OF PROPERTY 90-W TO SR 247-S, TL TO C-242, TR GO 2 MILES AND IT'S THE GRAY HOME ON R.
 TYPE DEVELOPMENT REROOF/SFD ESTIMATED COST OF CONSTRUCTION 6500.00
 HEATED FLOOR AREA _____ TOTAL AREA _____ HEIGHT _____ STORIES _____
 FOUNDATION _____ WALLS _____ ROOF PITCH _____ FLOOR _____
 LAND USE & ZONING _____ MAX. HEIGHT _____
 Minimum Set Back Requirments: STREET-FRONT _____ REAR _____ SIDE _____
 NO. EX.D.U. 1 FLOOD ZONE _____ DEVELOPMENT PERMIT NO. _____

PARCEL ID 19-4S-16-03063-001 SUBDIVISION _____
 LOT _____ BLOCK _____ PHASE _____ UNIT _____ TOTAL ACRES 1.00

_____ CCC053266 Amanda Senea
 Culvert Permit No. _____ Culvert Waiver _____ Contractor's License Number _____ Applicant/Owner/Contractor _____
 EXISTING _____ N/A _____ JLW _____ N
 Driveway Connection _____ Septic Tank Number _____ LU & Zoning checked by _____ Approved for Issuance _____ New Resident _____

COMMENTS: NOC ON FILE.

Check # or Cash 12748

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power _____ Foundation _____ Monolithic _____
 _____ date/app. by _____ date/app. by _____ date/app. by
 Under slab rough-in plumbing _____ Slab _____ Sheathing/Nailing _____
 _____ date/app. by _____ date/app. by _____ date/app. by
 Framing _____ Insulation _____
 _____ date/app. by _____ date/app. by _____
 Rough-in plumbing above slab and below wood floor _____ Electrical rough-in _____
 _____ date/app. by _____ date/app. by _____
 Heat & Air Duct _____ Peri. beam (Lintel) _____ Pool _____
 _____ date/app. by _____ date/app. by _____ date/app. by
 Permanent power _____ C.O. Final _____ Culvert _____
 _____ date/app. by _____ date/app. by _____ date/app. by
 Pump pole _____ Utility Pole _____ M/H tie downs, blocking, electricity and plumbing _____
 _____ date/app. by _____ date/app. by _____ date/app. by
 Reconnection _____ RV _____ Re-roof _____
 _____ date/app. by _____ date/app. by _____ date/app. by

BUILDING PERMIT FEE \$ 35.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
 MISC. FEES \$ 0.00 ZONING CERT. FEE \$ _____ FIRE FEE \$ 0.00 WASTE FEE \$ _____
 FLOOD DEVELOPMENT FEE \$ _____ FLOOD ZONE FEE \$ _____ CULVERT FEE \$ _____ **TOTAL FEE** 35.00
 INSPECTORS OFFICE _____ CLERKS OFFICE _____

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

For Office Use Only		Application # <u>1012-31</u>	Date Received <u>1/17</u>	By <u>JW</u>	Permit # <u>29077</u>
Zoning Official _____	Date _____	Flood Zone _____	Land Use _____	Zoning _____	
FEMA Map # _____	Elevation _____	MFE _____	River _____	Plans Examiner _____	Date _____
Comments _____					
<input checked="" type="checkbox"/> NOC	<input checked="" type="checkbox"/> AEH	<input checked="" type="checkbox"/> Deed or PA	<input type="checkbox"/> Site Plan	<input type="checkbox"/> State Road Info	<input type="checkbox"/> Parent Parcel # _____
<input type="checkbox"/> Dev Permit # _____	<input type="checkbox"/> In Floodway	<input checked="" type="checkbox"/> Letter of Auth. from Contractor	<input type="checkbox"/> F W Comp. letter		
IMPACT FEES: EMS _____		Fire _____	Corr _____	Road/Code _____	
School _____		= TOTAL <u>0</u>			

Septic Permit No. NA Fax _____

Name Authorized Person Signing Permit Amanda Seneca Phone 386-364-4622

Address PO Box 933, Live Oak, FL 32064

Owners Name Winnie Richardson Phone 755-6918

911 Address 6365 SW CR 242, Lake City, FL 32024

Contractors Name Wm Dewey Pournelle Phone 386-364-4622

Address PO Box 933, Live Oak, FL 32064

Fee Simple Owner Name & Address _____

Bonding Co. Name & Address _____

Architect/Engineer Name & Address _____

Mortgage Lenders Name & Address _____

Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progress Energy

Property ID Number 19-45-16-03063-001 Estimated Cost of Construction 6500

Subdivision Name _____ Lot _____ Block _____ Unit _____ Phase _____

Driving Directions 90 to Hwy 247 turn left to 242 make a right go 2-miles Gray house on right

Number of Existing Dwellings on Property 1

Construction of re-roof "520" Total Acreage _____ Lot Size _____

Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive Total Building Height _____

Actual Distance of Structure from Property Lines - Front _____ Side _____ Side _____ Rear _____

Number of Stories 1 Heated Floor Area 960 Total Floor Area 1070 Roof Pitch _____

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction. **CODE: Florida Building Code 2007 with 2009 Supplements and the 2008 National Electrical Code.** Page 1 of 2 (Both Pages must be submitted together.) Revised 6-19-09

12748

Columbia County Building Permit Application

TIME LIMITATIONS OF APPLICATION : An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

TIME LIMITATIONS OF PERMITS: Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

NOTICE TO OWNER: There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. It may be to your advantage to check and see if your property is encumbered by any restrictions.

(Owners Must Sign All Applications Before Permit Issuance.)

Wendy Richards
Owners Signature

****OWNER BUILDERS MUST PERSONALLY APPEAR AND SIGN THE BUILDING PERMIT.**

CONTRACTORS AFFIDAVIT: By my signature I understand and agree that I have informed and provided this written statement to the owner of all the above written responsibilities in Columbia County for obtaining this Building Permit including all application and permit time limitations.

Wm Dewey Paumelle
Contractor's Signature (Permitee)

Contractor's License Number CC C053266
Columbia County
Competency Card Number _____

Affirmed under penalty of perjury to by the Contractor and subscribed before me this ____ day of _____ 20__.

Personally known _____ or Produced Identification _____

[Signature]
State of Florida Notary Signature (For the Contractor)

SEAL:

Columbia County Property Appraiser

DB Last Updated: 11/4/2010

2010 Tax Year

Tax Collector

Tax Estimator

Property Card

Parcel List Generator

Interactive GIS Map

Print

Parcel: 19-4S-16-03063-001


<< Next Lower Parcel

Next Higher Parcel >>

Search Result: 1 of 1

Owner & Property Info

Owner's Name	RICHARDSON WINNIE R		
Mailing Address	6365 SW COUNTY ROAD 242 LAKE CITY, FL 32024		
Site Address	6365 SW COUNTY RD 242		
Use Desc. (code)	SINGLE FAM (000100)		
Tax District	3 (County)	Neighborhood	19416
Land Area	1.000 ACRES	Market Area	02
Description	NOTE: This description is not to be used as the Legal Description for this parcel in any legal transaction. COM SW COR OF SEC, RUN N 37.53 FT TO N R/W CR-242 FOR POB, CONT N 208.71 FT, E 208.71 FT, S 208.41 FT TO RD R/W, W 208.71 FT TO POB. ORB 337-437, 365-179, 425-224		



Property & Assessment Values

2010 Certified Values		
Mkt Land Value	cnt: (0)	\$13,543.00
Ag Land Value	cnt: (1)	\$0.00
Building Value	cnt: (1)	\$38,061.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$51,604.00
Just Value		\$51,604.00
Class Value		\$0.00
Assessed Value		\$35,484.00
Exempt Value	(code: HX)	\$25,000.00
Total Taxable Value	Cnty: \$10,484 Other: \$10,484 Schl:	\$10,484

2011 Working Values

NOTE:
2011 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

Show Working Values

Sales History

Show Similar Sales within 1/2 mile

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
NONE						

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	SINGLE FAM (000100)	1975	CONC BLOCK (15)	960	1300	\$38,061.00
Note: All S.F. calculations are based on exterior building dimensions.						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000100	SFR (MKT)	1 AC	1.00/1.00/1.00/1.00	\$13,543.20	\$13,543.00



[DCA HOME](#) | [ABOUT DCA](#) | [DCA PROGRAMS](#) | [CONTACT DCA](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

- ▶ COMMUNITY PLANNING
- ▶ HOUSING & COMMUNITY DEVELOPMENT
- ▶ EMERGENCY MANAGEMENT
- ▶ OFFICE OF THE SECRETARY

<p>FL #</p> <p>Application Type</p> <p>Code Version</p> <p>Application Status</p> <p>Comments</p> <p>Archived</p> <p>Product Manufacturer Address/Phone/Email</p> <p>Authorized Signature</p> <p>Technical Representative Address/Phone/Email</p> <p>Quality Assurance Representative Address/Phone/Email</p> <p>Category Subcategory</p> <p>Compliance Method</p> <p>Florida Engineer or Architect Name who developed the Evaluation Report</p> <p>Florida License</p> <p>Quality Assurance Entity</p> <p>Quality Assurance Contract Expiration Date</p> <p>Validated By</p> <p>Certificate of Independence</p> <p>Referenced Standard and Year (of Standard)</p> <p>Equivalence of Product Standards Certified By</p>	<p>FL11651</p> <p>New</p> <p>2007</p> <p>Approved</p> <p><input type="checkbox"/></p> <p>Gulf Coast Supply and Mfg., Inc. 4020 S. W. 449th Street Horseshoe Beach, FL 32648 (352) 498-7852 fvalidation@yahoo.com</p> <p>Jeff Reed fvalidation@yahoo.com</p> <p>Roofing Metal Roofing</p> <p>Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received</p> <p>Terrence E. Wolfe</p> <p>PE-44923</p> <p>Keystone Certifications, Inc.</p> <p>12/31/2011</p> <p>Locke Bowden <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received</p> <p>FL11651_R0_COI_Letter of Certification.pdf</p> <table border="0"> <thead> <tr> <th style="text-align: left;">Standard</th> <th style="text-align: left;">Year</th> </tr> </thead> <tbody> <tr> <td>Florida Building Code</td> <td>2007</td> </tr> <tr> <td>TAS 100</td> <td>1995</td> </tr> <tr> <td>TAS 125</td> <td>2003</td> </tr> <tr> <td>UL 1897</td> <td>1998</td> </tr> <tr> <td>UL 580</td> <td>1994</td> </tr> </tbody> </table>	Standard	Year	Florida Building Code	2007	TAS 100	1995	TAS 125	2003	UL 1897	1998	UL 580	1994
Standard	Year												
Florida Building Code	2007												
TAS 100	1995												
TAS 125	2003												
UL 1897	1998												
UL 580	1994												

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

11/14/2008

Date Validated

11/26/2008

Date Pending FBC Approval

01/06/2009

Date Approved

02/03/2009

Summary of Products

FL #	Model, Number or Name	Description
11651.1	24 Ga. Gulf Coast Mechanical Seam	24 Ga. Gulf Coast Mechanical Seam 18" Wide over 15/32" Plywood Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-108.5PSF Other: -71.0 psf @ 2'-0" o.c. clip spacing. -108.5 psf @ 1'-0" o.c. clip spacing. Install per manufacturers details. Not for use in HVHZ Zones.		Installation Instructions FL11651_R0_II_24 Ga. Gulf Coast Mech Seam over Plywood Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651_R0_AE_24 Ga. Gulf Coast Mech Seam Load Table.pdf FL11651_R0_AE_Gulf Coast Mech Seam Non Structural Eval.pdf Created by Independent Third Party: Yes
11651.2	24 Ga. Gulf Lok	24 Ga. Gulf Lok 16" Wide over 15/32" Plywood Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-96.7PSF Other: -81.75 psf @ 10-1/4" o.c. fastener spacing. -96.76 psf @ 5-1/8" o.c. fastener spacing. Install per manufacturers details. Not for use in HVHZ Zones.		Installation Instructions FL11651_R0_II_24 Ga. Gulf Lok 16 in wide over plywood Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651_R0_AE_24 Ga. Gulf Lok 16 in wide over plywood Load Table.pdf FL11651_R0_AE_Gulf Lok Non Structural Eval.pdf Created by Independent Third Party: Yes
11651.3	24 Ga. Gulf Seam	24 Ga. Gulf Seam 16" Wide over 15/32" Plywood Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-69.2PSF Other: -69.25 psf @ 2'-0" o.c. clip spacing. Install per manufacturers details. Not for use in HVHZ Zones.		Installation Instructions FL11651_R0_II_24 Ga. Gulf Seam over plywood Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651_R0_AE_24 Ga. Gulf Seam over plywood Load Table.pdf FL11651_R0_AE_Gulf Seam Non Structural Eval.pdf Created by Independent Third Party: Yes
11651.4	26 Ga. 3/4" Rib Roof Panel	26 Ga. 3/4" Rib Roof Panel over 1 x 4 Wood Purlins HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-164.2PSF Other: -106.75 psf @ 9"-9"-9"-9" fastener pattern @ 24" o.c. fastener spacing. -164.25 psf @ 9"-9"-9"-9" fastener pattern @ 12" o.c. Install per manufacturers details. For use in HVHZ Zones.		Installation Instructions FL11651_R0_II_26 Ga. .75 in Rib Roof Panel over wood purlins Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651_R0_AE_26 Ga. .75 in Rib Roof Panel over wood purlins Load Table.pdf FL11651_R0_AE_Rib over1x4 HVHZ Eval.pdf Created by Independent Third Party: Yes
11651.5	26 Ga. 3/4" Rib Roof Panel	26 Ga. 3/4" Rib Roof Panel over 1/2" Plywood HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-159.2PSF Other: -71.75 psf @ 9"-9"-9"-9" fastener pattern @ 24"		Installation Instructions FL11651_R0_II_26 Ga. .75 in Rib over .5 in plywood Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports

<p>o.c. fastener spacing. -159.25 psf @ 6.5"-2.5"-6.5"-2.5"-6.5" fastener pattern @ 12" o.c. fastener spacing. Install per manufacturers details. For use in HVHZ Zones.</p>		<p>FL11651_R0_AE_26_Ga_.75_in_Rib_over_.5_in_plywood_Load_Table.pdf FL11651_R0_AE_Rib_over_Plywood_HVHZ_Eval.pdf Created by Independent Third Party: Yes</p>
<p>11651.6</p> <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-156.5PSF Other: -108.5 psf @ 12" o.c. fastener spacing. -156.5 psf @ 6" o.c. fastener spacing. Install per manufacturers details. For use in HVHZ Zones.</p>	<p>26 Ga. 5V Crimp</p>	<p>26 Ga. 5V Crimp Roof Panel over 1/2" Plywood HVHZ</p> <p>Installation Instructions FL11651_R0_II_26_Ga.5V_Crimp_over_.5_in_plywood_Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes</p> <p>Evaluation Reports FL11651_R0_AE_26_Ga.5V_Crimp_over_.5_in_plywood_Load_Table.pdf FL11651_R0_AE_5V_Crimp_over_.5_in_plywood_HVHZ_Eval.pdf Created by Independent Third Party: Yes</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-131.PSF Other: -94.25 psf Type 1 fastener pattern @ 16" o.c. -131.0 psf Type 2 fastener pattern @ 16" o.c. Install per manufacturers details. Not for use in HVHZ Zones.</p>	<p>11651.7</p> <p>26 Ga. 5V Crimp</p>	<p>26 Ga. 5V Crimp over 15/32" Plywood Non-HVHZ</p> <p>Installation Instructions FL11651_R0_II_26_Ga.5V_Crimp_over_plywood_details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes</p> <p>Evaluation Reports FL11651_R0_AE_26_Ga.5V_Crimp_over_plywood_Load_Table.pdf FL11651_R0_AE_26_Ga.5V_Crimp_over_Plywood_Non_Structural_Eval.pdf Created by Independent Third Party: Yes</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-149.2PSF Other: -149.25 psf @ 16" o.c. fastener spacing. Install per manufacturers details. Not for use in HVHZ Zones.</p>	<p>11651.8</p> <p>26 Ga. 5V crimp</p>	<p>26 Ga. 5V Crimp 24" Wide over 1 x 4 Wood Purlins Non-HVHZ</p> <p>Installation Instructions FL11651_R0_II_26_Ga.5V_Crimp_over_wood_purlins_Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes</p> <p>Evaluation Reports FL11651_R0_AE_26_Ga.5V_Crimp_over_wood_purlins_Load_Table.pdf FL11651_R0_AE_5V_Crimp_Non_Structural_Eval.pdf Created by Independent Third Party: Yes</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-151.7PSF Other: -94.25 psf @ 12"-12"-12"- fastener pattern @ 24" o.c. -151.75 psf @ 7"-5"-7"-5"-7" fastener pattern @ 12" o.c. Install per manufacturers details. Not for use in HVHZ Zones.</p>	<p>11651.9</p> <p>26 Ga. PBR</p>	<p>26 Ga. PBR 36" Wide over 1 x 4 Wood Purlins Non-HVHZ</p> <p>Installation Instructions FL11651_R0_II_26_Ga.PBR_36_in_Wide_over_wood_purlin_Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes</p> <p>Evaluation Reports FL11651_R0_AE_26_Ga.PBR_36_in_Wide_over_wood_purlin_Load_Table.pdf FL11651_R0_AE_PBR_Non_Structural_Eval.pdf Created by Independent Third Party: Yes</p>
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-154.7PSF Other: -59.25 psf @ 12"-12"-12" fastener pattern @ 24" o.c. -154.75 psf @ 7"-5"-7"-5"-7" fastener pattern @ 12" o.c. Install per manufacturers details. Not for use in HVHZ Zones.</p>	<p>11651.10</p> <p>26 Ga. PBR</p>	<p>26 Ga. PBR 36" Wide over 15/32" Plywood Non-HVHZ</p> <p>Installation Instructions FL11651_R0_II_26_Ga.PBR_36_in_over_plywood_Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes</p> <p>Evaluation Reports FL11651_R0_AE_26_Ga.PBR_36_in_over_plywood_Load_Table.pdf FL11651_R0_AE_26_Ga.PBR_over_Plywood_Non_Structural_Eval.pdf Created by Independent Third Party: Yes</p>
<p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-151.7PSF Other: -100.5 psf @ 12"-12"-12" fastener pattern @ 24" o.c. fastener spacing. -151.75 psf @ 7"-5"-7"-5" fastener pattern @ 12" o.c. fastener spacing. Install per manufacturers details. For use in HVHZ Zones.</p>	<p>11651.11</p> <p>26 Ga. PBR Roof Panel</p>	<p>26 Ga. PBR Roof Panel over 1 x 4 Wood Purlins HVHZ</p> <p>Installation Instructions FL11651_R0_II_26_Ga.PBR_HVHZ_panel_over_wood_Purlins_Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes</p> <p>Evaluation Reports FL11651_R0_AE_26_Ga.PBR_HVHZ_panel_over_wood_Purlins_Load_Table.pdf FL11651_R0_AE_PBR_over_1x4_HVHZ_Eval.pdf</p>

		Created by Independent Third Party: Yes
11651.12	26 Ga. PBR Roof Panel	26 Ga. PBR Roof Panel over 1/2" Plywood HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-154.7PSF Other: -60.5 psf @ 12"-12"-12" fastener pattern @ 24" o.c. fastener spacing. -154.75 psf @ 7"-5"-7"-5"-7" fastener pattern @ 12" o.c. fastener spacing. Install per manufacturers details. For use in HVHZ Zones.		Installation Instructions FL11651 R0 II 26 Ga PBR Roof Panel over plywood Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651 R0 AE 26 Ga PBR Roof Panel over plywood Load Table.pdf FL11651 R0 AE PBR over Plywood HVHZ Eval.pdf Created by Independent Third Party: Yes
11651.13	26 Ga. Tuff Rib	26 Ga. Tuff Rib 36' Wide over 1 x 4 Wood Pulins Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-164.2PSF Other: -109.25 psf @ 9"-9"-9"-9" fastener pattern @ 24" o.c. -164.25" psf @ 9"-9"-9"-9" fastener pater @ 12" o.c. Install per manufacturers details. Not for use in HVHZ Zones.		Installation Instructions FL11651 R0 II 26 Ga. Tuff Rib 36 in over wood purlins Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651 R0 AE 26 Ga. Rib Non Structural Eval.pdf FL11651 R0 AE 26 Ga. Tuff Rib 36 in. over wood purlins load table.pdf Created by Independent Third Party: Yes
11651.14	26 Ga. Tuff Rib	26 Ga. Tuff Rib 36" Wide over 15/32" Plywood Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-159.2PSF Other: -69.25 psf @ 9"-9"-9"-9" fastener pattern @ 24" o.c. -159.25 psf @ 6.5"-2.5"-6.5"-2.5"-6.5" fastener pattern @ 12" o.c. Install per manufacturers details. Not for use in HVHZ Zones.		Installation Instructions FL11651 R0 II 26 Ga. Tuff Rib 36 in. Wide over Plywood details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651 R0 AE 26 Ga. Rib 36 in. over plywood Non Structural Eval.pdf FL11651 R0 AE 26 Ga. Tuff Rib Load Table over Plywood Load Table.pdf Created by Independent Third Party: Yes
11651.15	29 Ga. Tuff Rib	29 Ga. Tuff Rib 36" Wide over 1 x 4 Wood Purlins Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-123.5PSF Other: -76.75 psf @ 9"-9"-9"-9" fastener pattern @ 24" o.c. -123.5 psf @ 6.5"-2.5"-6.5"-2.5"-6.5" fastener pattern @ 24 o.c. Install per manufacturers details. Not for use in HVHZ Zones.		Installation Instructions FL11651 R0 II 29 Ga. Tuff Rib 36 in Wide over Wood Purlins Details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651 R0 AE 29 Ga. Rib Non Structural Eval.pdf FL11651 R0 AE 29 Ga. Tuff Rib 36 in Wide over Wood Purlins Load Table.pdf Created by Independent Third Party: Yes
11651.16	29 Ga. Tuff Rib	29 Ga. Tuff Rib 36" Wide over 15/32" Plywood Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +N/A/-146.0PSF Other: -71.75 psf @ 9"-9"-9"-9" fasteer pattern @ 24 o.c. -146.0 psf @ 6.5"-2.5"-6.5"-2.5"-6.5" fastener pattern @ 12" o.c.		Installation Instructions FL11651 R0 II 29 Ga. Tuff Rib 36 in. wide over plywood details.pdf Verified By: Terrence E. Wolfe, P.E. 44923 Created by Independent Third Party: Yes Evaluation Reports FL11651 R0 AE 29 Ga. Rib over Plywood Non Structural Eval.pdf FL11651 R0 AE 29 Ga. Tuff Rib 36 in. wide over plywood Load Table.pdf Created by Independent Third Party: Yes

Winnie Richardson

Notice of Commencement

To Whom It May Concern:

The undersigned hereby informs you that improvements will be made to certain real property, and in accordance with section 713.13 of the Florida Statutes, the following information is stated in this NOTICE OF COMMENCEMENT.

Description of property Com sw cor of sec 17 N 37.53 Ft + 0 N
R/W CR 242 For POB
19-45-16-03063-001

General description of improvements re-roof with metal

Owner Winnie Richardson

Address 6365 SW CR 242, Lake City FL 32064

Owner's interest in site of the improvement _____

Fee Simple Title Holder (if other than owner) _____

Name _____

Address _____

Contractor Pournelle Construction

Address PO Box 933, Live Oak, FL 32064

Surety (if any) _____

Address _____ Amount of bond \$ _____

Name of person within State of Florida designated by owner upon whom notices or other documents may be served:

Name _____

Address _____

In addition to himself, owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.06 [2] [b], Florida Statutes. (Fill in at Owners option).

Name _____

Address _____

THIS SPACE FOR RECORDER'S USE ONLY

Inst. 201012020072 Date: 12/17/2010 Time 9:18 AM
DC.P DeWitt Cason, Columbia County Page 1 of 1 B 1206 P:1711

Winnie Richardson
Owner

STATE OF FLORIDA
COUNTY OF Columbia

The foregoing Commencement was acknowledged
before me this 1 day of Dec, 2010

by _____

(Notarial Seal)

Matthew L. Pearson

Notary Public

MATTHEW L. PEARSON
Notary Public, State of Florida:
My comm. exp. Jan. 22, 2011
Comm. No. DD 750789



Columbia County BUILDING DEPARTMENT

Re Roof of a Single Family Dwelling

Inspection Affidavit

RE: Permit # 29077

I Wm Dewey Pournelle, licensed as a(n) Contractor*/Engineer/Architect,
(please print name and circle Lic. Type) FS 468 Building Inspector*

License #: CC C053266

On or about 12-21-10, I did personally inspect the roof
(Date & time)

deck nailing and/or secondary water barrier work at 4365 CR 242,
(circle one) (Job Site Address)

Lake City, FL

Based upon that examination I have determined the installation was done according to the Hurricane Mitigation Retrofit Manual (Based on 553.844 F.S.)

Wm Dewey Pournelle
Signature

STATE OF FLORIDA
COUNTY OF

Sworn to and subscribed before me this 21 day of Dec, 20010

By Matthew L. Pearson
Notary Public, State of Florida

MATTHEW L. PEARSON
Notary Public, State of Florida
My comm. exp. Jan. 22, 2012
Comm. No. DD 750789

(Print, type or stamp name)

Commission No.: _____

Personally known or
Produced Identification _____
Type of identification produced. _____

*** General, Building, Residential, or Roofing Contractor or any individual certified under 468 F.S. to make such an inspection.**

*** Include photographs of each plane of the roof with the permit # or address # clearly shown marked on the deck for each inspection.**



29077

12/20/2010

CHERRYBROOK CALVERTY OPEN

COMPLETION

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 19-4S-16-03063-001

Building permit No. 000029077

Permit Holder DEWEY POURNELLE

Owner of Building WINNIE RICHARDSON

Location: 6365 SW CR 242

Date: 12/30/2010

Building Inspector

Steve Cur



POST IN A CONSPICUOUS PLACE
(Business Places Only)