

DATE 01/24/2005

# Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000022726

APPLICANT FREDRICK PERRY PHONE 752.2842  
 ADDRESS 615 SW SABRE AVENUE LAKE CITY FL 3204  
 OWNER CATHERINE BRYAN PHONE 386.719.8849  
 ADDRESS 175 SW STONEHENGE LN LAKE CITY FL 32024  
 CONTRACTOR FREDRICK PERRY PHONE 386.752.2842

LOCATION OF PROPERTY SR-341-S 1/2 MILE TO STONEHENGE S/D, TR INTO S/, PROCEEDS TO THE 4TH LOT ON L.

TYPE DEVELOPMENT SFD & UTILITY ESTIMATED COST OF CONSTRUCTION 94850.00  
 HEATED FLOOR AREA 1897.00 TOTAL AREA 2510.00 HEIGHT 16.00 STORIES 1  
 FOUNDATION CONC WALLS FRAMED ROOF PITCH 6'12 FLOOR CONC  
 LAND USE & ZONING RSF-2 MAX. HEIGHT 35  
 Minimum Set Back Requirments: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00  
 NO. EX.D.U. 0 FLOOD ZONE XPP DEVELOPMENT PERMIT NO. \_\_\_\_\_

PARCEL ID 23-4S-16-03099-116 SUBDIVISION STONEHENGE  
 LOT 16 BLOCK \_\_\_\_\_ PHASE 1 UNIT 1 TOTAL ACRES .50

00000513 N CBC1252411 Fredrick L. Perry  
 Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor  
18"X32'MITERED 04-1216-N BLK RTJ N  
 Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: 1 FOOT ABOVE ROAD

Check # or Cash 4592

### FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power \_\_\_\_\_ Foundation \_\_\_\_\_ Monolithic \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 Under slab rough-in plumbing \_\_\_\_\_ Slab \_\_\_\_\_ Sheathing/Nailing \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 Framing \_\_\_\_\_ Rough-in plumbing above slab and below wood floor \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 Electrical rough-in \_\_\_\_\_ Heat & Air Duct \_\_\_\_\_ Peri. beam (Lintel) \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 Permanent power \_\_\_\_\_ C.O. Final \_\_\_\_\_ Culvert \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 M/H tie downs, blocking, electricity and plumbing \_\_\_\_\_ Pool \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 Reconnection \_\_\_\_\_ Pump pole \_\_\_\_\_ Utility Pole \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_  
 M/H Pole \_\_\_\_\_ Travel Trailer \_\_\_\_\_ Re-roof \_\_\_\_\_  
 date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_ date/app. by \_\_\_\_\_

BUILDING PERMIT FEE \$ 475.00 CERTIFICATION FEE \$ 12.55 SURCHARGE FEE \$ 12.55  
 MISC. FEES \$ .00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ \_\_\_\_\_ WASTE FEE \$ \_\_\_\_\_  
 FLOOD ZONE DEVELOPMENT FEE \$ \_\_\_\_\_ CULVERT FEE \$ 25.00 **TOTAL FEE** 575.10

INSPECTORS OFFICE [Signature] CLERKS OFFICE [Signature]

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

### This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

Revised 9-23-04

For Office Use Only Application # 0412-61 Date Received 12/20/04 By JW Permit # 513 / 202276
Application Approved by - Zoning Official BLK Date 12.01.05 Plans Examiner Date
Flood Zone X per plat Development Permit N/A Zoning RSF-2 Land Use Plan Map Category RES Low Dev.
Comments NOC needed. Signed Env. Health & Safety Plan.

Applicants Name FREDRICK PERRY Phone 386-752-2842
Address 615 SW SABRE AVE, LAKE CITY, FL 32024
Owners Name CATHERINE BRYAN Phone 386-719-8849
911 Address 175 SW Stonehenge Ln, L.C. # 32024
Contractors Name FRED PERRY QUALITY CONSTRUCTION LLC Phone 386-752-2842
Address 615 SW SABRE AVE, LAKE CITY, FL 32024
Fee Simple Owner Name & Address CATHERINE BRYAN
Bonding Co. Name & Address NA
Architect/Engineer Name & Address TIM DELBENE & MARK DISSOSWAY
Mortgage Lenders Name & Address NA

Circle the correct power company - FL Power & Light - Clay Elect. - Suwannee Valley Elect. - Progressive Energy
Property ID Number R-23-43-16-03099-116 Estimated Cost of Construction 125,000
Subdivision Name STONEHENGE Lot 16 Block 1 Unit Phase 1
Driving Directions COUNTY ROAD 341 SOUTH APPROX. 5 MILES TO STONEHENGE SUBDIVISION TURN RIGHT INTO
SUBDIVISION AND PROCEED TO THE 4TH LOT ON THE LEFT.

Type of Construction FRAME - SFO Number of Existing Dwellings on Property 0
Total Acreage .5 Lot Size 1/2 ACRE Do you need a Culvert Permit or Culvert Waiver or Have an existing Drive
Actual Distance of Structure from Property Lines - Front 44 25 FT Side 17 10 FT Side 21.3 10 FT Rear 84 15
Total Building Height 16' Number of Stories 1 Heated Floor Area 1897 Roof Pitch 6

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

FRED PERRY CONSTRUCTION LLC
Owner Builder or Agent (including Contractor)

Contractor Signature
Contractors License Number CBC 1252411
Competency Card Number
NOTARY STAMP/SEAL

STATE OF FLORIDA
COUNTY OF COLUMBIA
Sworn to (or affirmed) and subscribed before me
this day of 20
Personally known or Produced Identification


Notary Signature

**Application for Onsite Sewage Disposal System Construction Permit. Part II Site Plan**

Permit Application Number: 04-1216N

**ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT**

PERRY/CR 04-2429



1 inch = 50 feet

Site Plan Submitted By Paul Lloyd Date 11/18/04  
 Plan Approved Not Approved Date 11/18/04

By Paul Lloyd Mrs. M. Z. C CPHU  
 12-20-04

Notes: \_\_\_\_\_

BRYAN CATHERINE H

1	LOT 16, STONEHENGE S/D	WD 1030-1799.	2
3			4
5			6
7			8
9			10
11			12
13			14
15			16
17			18
19			20
21			22
23			24
25			26
27			28

Mnt 11/23/2004 KYLIE

F1=Task F3=Exit F4=Prompt F10=GoTo PGUP/PGDN F24=MoreKeys

# FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs  
Residential Whole Building Performance Method A

<b>Project Name:</b> Summerlyn Model <b>Address:</b> Lot: 16, Sub: Stonehenge Ph.1, Plat: <b>City, State:</b> Lake City, FL 32055- <b>Owner:</b> Catherine Bryan <b>Climate Zone:</b> North	<b>Builder:</b> Quality Const. <b>Permitting Office:</b> Columbia Co. <b>Permit Number:</b> 22726 <b>Jurisdiction Number:</b> 221000
---	---

<table style="width: 100%; border-collapse: collapse;"> <tr><td>1. New construction or existing</td><td style="text-align: right;">New</td><td style="text-align: right;">___</td></tr> <tr><td>2. Single family or multi-family</td><td style="text-align: right;">Single family</td><td style="text-align: right;">___</td></tr> <tr><td>3. Number of units, if multi-family</td><td style="text-align: right;">1</td><td style="text-align: right;">___</td></tr> <tr><td>4. Number of Bedrooms</td><td style="text-align: right;">3</td><td style="text-align: right;">___</td></tr> <tr><td>5. Is this a worst case?</td><td style="text-align: right;">No</td><td style="text-align: right;">___</td></tr> <tr><td>6. Conditioned floor area (ft²)</td><td style="text-align: right;">1897 ft²</td><td style="text-align: right;">___</td></tr> <tr><td>7. Glass area &amp; type</td><td style="text-align: right;">Single Pane</td><td style="text-align: right;">Double Pane</td></tr> <tr><td>    a. Clear glass, default U-factor</td><td style="text-align: right;">0.0 ft²</td><td style="text-align: right;">176.0 ft²</td></tr> <tr><td>    b. Default tint</td><td style="text-align: right;">0.0 ft²</td><td style="text-align: right;">0.0 ft²</td></tr> <tr><td>    c. Labeled U or SHGC</td><td style="text-align: right;">0.0 ft²</td><td style="text-align: right;">0.0 ft²</td></tr> <tr><td>8. Floor types</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    a. Slab-On-Grade Edge Insulation</td><td style="text-align: right;">R=0.0, 232.0(p) ft</td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>9. Wall types</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    a. Frame, Wood, Exterior</td><td style="text-align: right;">R=11.0, 1617.0 ft²</td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    d. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    e. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>10. Ceiling types</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    a. Under Attic</td><td style="text-align: right;">R=30.0, 1897.0 ft²</td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>11. Ducts</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    a. Sup: Unc. Ret: Unc. AH: Interior</td><td style="text-align: right;">Sup. R=6.0, 50.0 ft</td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> </table>	1. New construction or existing	New	___	2. Single family or multi-family	Single family	___	3. Number of units, if multi-family	1	___	4. Number of Bedrooms	3	___	5. Is this a worst case?	No	___	6. Conditioned floor area (ft²)	1897 ft²	___	7. Glass area & type	Single Pane	Double Pane	a. Clear glass, default U-factor	0.0 ft²	176.0 ft²	b. Default tint	0.0 ft²	0.0 ft²	c. Labeled U or SHGC	0.0 ft²	0.0 ft²	8. Floor types		___	a. Slab-On-Grade Edge Insulation	R=0.0, 232.0(p) ft	___	b. N/A		___	c. N/A		___	9. Wall types		___	a. Frame, Wood, Exterior	R=11.0, 1617.0 ft²	___	b. N/A		___	c. N/A		___	d. N/A		___	e. N/A		___	10. Ceiling types		___	a. Under Attic	R=30.0, 1897.0 ft²	___	b. N/A		___	c. N/A		___	11. Ducts		___	a. Sup: Unc. Ret: Unc. AH: Interior	Sup. R=6.0, 50.0 ft	___	b. N/A		___	<table style="width: 100%; border-collapse: collapse;"> <tr><td>12. Cooling systems</td><td></td><td></td></tr> <tr><td>    a. Central Unit</td><td></td><td style="text-align: right;">Cap: 35.0 kBtu/hr SEER: 12.00</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>13. Heating systems</td><td></td><td></td></tr> <tr><td>    a. Electric Heat Pump</td><td></td><td style="text-align: right;">Cap: 35.0 kBtu/hr HSPF: 7.90</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>14. Hot water systems</td><td></td><td></td></tr> <tr><td>    a. Electric Resistance</td><td></td><td style="text-align: right;">Cap: 30.0 gallons EF: 0.90</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. Conservation credits         (HR-Heat recovery, Solar         DHP-Dedicated heat pump)</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>15. HVAC credits</td><td></td><td style="text-align: right;">PT, CF, ___</td></tr> <tr><td>    (CF-Ceiling fan, CV-Cross ventilation,     HF-Whole house fan,     PT-Programmable Thermostat,     MZ-C-Multizone cooling,     MZ-H-Multizone heating)</td><td></td><td></td></tr> </table>	12. Cooling systems			a. Central Unit		Cap: 35.0 kBtu/hr SEER: 12.00	b. N/A		___	c. N/A		___	13. Heating systems			a. Electric Heat Pump		Cap: 35.0 kBtu/hr HSPF: 7.90	b. N/A		___	c. N/A		___	14. Hot water systems			a. Electric Resistance		Cap: 30.0 gallons EF: 0.90	b. N/A		___	c. Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump)		___	15. HVAC credits		PT, CF, ___	(CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)		
1. New construction or existing	New	___																																																																																																																										
2. Single family or multi-family	Single family	___																																																																																																																										
3. Number of units, if multi-family	1	___																																																																																																																										
4. Number of Bedrooms	3	___																																																																																																																										
5. Is this a worst case?	No	___																																																																																																																										
6. Conditioned floor area (ft²)	1897 ft²	___																																																																																																																										
7. Glass area & type	Single Pane	Double Pane																																																																																																																										
a. Clear glass, default U-factor	0.0 ft²	176.0 ft²																																																																																																																										
b. Default tint	0.0 ft²	0.0 ft²																																																																																																																										
c. Labeled U or SHGC	0.0 ft²	0.0 ft²																																																																																																																										
8. Floor types		___																																																																																																																										
a. Slab-On-Grade Edge Insulation	R=0.0, 232.0(p) ft	___																																																																																																																										
b. N/A		___																																																																																																																										
c. N/A		___																																																																																																																										
9. Wall types		___																																																																																																																										
a. Frame, Wood, Exterior	R=11.0, 1617.0 ft²	___																																																																																																																										
b. N/A		___																																																																																																																										
c. N/A		___																																																																																																																										
d. N/A		___																																																																																																																										
e. N/A		___																																																																																																																										
10. Ceiling types		___																																																																																																																										
a. Under Attic	R=30.0, 1897.0 ft²	___																																																																																																																										
b. N/A		___																																																																																																																										
c. N/A		___																																																																																																																										
11. Ducts		___																																																																																																																										
a. Sup: Unc. Ret: Unc. AH: Interior	Sup. R=6.0, 50.0 ft	___																																																																																																																										
b. N/A		___																																																																																																																										
12. Cooling systems																																																																																																																												
a. Central Unit		Cap: 35.0 kBtu/hr SEER: 12.00																																																																																																																										
b. N/A		___																																																																																																																										
c. N/A		___																																																																																																																										
13. Heating systems																																																																																																																												
a. Electric Heat Pump		Cap: 35.0 kBtu/hr HSPF: 7.90																																																																																																																										
b. N/A		___																																																																																																																										
c. N/A		___																																																																																																																										
14. Hot water systems																																																																																																																												
a. Electric Resistance		Cap: 30.0 gallons EF: 0.90																																																																																																																										
b. N/A		___																																																																																																																										
c. Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump)		___																																																																																																																										
15. HVAC credits		PT, CF, ___																																																																																																																										
(CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)																																																																																																																												

Glass/Floor Area: 0.09	Total as-built points: 22344	PASS
	Total base points: 28453	

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

**PREPARED BY:** Tim Delbene


**DATE:** 11/30/04

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

**OWNER/AGENT:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.



**BUILDING OFFICIAL:** \_\_\_\_\_

**DATE:** \_\_\_\_\_



# SUMMER CALCULATIONS

## Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 16, Sub: Stonehenge Ph.1, Plat: , Lake City, FL, 32055- PERMIT #:

.2 BASE	AS-BUILT
<b>Summer Base Points: 23964.5</b>	<b>Summer As-Built Points: 19843.9</b>
Total Summer Points X System Multiplier = Cooling Points	Total Component X Cap Ratio X Duct Multiplier X System Multiplier X Credit Multiplier = Cooling Points <small>(DM x DSM x AHU)</small>
<b>23964.5      0.4266      10223.3</b>	19843.9      1.000      (1.090 x 1.147 x 0.91)      0.284      0.902      5795.1 <b>19843.9      1.00      1.138      0.284      0.902      5795.1</b>

# WINTER CALCULATIONS

## Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 16, Sub: Stonehenge Ph.1, Plat: , Lake City, FL, 32055- PERMIT #:

BASE	AS-BUILT																																																				
<b>GLASS TYPES</b> .18 X Conditioned X BWPM = Points Floor Area	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Type/SC</th> <th colspan="3" style="text-align: center;">Overhang</th> <th style="width: 15%;">Area X</th> <th style="width: 10%;">WPM X</th> <th style="width: 10%;">WOF X</th> <th style="width: 15%;">= Points</th> </tr> <tr> <td></td> <th style="width: 5%;">Omt</th> <th style="width: 5%;">Len</th> <th style="width: 5%;">Hgt</th> <td></td> <td></td> <td></td> <td></td> </tr> </thead> </table>	Type/SC	Overhang			Area X	WPM X	WOF X	= Points		Omt	Len	Hgt																																								
Type/SC	Overhang			Area X	WPM X	WOF X	= Points																																														
	Omt	Len	Hgt																																																		
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">.18</td> <td style="width: 25%;">1897.0</td> <td style="width: 15%;">12.74</td> <td style="width: 45%;">4350.2</td> </tr> </table>	.18	1897.0	12.74	4350.2	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Double, Clear</td> <td style="width: 5%;">N</td> <td style="width: 5%;">2.0</td> <td style="width: 5%;">7.0</td> <td style="width: 15%;">105.0</td> <td style="width: 10%;">24.58</td> <td style="width: 10%;">1.00</td> <td style="width: 15%;">2589.3</td> </tr> <tr> <td>Double, Clear</td> <td>E</td> <td>2.0</td> <td>6.0</td> <td>9.0</td> <td>18.79</td> <td>1.06</td> <td>179.4</td> </tr> <tr> <td>Double, Clear</td> <td>S</td> <td>2.0</td> <td>7.0</td> <td>36.0</td> <td>13.30</td> <td>1.17</td> <td>560.5</td> </tr> <tr> <td>Double, Clear</td> <td>S</td> <td>7.0</td> <td>7.0</td> <td>20.0</td> <td>13.30</td> <td>2.73</td> <td>726.4</td> </tr> <tr> <td>Double, Clear</td> <td>W</td> <td>2.0</td> <td>5.0</td> <td>6.0</td> <td>20.73</td> <td>1.06</td> <td>131.7</td> </tr> <tr> <td colspan="4"><b>As-Built Total:</b></td> <td style="text-align: right;"><b>176.0</b></td> <td></td> <td></td> <td style="text-align: right;"><b>4187.4</b></td> </tr> </table>	Double, Clear	N	2.0	7.0	105.0	24.58	1.00	2589.3	Double, Clear	E	2.0	6.0	9.0	18.79	1.06	179.4	Double, Clear	S	2.0	7.0	36.0	13.30	1.17	560.5	Double, Clear	S	7.0	7.0	20.0	13.30	2.73	726.4	Double, Clear	W	2.0	5.0	6.0	20.73	1.06	131.7	<b>As-Built Total:</b>				<b>176.0</b>			<b>4187.4</b>
.18	1897.0	12.74	4350.2																																																		
Double, Clear	N	2.0	7.0	105.0	24.58	1.00	2589.3																																														
Double, Clear	E	2.0	6.0	9.0	18.79	1.06	179.4																																														
Double, Clear	S	2.0	7.0	36.0	13.30	1.17	560.5																																														
Double, Clear	S	7.0	7.0	20.0	13.30	2.73	726.4																																														
Double, Clear	W	2.0	5.0	6.0	20.73	1.06	131.7																																														
<b>As-Built Total:</b>				<b>176.0</b>			<b>4187.4</b>																																														
<b>WALL TYPES</b> Area X BWPM = Points	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Type</th> <th style="width: 15%;">R-Value</th> <th style="width: 15%;">Area X</th> <th style="width: 10%;">WPM =</th> <th style="width: 25%;">Points</th> </tr> </thead> </table>	Type	R-Value	Area X	WPM =	Points																																															
Type	R-Value	Area X	WPM =	Points																																																	
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Adjacent</td> <td style="width: 15%;">0.0</td> <td style="width: 15%;">0.00</td> <td style="width: 15%;">0.0</td> <td style="width: 40%;"></td> </tr> <tr> <td>Exterior</td> <td>1617.0</td> <td>3.70</td> <td>5982.9</td> <td></td> </tr> <tr> <td colspan="4"><b>Base Total:</b></td> <td style="text-align: right;"><b>5982.9</b></td> </tr> </table>	Adjacent	0.0	0.00	0.0		Exterior	1617.0	3.70	5982.9		<b>Base Total:</b>				<b>5982.9</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%;">Frame, Wood, Exterior</td> <td style="width: 15%;">11.0</td> <td style="width: 15%;">1617.0</td> <td style="width: 10%;">3.70</td> <td style="width: 25%;">5982.9</td> </tr> <tr> <td colspan="4"><b>As-Built Total:</b></td> <td style="text-align: right;"><b>5982.9</b></td> </tr> </table>	Frame, Wood, Exterior	11.0	1617.0	3.70	5982.9	<b>As-Built Total:</b>				<b>5982.9</b>																											
Adjacent	0.0	0.00	0.0																																																		
Exterior	1617.0	3.70	5982.9																																																		
<b>Base Total:</b>				<b>5982.9</b>																																																	
Frame, Wood, Exterior	11.0	1617.0	3.70	5982.9																																																	
<b>As-Built Total:</b>				<b>5982.9</b>																																																	
<b>DOOR TYPES</b> Area X BWPM = Points	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Type</th> <th style="width: 15%;">Area X</th> <th style="width: 10%;">WPM =</th> <th style="width: 40%;">Points</th> </tr> </thead> </table>	Type	Area X	WPM =	Points																																																
Type	Area X	WPM =	Points																																																		
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Adjacent</td> <td style="width: 15%;">21.0</td> <td style="width: 15%;">11.50</td> <td style="width: 55%;">241.5</td> </tr> <tr> <td>Exterior</td> <td>42.0</td> <td>12.30</td> <td>516.6</td> </tr> <tr> <td colspan="4"><b>Base Total:</b></td> <td style="text-align: right;"><b>758.1</b></td> </tr> </table>	Adjacent	21.0	11.50	241.5	Exterior	42.0	12.30	516.6	<b>Base Total:</b>				<b>758.1</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%;">Exterior Insulated</td> <td style="width: 15%;">21.0</td> <td style="width: 10%;">8.40</td> <td style="width: 40%;">176.4</td> </tr> <tr> <td>Exterior Insulated</td> <td>21.0</td> <td>8.40</td> <td>176.4</td> </tr> <tr> <td>Adjacent Insulated</td> <td>21.0</td> <td>8.00</td> <td>168.0</td> </tr> <tr> <td colspan="4"><b>As-Built Total:</b></td> <td style="text-align: right;"><b>520.8</b></td> </tr> </table>	Exterior Insulated	21.0	8.40	176.4	Exterior Insulated	21.0	8.40	176.4	Adjacent Insulated	21.0	8.00	168.0	<b>As-Built Total:</b>				<b>520.8</b>																						
Adjacent	21.0	11.50	241.5																																																		
Exterior	42.0	12.30	516.6																																																		
<b>Base Total:</b>				<b>758.1</b>																																																	
Exterior Insulated	21.0	8.40	176.4																																																		
Exterior Insulated	21.0	8.40	176.4																																																		
Adjacent Insulated	21.0	8.00	168.0																																																		
<b>As-Built Total:</b>				<b>520.8</b>																																																	
<b>CEILING TYPES</b> Area X BWPM = Points	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Type</th> <th style="width: 15%;">R-Value</th> <th style="width: 15%;">Area X</th> <th style="width: 10%;">WPM X</th> <th style="width: 25%;">WCM = Points</th> </tr> </thead> </table>	Type	R-Value	Area X	WPM X	WCM = Points																																															
Type	R-Value	Area X	WPM X	WCM = Points																																																	
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Under Attic</td> <td style="width: 15%;">1897.0</td> <td style="width: 15%;">2.05</td> <td style="width: 55%;">3888.8</td> </tr> <tr> <td colspan="4"><b>Base Total:</b></td> <td style="text-align: right;"><b>3888.8</b></td> </tr> </table>	Under Attic	1897.0	2.05	3888.8	<b>Base Total:</b>				<b>3888.8</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%;">Under Attic</td> <td style="width: 15%;">30.0</td> <td style="width: 15%;">1897.0</td> <td style="width: 10%;">2.05 X 1.00</td> <td style="width: 25%;">3888.8</td> </tr> <tr> <td colspan="4"><b>As-Built Total:</b></td> <td style="text-align: right;"><b>3888.8</b></td> </tr> </table>	Under Attic	30.0	1897.0	2.05 X 1.00	3888.8	<b>As-Built Total:</b>				<b>3888.8</b>																																	
Under Attic	1897.0	2.05	3888.8																																																		
<b>Base Total:</b>				<b>3888.8</b>																																																	
Under Attic	30.0	1897.0	2.05 X 1.00	3888.8																																																	
<b>As-Built Total:</b>				<b>3888.8</b>																																																	
<b>FLOOR TYPES</b> Area X BWPM = Points	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Type</th> <th style="width: 15%;">R-Value</th> <th style="width: 15%;">Area X</th> <th style="width: 10%;">WPM =</th> <th style="width: 25%;">Points</th> </tr> </thead> </table>	Type	R-Value	Area X	WPM =	Points																																															
Type	R-Value	Area X	WPM =	Points																																																	
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Slab</td> <td style="width: 15%;">232.0(p)</td> <td style="width: 15%;">8.9</td> <td style="width: 55%;">2064.8</td> </tr> <tr> <td>Raised</td> <td>0.0</td> <td>0.00</td> <td>0.0</td> </tr> <tr> <td colspan="4"><b>Base Total:</b></td> <td style="text-align: right;"><b>2064.8</b></td> </tr> </table>	Slab	232.0(p)	8.9	2064.8	Raised	0.0	0.00	0.0	<b>Base Total:</b>				<b>2064.8</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%;">Slab-On-Grade Edge Insulation</td> <td style="width: 15%;">0.0</td> <td style="width: 15%;">232.0(p)</td> <td style="width: 10%;">18.80</td> <td style="width: 25%;">4361.6</td> </tr> <tr> <td colspan="4"><b>As-Built Total:</b></td> <td style="text-align: right;"><b>4361.6</b></td> </tr> </table>	Slab-On-Grade Edge Insulation	0.0	232.0(p)	18.80	4361.6	<b>As-Built Total:</b>				<b>4361.6</b>																													
Slab	232.0(p)	8.9	2064.8																																																		
Raised	0.0	0.00	0.0																																																		
<b>Base Total:</b>				<b>2064.8</b>																																																	
Slab-On-Grade Edge Insulation	0.0	232.0(p)	18.80	4361.6																																																	
<b>As-Built Total:</b>				<b>4361.6</b>																																																	
<b>INFILTRATION</b> Area X BWPM = Points	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;"></th> <th style="width: 15%;">Area X</th> <th style="width: 10%;">WPM =</th> <th style="width: 40%;">Points</th> </tr> </thead> </table>		Area X	WPM =	Points																																																
	Area X	WPM =	Points																																																		
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%;"></td> <td style="width: 15%;">1897.0</td> <td style="width: 10%;">-0.59</td> <td style="width: 40%;">-1119.2</td> </tr> </table>		1897.0	-0.59	-1119.2	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 35%;"></td> <td style="width: 15%;">1897.0</td> <td style="width: 10%;">-0.59</td> <td style="width: 40%;">-1119.2</td> </tr> </table>		1897.0	-0.59	-1119.2																																												
	1897.0	-0.59	-1119.2																																																		
	1897.0	-0.59	-1119.2																																																		

# WINTER CALCULATIONS

## Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 16, Sub: Stonehenge Ph.1, Plat: , Lake City, FL, 32055- PERMIT #:

BASE			AS-BUILT					
<b>Winter Base Points:</b>		<b>15925.6</b>	<b>Winter As-Built Points:</b>			<b>17822.3</b>		
Total Winter Points	X System Multiplier	= Heating Points	Total Component	X Cap Ratio	X Duct Multiplier <small>(DM x DSM x AHU)</small>	X System Multiplier	X Credit Multiplier	= Heating Points
<b>15925.6</b>	<b>0.6274</b>	<b>9991.7</b>	17822.3 <b>17822.3</b>	1.000 <b>1.00</b>	<small>(1.069 x 1.169 x 0.93)</small> <b>1.162</b>	0.432 <b>0.432</b>	0.950 <b>0.950</b>	8493.5 <b>8493.5</b>

# WATER HEATING & CODE COMPLIANCE STATUS

## Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 16, Sub: Stonehenge Ph.1, Plat: , Lake City, FL, 32055- PERMIT #:

BASE				AS-BUILT						
<b>WATER HEATING</b>										
Number of Bedrooms	X	Multiplier	=	Total	Tank Volume	EF	Number of Bedrooms	X	Tank X Ratio	Multiplier X Credit = Total Multiplier
3		2746.00		8238.0	30.0	0.90	3		1.00	2684.98
<b>As-Built Total:</b>										<b>8054.9</b>

CODE COMPLIANCE STATUS													
BASE					AS-BUILT								
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points
<b>10223</b>		<b>9992</b>		<b>8238</b>		<b>28453</b>	<b>5795</b>		<b>8494</b>		<b>8055</b>		<b>22344</b>

PASS



# Code Compliance Checklist

## Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 16, Sub: Stonehenge Ph.1, Plat: , Lake City, FL, 32055-

PERMIT #:

**6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST**

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum: .3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	✓
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	✓
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	✓
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	✓
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	✓
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	N/A
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	✓

**6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)**

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	✓
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	N/A
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	✓
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	✓
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	✓
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	✓

**Columbia County Building Department  
Culvert Permit**

**Culvert Permit No.  
000000513**

DATE 01/24/2005 PARCEL ID # 23-4S-16-03099-116  
APPLICANT FREDRICK PERRY PHONE 386.752.2842  
ADDRESS 615 SW SABRE AVENUE LAKE CITY FL 32024  
OWNER CATHERINE BRYAN PHONE 386.719.8849  
ADDRESS 175 SW STONEHENGE LN LAKE CITY FL 32024  
CONTRACTOR FREDRICK PERRY PHONE 386.752.2842  
LOCATION OF PROPERTY C-341-S TO 1/2 MILE TO STONHENGE S/D,TR INTO S/D AND PROCEED TO THE  
4TH LOT ON L.

SUBDIVISION/LOT/BLOCK/PHASE/UNIT STONEHENGE 16

SIGNATURE *Fredrick L Perry*

**INSTALLATION REQUIREMENTS**

Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
- b) the driveway to be served will be paved or formed with concrete.

Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.

Culvert installation shall conform to the approved site plan standards.

Department of Transportation Permit installation approved standards.

Other \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED  
DURING THE INSTALATION OF THE CULVERT.

135 NE Hernando Ave., Suite B-21  
Lake City, FL 32055  
Phone: 386-758-1008 Fax: 386-758-2160

**Amount Paid 25.00**



NOTICE OF COMMENCEMENT FORM  
COLUMBIA COUNTY, FLORIDA

- 22726 -

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

Tax Parcel ID Number R 03099-116

- Description of property: (legal description of the property and street address or 911 address)**  
175 S.W. Stonehenge Lane Lot 16  
Lake City, FL 32024
- General description of improvement:** New Home
- Owner Name & Address** Catherine H. BRYAN 185 S.W. TRUFFLES  
Glen LAKE City, FL. 32024 Interest in Property owner
- Name & Address of Fee Simple Owner (if other than owner):** \_\_\_\_\_
- Contractor Name** Fredrick PERRY Phone Number 386 752-2832  
Address 615 S.W. SABRE AVE, LAKE City, FL.
- Surety Holders Name** \_\_\_\_\_ Phone Number \_\_\_\_\_  
Address NA  
Amount of Bond \_\_\_\_\_ Inst:2005002085 Date:01/28/2005 Time:14:36  
mk DC, P. DeWitt Cason, Columbia County B:1036 P:1939
- Lender Name** NA  
Address \_\_\_\_\_
- Persons within the State of Florida designated by the Owner upon whom notices or other documents may be served as provided by section 718.13 (1)(a) 7; Florida Statutes:**  
Name NA Phone Number \_\_\_\_\_  
Address \_\_\_\_\_
- In addition to himself/herself the owner designates** NA of \_\_\_\_\_  
to receive a copy of the Lienor's Notice as provided in Section 713.13 (1) -  
(a) 7. Phone Number of the designee NA
- Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified)** \_\_\_\_\_

**NOTICE AS PER CHAPTER 713, Florida Statutes:**

The owner must sign the notice of commencement and no one else may be permitted to sign in his/her stead.

Catherine H. Bryan  
Signature of Owner



Sworn to (or affirmed) and subscribed before day of January 28, 2005

NOTARY STAMP/SEAL

Worth D. Morris  
Signature of Notary

**CHERRYBROOK CALDWELL**  
**OF**

**OCCUPANCY**

**COLUMBIA COUNTY, FLORIDA**

**Department of Building and Zoning Inspection**

*This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.*

Parcel Number 23-4S-16-03099-116

Building permit No. 000022726

Use Classification SFD & UTILITY

Fire: 11.34

Permit Holder FREDRICK PERRY

Waste: 24.50

Owner of Building CATHERINE BRYAN

Total: 35.84

Location: 175 SW STONEHENGE LANE(STONEHENGE, LOT 16)

Date: 94850.00

*Randy Jones*

Building Inspector



**POST IN A CONSPICUOUS PLACE**  
*(Business Places Only)*

# Notice of Treatment

11342

**Applicator** Florida Pest Control & Chemical Co.

**Address** 536 SE BAYA DR.

**City** Lake City **Phone** (386) 752-1703

**Site Location** **Subdivision** PHASE I Stonehenge

**Lot#** 16 **Block#** \_\_\_\_\_ **Permit#** 22726

**Address** 175 Stonehenge Lane

## AREAS TREATED

Area Treated	Date	Time	Gal.	Print Technician's Name
Main Body	2-25-05	9 <sup>10</sup>	450	RD Chaus
Patio/s #	_____	_____	_____	_____
Stoop/s #	_____	_____	_____	_____
Porch/s #	_____	_____	_____	_____
Brick Veneer	_____	_____	_____	_____
Extension Walls	_____	_____	_____	_____
A/C Pad	_____	_____	_____	_____
Walk/s #	_____	_____	_____	_____
Exterior of Foundation	_____	_____	_____	_____
Driveway Apron	_____	_____	_____	_____
Out Building	_____	_____	_____	_____
Tub Trap/s	_____	_____	_____	_____
(Other)	_____	_____	_____	_____

**Name of Product Applied** Dursban TC .05 %

**Remarks** \_\_\_\_\_