

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 99

The lower the EnergyPerformance Index, the more efficient the home.

, Lake City, FL, 32024

1. New construction or existing	New (From Plans)		10. Wall Type and Insulation	Insulation	Area
2. Single family or multiple family	Detached		a. Frame - Wood, Exterior	R=13.0	1535.80 ft ²
3. Number of units, if multiple family	1		b. Frame - Wood, Adjacent	R=13.0	298.50 ft ²
4. Number of Bedrooms	3		c. N/A	R=	ft ²
5. Is this a worst case?	No		d. N/A	R=	ft ²
6. Conditioned floor area (ft ²)	1807		11. Ceiling Type and insulation level	Insulation	Area
7. Windows**	Description	Area	a. Under Attic (Vented)	R=30.0	1807.00 ft ²
a. U-Factor:	DbI, U=0.33	282.33 ft ²	b. N/A	R=	ft ²
SHGC:	SHGC=0.22		c. N/A	R=	ft ²
b. U-Factor:	N/A	ft ²	12. Ducts, location & insulation level	R	ft ²
SHGC:			a. Sup: Attic, Ret: Attic, AH: Garage	8	361.4
c. U-Factor:	N/A	ft ²	13. Cooling systems	kBtu/hr	Efficiency
SHGC:			a. Central Unit	42.0	SEER:14.00
d. U-Factor:	N/A	ft ²	14. Heating systems	kBtu/hr	Efficiency
SHGC:			a. Electric Heat Pump	42.0	HSPF:8.50
Area Weighted Average Overhang Depth:		5.014 ft.	15. Hot water systems		
Area Weighted Average SHGC:		0.220	a. Electric		Cap: 40 gallons
8. Skylights	Description	Area			EF: 0.92
a. U-Factor(AVG):	N/A	ft ²	b. Conservation features		
SHGC(AVG):	N/A		None		
9. Floor Types	Insulation	Area	Credits (Performance method)		CF, Pstat
a. Slab-On-Grade Edge Insulation	R=0.0	1807.00 ft ²			
b. N/A	R=	ft ²			
c. N/A	R=	ft ²			

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: _____ Date: _____

Address of New Home: _____ City/FL Zip: _____



*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.


**Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION



Florida Department of Business and Professional Regulation - Residential Performance Method

Project Name: Ivy Model Street: City, State, Zip: Lake City, FL, 32024 Owner: Spec House Design Location: FL, Gainesville	Builder Name: Permit Office: Columbia County Permit Number: Jurisdiction: County: Columbia (Florida Climate Zone 2)
---	---

<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">1. New construction or existing</td> <td style="width:30%;">New (From Plans)</td> <td style="width:40%;"></td> </tr> <tr> <td>2. Single family or multiple family</td> <td>Detached</td> <td></td> </tr> <tr> <td>3. Number of units, if multiple family</td> <td>1</td> <td></td> </tr> <tr> <td>4. Number of Bedrooms</td> <td>3</td> <td></td> </tr> <tr> <td>5. Is this a worst case?</td> <td>No</td> <td></td> </tr> <tr> <td>6. Conditioned floor area above grade (ft²)</td> <td>1807</td> <td></td> </tr> <tr> <td> Conditioned floor area below grade (ft²)</td> <td>0</td> <td></td> </tr> <tr> <td>7. Windows (282.3 sqft.)</td> <td>Description</td> <td>Area</td> </tr> <tr> <td> a. U-Factor:</td> <td>DbI, U=0.33</td> <td>282.33 ft²</td> </tr> <tr> <td> SHGC:</td> <td>SHGC=0.22</td> <td></td> </tr> <tr> <td> b. U-Factor:</td> <td>N/A</td> <td>ft²</td> </tr> <tr> <td> SHGC:</td> <td></td> <td></td> </tr> <tr> <td> c. U-Factor:</td> <td>N/A</td> <td>ft²</td> </tr> <tr> <td> SHGC:</td> <td></td> <td></td> </tr> <tr> <td> Area Weighted Average Overhang Depth:</td> <td>5.014 ft.</td> <td></td> </tr> <tr> <td> Area Weighted Average SHGC:</td> <td>0.220</td> <td></td> </tr> <tr> <td>8. Skylights</td> <td>Area</td> <td></td> </tr> <tr> <td> c. U-Factor:(AVG)</td> <td>N/A</td> <td>ft²</td> </tr> <tr> <td> SHGC(AVG):</td> <td>N/A</td> <td></td> </tr> <tr> <td>9. Floor Types (1807.0 sqft.)</td> <td>Insulation</td> <td>Area</td> </tr> <tr> <td> a. Slab-On-Grade Edge Insulation</td> <td>R=0.0</td> <td>1807.00 ft²</td> </tr> <tr> <td> b. N/A</td> <td>R=</td> <td>ft²</td> </tr> <tr> <td> c. N/A</td> <td>R=</td> <td>ft²</td> </tr> </table>	1. New construction or existing	New (From Plans)		2. Single family or multiple family	Detached		3. Number of units, if multiple family	1		4. Number of Bedrooms	3		5. Is this a worst case?	No		6. Conditioned floor area above grade (ft²)	1807		Conditioned floor area below grade (ft²)	0		7. Windows (282.3 sqft.)	Description	Area	a. U-Factor:	DbI, U=0.33	282.33 ft²	SHGC:	SHGC=0.22		b. U-Factor:	N/A	ft²	SHGC:			c. U-Factor:	N/A	ft²	SHGC:			Area Weighted Average Overhang Depth:	5.014 ft.		Area Weighted Average SHGC:	0.220		8. Skylights	Area		c. U-Factor:(AVG)	N/A	ft²	SHGC(AVG):	N/A		9. Floor Types (1807.0 sqft.)	Insulation	Area	a. Slab-On-Grade Edge Insulation	R=0.0	1807.00 ft²	b. N/A	R=	ft²	c. N/A	R=	ft²	<table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">10. Wall Type (1834.3 sqft.)</td> <td style="width:30%;">Insulation</td> <td style="width:40%;">Area</td> </tr> <tr> <td> a. Frame - Wood, Exterior</td> <td>R=13.0</td> <td>1535.80 ft²</td> </tr> <tr> <td> b. Frame - Wood, Adjacent</td> <td>R=13.0</td> <td>298.50 ft²</td> </tr> <tr> <td> c. N/A</td> <td>R=</td> <td>ft²</td> </tr> <tr> <td> d. N/A</td> <td>R=</td> <td>ft²</td> </tr> <tr> <td>11. Ceiling Types (1807.0 sqft.)</td> <td>Insulation</td> <td>Area</td> </tr> <tr> <td> a. Under Attic (Vented)</td> <td>R=30.0</td> <td>1807.00 ft²</td> </tr> <tr> <td> b. N/A</td> <td>R=</td> <td>ft²</td> </tr> <tr> <td> c. N/A</td> <td>R=</td> <td>ft²</td> </tr> <tr> <td>12. Ducts</td> <td>R</td> <td>ft²</td> </tr> <tr> <td> a. Sup: Attic, Ret: Attic, AH: Garage</td> <td>8</td> <td>361.4</td> </tr> <tr> <td>13. Cooling systems</td> <td>kBtu/hr</td> <td>Efficiency</td> </tr> <tr> <td> a. Central Unit</td> <td>42.0</td> <td>SEER:14.00</td> </tr> <tr> <td>14. Heating systems</td> <td>kBtu/hr</td> <td>Efficiency</td> </tr> <tr> <td> a. Electric Heat Pump</td> <td>42.0</td> <td>HSPF:8.50</td> </tr> <tr> <td>15. Hot water systems</td> <td></td> <td></td> </tr> <tr> <td> a. Electric</td> <td></td> <td>Cap: 40 gallons</td> </tr> <tr> <td></td> <td></td> <td>EF: 0.920</td> </tr> <tr> <td> b. Conservation features</td> <td></td> <td>None</td> </tr> <tr> <td>16. Credits</td> <td></td> <td>CF, Pstat</td> </tr> </table>	10. Wall Type (1834.3 sqft.)	Insulation	Area	a. Frame - Wood, Exterior	R=13.0	1535.80 ft²	b. Frame - Wood, Adjacent	R=13.0	298.50 ft²	c. N/A	R=	ft²	d. N/A	R=	ft²	11. Ceiling Types (1807.0 sqft.)	Insulation	Area	a. Under Attic (Vented)	R=30.0	1807.00 ft²	b. N/A	R=	ft²	c. N/A	R=	ft²	12. Ducts	R	ft²	a. Sup: Attic, Ret: Attic, AH: Garage	8	361.4	13. Cooling systems	kBtu/hr	Efficiency	a. Central Unit	42.0	SEER:14.00	14. Heating systems	kBtu/hr	Efficiency	a. Electric Heat Pump	42.0	HSPF:8.50	15. Hot water systems			a. Electric		Cap: 40 gallons			EF: 0.920	b. Conservation features		None	16. Credits		CF, Pstat
1. New construction or existing	New (From Plans)																																																																																																																																	
2. Single family or multiple family	Detached																																																																																																																																	
3. Number of units, if multiple family	1																																																																																																																																	
4. Number of Bedrooms	3																																																																																																																																	
5. Is this a worst case?	No																																																																																																																																	
6. Conditioned floor area above grade (ft²)	1807																																																																																																																																	
Conditioned floor area below grade (ft²)	0																																																																																																																																	
7. Windows (282.3 sqft.)	Description	Area																																																																																																																																
a. U-Factor:	DbI, U=0.33	282.33 ft²																																																																																																																																
SHGC:	SHGC=0.22																																																																																																																																	
b. U-Factor:	N/A	ft²																																																																																																																																
SHGC:																																																																																																																																		
c. U-Factor:	N/A	ft²																																																																																																																																
SHGC:																																																																																																																																		
Area Weighted Average Overhang Depth:	5.014 ft.																																																																																																																																	
Area Weighted Average SHGC:	0.220																																																																																																																																	
8. Skylights	Area																																																																																																																																	
c. U-Factor:(AVG)	N/A	ft²																																																																																																																																
SHGC(AVG):	N/A																																																																																																																																	
9. Floor Types (1807.0 sqft.)	Insulation	Area																																																																																																																																
a. Slab-On-Grade Edge Insulation	R=0.0	1807.00 ft²																																																																																																																																
b. N/A	R=	ft²																																																																																																																																
c. N/A	R=	ft²																																																																																																																																
10. Wall Type (1834.3 sqft.)	Insulation	Area																																																																																																																																
a. Frame - Wood, Exterior	R=13.0	1535.80 ft²																																																																																																																																
b. Frame - Wood, Adjacent	R=13.0	298.50 ft²																																																																																																																																
c. N/A	R=	ft²																																																																																																																																
d. N/A	R=	ft²																																																																																																																																
11. Ceiling Types (1807.0 sqft.)	Insulation	Area																																																																																																																																
a. Under Attic (Vented)	R=30.0	1807.00 ft²																																																																																																																																
b. N/A	R=	ft²																																																																																																																																
c. N/A	R=	ft²																																																																																																																																
12. Ducts	R	ft²																																																																																																																																
a. Sup: Attic, Ret: Attic, AH: Garage	8	361.4																																																																																																																																
13. Cooling systems	kBtu/hr	Efficiency																																																																																																																																
a. Central Unit	42.0	SEER:14.00																																																																																																																																
14. Heating systems	kBtu/hr	Efficiency																																																																																																																																
a. Electric Heat Pump	42.0	HSPF:8.50																																																																																																																																
15. Hot water systems																																																																																																																																		
a. Electric		Cap: 40 gallons																																																																																																																																
		EF: 0.920																																																																																																																																
b. Conservation features		None																																																																																																																																
16. Credits		CF, Pstat																																																																																																																																



Glass/Floor Area: 0.156	Total Proposed Modified Loads: 48.21	PASS
	Total Baseline Loads: 48.91	

<p>I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.</p> <p>PREPARED BY: <u></u></p> <p>DATE: <u>5-5-21</u></p> <p>I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.</p> <p>OWNER/AGENT: _____</p> <p>DATE: _____</p>	<p>Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.</p> <p style="text-align: right;">  </p> <p>BUILDING OFFICIAL: _____</p> <p>DATE: _____</p>
--	--

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires an envelope leakage test report with envelope leakage no greater than 5.00 ACH50 (R402.4.1.2).

INPUT SUMMARY CHECKLIST REPORT

PROJECT

Title:	Ivy Model	Bedrooms:	3	Address Type:	Lot Information
Building Type:	User	Conditioned Area:	1807	Lot #	
Owner Name:	Spec House	Total Stories:	1	Block/Subdivision:	Preserves
# of Units:	1	Worst Case:	No	PlatBook:	
Builder Name:		Rotate Angle:	0	Street:	
Permit Office:	Columbia County	Cross Ventilation:		County:	Columbia
Jurisdiction:		Whole House Fan:		City, State, Zip:	Lake City , FL , 32024
Family Type:	Detached				
New/Existing:	New (From Plans)				
Comment:					

CLIMATE

✓	Design Location	TMY Site	Design Temp 97.5 % 2.5 %	Int Design Temp Winter Summer	Heating Degree Days	Design Moisture	Daily Temp Range
_____	FL, Gainesville	FL_GAINESVILLE_REGI	32 92	70 75	1305.5	51	Medium

BLOCKS

Number	Name	Area	Volume
1	Block1	1807	16263

SPACES

Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Infil ID	Finished	Cooled	Heated
1	Main	1807	16263	Yes	6	3	1	Yes	Yes	Yes

FLOORS

✓	#	Floor Type	Space	Perimeter	R-Value	Area	Tile	Wood	Carpet	
_____	1	Slab-On-Grade Edge Insulatio	Main	201 ft	0	1807 ft ²	_____	0.33	0.33	0.34

ROOF

✓	#	Type	Materials	Roof Area	Gable Area	Roof Color	Rad Barr	Solar Absor.	SA Tested	Emitt	Emitt Tested	Deck Insul.	Pitch (deg)
_____	1	Hip	Composition shingles	2093 ft ²	0 ft ²	Medium	N	0.85	No	0.9	No	0	30.3

ATTIC

✓	#	Type	Ventilation	Vent Ratio (1 in)	Area	RBS	IRCC
_____	1	Full attic	Vented	300	1807 ft ²	N	N

CEILING

✓	#	Ceiling Type	Space	R-Value	Ins Type	Area	Framing Frac	Truss Type
_____	1	Under Attic (Vented)	Main	30	Blown	1807 ft ²	0.11	Wood

INPUT SUMMARY CHECKLIST REPORT

WALLS

✓ #	Ornt	Adjacent To	Wall Type	Space	Cavity R-Value	Width Ft	In	Height Ft	In	Area	Sheathing R-Value	Framing Fraction	Solar Absor	Below Grade%
1	N	Exterior	Frame - Wood	Main	13	28	6	9		256.5 ft²		0.23	0.75	0
2	W	Exterior	Frame - Wood	Main	13	5	8	9		51.0 ft²		0.23	0.75	0
3	N	Exterior	Frame - Wood	Main	13	14	4	9		129.0 ft²		0.23	0.75	0
4	E	Exterior	Frame - Wood	Main	13	38	8	9		348.0 ft²		0.23	0.75	0
5	S	Exterior	Frame - Wood	Main	13	7	4	10		73.3 ft²		0.23	0.75	0
6	E	Exterior	Frame - Wood	Main	13	8	6	9		76.5 ft²		0.23	0.75	0
7	S	Exterior	Frame - Wood	Main	13	14	10	9		133.5 ft²		0.23	0.75	0
8	W	Exterior	Frame - Wood	Main	13	52		9		468.0 ft²		0.23	0.75	0
9	S	Garage	Frame - Wood	Main	13	33	2	9		298.5 ft²		0.23	0.75	0

DOORS

✓ #	Ornt	Door Type	Space	Storms	U-Value	Width Ft	In	Height Ft	In	Area
1	S	Insulated	Main	None	.4	3		6	8	20 ft²
2	S	Insulated	Main	None	.4	3		6	8	20 ft²

WINDOWS

Orientation shown is the entered, Proposed orientation.

✓ #	Ornt	Wall ID	Frame	Panes	NFRC	U-Factor	SHGC	Imp	Area	Overhang Depth	Separation	Int Shade	Screening
1	N	1	Vinyl	Low-E Double	Yes	0.33	0.22	N	90.0 ft²	9 ft 6 in	1 ft 4 in	None	None
2	N	1	Vinyl	Low-E Double	Yes	0.33	0.22	N	24.0 ft²	9 ft 6 in	1 ft 4 in	None	None
3	W	2	Vinyl	Low-E Double	Yes	0.33	0.22	N	36.0 ft²	1 ft 6 in	1 ft 4 in	None	None
4	N	3	Vinyl	Low-E Double	Yes	0.33	0.22	N	24.0 ft²	1 ft 6 in	1 ft 4 in	None	None
5	N	3	Vinyl	Low-E Double	Yes	0.33	0.22	N	20.0 ft²	1 ft 6 in	1 ft 4 in	None	None
6	N	3	Vinyl	Low-E Double	Yes	0.33	0.22	N	12.0 ft²	1 ft 6 in	1 ft 4 in	None	None
7	S	5	Vinyl	Low-E Double	Yes	0.33	0.22	N	13.3 ft²	7 ft 6 in	1 ft 4 in	None	None
8	S	7	Vinyl	Low-E Double	Yes	0.33	0.22	N	36.0 ft²	1 ft 6 in	1 ft 4 in	None	None
9	W	8	Vinyl	Low-E Double	Yes	0.33	0.22	N	9.0 ft²	1 ft 6 in	1 ft 4 in	None	None
10	W	8	Vinyl	Low-E Double	Yes	0.33	0.22	N	18.0 ft²	1 ft 6 in	1 ft 4 in	None	None

GARAGE

✓ #	Floor Area	Ceiling Area	Exposed Wall Perimeter	Avg. Wall Height	Exposed Wall Insulation
1	433.805556 ft²	433.805556 ft²	49 ft	9 ft	1

INFILTRATION

#	Scope	Method	SLA	CFM 50	ELA	EqLA	ACH	ACH 50
1	Wholehouse	Proposed ACH(50)	.000286	1355.3	74.35	139.59	.1027	5

INPUT SUMMARY CHECKLIST REPORT

HEATING SYSTEM

<input checked="" type="checkbox"/>	#	System Type	Subtype	Speed	Efficiency	Capacity	Block	Ducts
<input type="checkbox"/>	1	Electric Heat Pump/	None	Singl	HSPF:8.5	42 kBtu/hr	1	sys#1

COOLING SYSTEM

<input checked="" type="checkbox"/>	#	System Type	Subtype	Subtype	Efficiency	Capacity	Air Flow	SHR	Block	Ducts
<input type="checkbox"/>	1	Central Unit/	None	Singl	SEER: 14	42 kBtu/hr	1260 cfm	0.8	1	sys#1

HOT WATER SYSTEM

<input checked="" type="checkbox"/>	#	System Type	SubType	Location	EF	Cap	Use	SetPnt	Conservation
<input type="checkbox"/>	1	Electric	None	Garage	0.92	40 gal	60 gal	120 deg	None

SOLAR HOT WATER SYSTEM

<input checked="" type="checkbox"/>	FSEC Cert #	Company Name	System Model #	Collector Model #	Collector Area	Storage Volume	FEF
<input type="checkbox"/>	None	None			ft ²		

DUCTS

<input checked="" type="checkbox"/>	#	--- Supply --- Location	R-Value	Area	--- Return --- Location	Area	Leakage Type	Air Handler	CFM 25 TOT	CFM25 OUT	QN	RLF	HVAC # Heat	1	1
<input type="checkbox"/>	1	Attic	8	361.4 ft	Attic	90.35 ft	Default Leakage	Garage	(Default)	(Default)			1	1	

TEMPERATURES

Programable Thermostat: Y				Ceiling Fans:												
Cooling	<input type="checkbox"/> Jan	<input type="checkbox"/> Feb	<input type="checkbox"/> Mar	<input type="checkbox"/> Apr	<input type="checkbox"/> May	<input checked="" type="checkbox"/> Jun	<input checked="" type="checkbox"/> Jul	<input checked="" type="checkbox"/> Aug	<input checked="" type="checkbox"/> Sep	<input type="checkbox"/> Oct	<input type="checkbox"/> Nov	<input type="checkbox"/> Dec				
Heating	<input checked="" type="checkbox"/> Jan	<input checked="" type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input type="checkbox"/> Apr	<input type="checkbox"/> May	<input type="checkbox"/> Jun	<input type="checkbox"/> Jul	<input type="checkbox"/> Aug	<input type="checkbox"/> Sep	<input type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input checked="" type="checkbox"/> Dec				
Venting	<input type="checkbox"/> Jan	<input type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input type="checkbox"/> May	<input type="checkbox"/> Jun	<input type="checkbox"/> Jul	<input type="checkbox"/> Aug	<input type="checkbox"/> Sep	<input checked="" type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input type="checkbox"/> Dec				
Thermostat Schedule: HERS 2006 Reference													Hours			
Schedule Type		1	2	3	4	5	6	7	8	9	10	11	12			
Cooling (WD)		AM 78	78	78	78	78	78	78	78	78	80	80	80	80		
		PM 80	80	78	78	78	78	78	78	78	78	78	78	78		
Cooling (WEH)		AM 78	78	78	78	78	78	78	78	78	78	78	78	78		
		PM 78	78	78	78	78	78	78	78	78	78	78	78	78		
Heating (WD)		AM 66	66	66	66	66	68	68	68	68	68	68	68	68		
		PM 68	68	68	68	68	68	68	68	68	68	68	68	66	66	
Heating (WEH)		AM 66	66	66	66	66	68	68	68	68	68	68	68	68		
		PM 68	68	68	68	68	68	68	68	68	68	68	68	66	66	

MASS

Mass Type	Area	Thickness	Furniture Fraction	Space
Default(8 lbs/sq.ft.	0 ft ²	0 ft	0.3	Main