

BID TABULATION

Columbia County Board of County Commissioners

Date: July 9, 2026

Project Bid No: F26-09

Addendums Issued: 1

<u>Company Name</u>	<u>Bid Amount</u>
---------------------	-------------------

- | | |
|---------------------------------------|---------------------|
| 1. <u>Charles Peeler Construction</u> | \$ <u>79,678.80</u> |
| 2. <u>L.O.M.G. Asphalt Paving</u> | \$ <u>68,538.75</u> |
| 3. <u>Curt's Construction, Inc.</u> | \$ <u>85,900.70</u> |
| 4. <u>Norton Home Improvement</u> | \$ <u>71,757.40</u> |
| 5. <u>CA Boone Construction</u> | \$ <u>65,300.00</u> |
| 6. <u>Wilks Site Prep, Inc.</u> | \$ <u>99,986.39</u> |
| 7. _____ | \$ _____ |
| 8. _____ | \$ _____ |

Witnessed by Jana Dies

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS


PROJECT NUMBER F26-09 Columbia County Library - West

BID PROPOSAL

THE UNDERSIGNED hereby propose to furnish all materials, labor and supervision for the construction of the subject project including conformance with the construction requirements and specifications for the following unit prices:

	ITEM	UNIT	QUANTITY	UNIT COST	TOTAL
1	Mobilization	LS	1	\$ 15,900.00	\$ 15,900.00
2	Milling Existing Pavement (+/-1.5")	SY	3056	\$ 2.30	\$ 7,028.80
3	Borrow	CY	150	\$ 14.50	\$ 2,175.00
4	Asphaltic Conc. - Levelling	TN	20	\$ 175.00	\$ 3,500.00
5	Asphaltic Conc. - SP 12.5	TN	255	\$ 175.00	\$ 44,625.00
6	Seed and Mulch	LS	1	\$ 2,800.00	\$ 2,800.00
7	Painted Pavement Markings	LS	1	\$ 3,650.00	\$ 3,650.00
TOTAL:				\$ 79,678.80	

Contractor Name (PRINT): Charles Peeler Construction LLC

Contractor Signature: 

PAY ITEM NOTES

MOT

Shall include all elements required per FDOT standards and include temporary centerline/stop bar delineation at all non working times, stationing/offsets, and any edge of pavement reclamation where required.

Milling Existing Pavement

Average depth shall be 1.5" and shall be achieved with a milling machine or engineer approved equivalent.

Borrow

Shall be placed at direction of engineer

Asphalt 12.5

Includes placement of SP 12.5 @ +/-165 lb/sy.

Seed and Mulch

Shall be placed at all disturbed areas not sodded, as directed by the engineer.

Painted Pavement Markings

Shall include striping the parking lot as shown on the plans

ALL ITEMS MAY BE INCREASED, DECREASED, OR OMITTED AS DIRECTED BY THE ENGINEER.

- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BOTH THE REQUIREMENTS OF THE LATEST FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FDOT DESIGN STANDARDS.
- ALL INCIDENTAL WORK INCLUDED IN THESE ITEMS. ALL UNIT PRICE AND TOTAL SPACES MUST BE FILLED IN TO CORRELATE WITH EACH ITEM

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS

PROJECT NUMBER F26-09 Columbia County Library - West

BID PROPOSAL

THE UNDERSIGNED hereby propose to furnish all materials, labor and supervision for the construction of the subject project including conformance with the construction requirements and specifications for the following unit prices:

	ITEM	UNIT	QUANTITY	UNIT COST	TOTAL
1	Mobilization	LS	1	\$5,500.00	\$5,500.00
2	Milling Existing Pavement (+/-1.5")	SY	3056	\$2.45	\$7,500.00
3	Borrow	CY	150	\$3.33	\$500.00
4	Asphaltic Conc. - Levelling	TN	20	\$189.50	\$3,790.00
5	Asphaltic Conc. - SP 12.5	TN	255	\$187.25	\$47,748.75
6	Seed and Mulch	LS	1	\$500.00	\$500.00
7	Painted Pavement Markings	LS	1	\$3,000.00	\$3,000.00
TOTAL:				\$68,538.75	

Contractor Name (PRINT): Greg Waters for Live Oak Management Group, LLC

Contractor Signature: 

PAY ITEM NOTES

MOT

Shall include all elements required per FDOT standards and include temporary centerline/stop bar delineation at all non working times, stationing/offsets, and any edge of pavement reclamation where required.

Milling Existing Pavement

Average depth shall be 1.5" and shall be achieved with a milling machine or engineer approved equivalent.

Borrow

Shall be placed at direction of engineer

Asphalt 12.5

Includes placement of SP 12.5 @ +/-165 lb/sy.

Seed and Mulch

Shall be placed at all disturbed areas not sodded, as directed by the engineer.

Painted Pavement Markings

Shall include striping the parking lot as shown on the plans

ALL ITEMS MAY BE INCREASED, DECREASED, OR OMITTED AS DIRECTED BY THE ENGINEER.

- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BOTH THE REQUIREMENTS OF THE LATEST FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FDOT DESIGN STANDARDS.
- ALL INCIDENTAL WORK INCLUDED IN THESE ITEMS. ALL UNIT PRICE AND TOTAL SPACES MUST BE FILLED IN TO CORRELATE WITH EACH ITEM

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS


PROJECT NUMBER F26-09 Columbia County Library - West

BID PROPOSAL

THE UNDERSIGNED hereby propose to furnish all materials, labor and supervision for the construction of the subject project including conformance with the construction requirements and specifications for the following unit prices

	ITEM	UNIT	QUANTITY	UNIT COST	TOTAL
1	Mobilization	LS	1	7,423.70	7,423.70
2	Milling Existing Pavement (+/-1 5")	SY	3056	6.15	18,794.40
3	Borrow	CY	150	18.00	2,700 00
4	Asphaltic Conc. - Levelling	TN	20	208.00	4,160.00
5	Asphaltic Conc. - SP 12 5	TN	255	190.52	48,582 60
6	Seed and Mulch	LS	1	1,000.00	1,000.00
7	Painted Pavement Markings	LS	1	3,240	3,240.00
				TOTAL:	85,900.70

Contractor Name (PRINT): Curt's Construction, Inc.

Contactore Signature: 

PAY ITEM NOTES

MOT

Shall include all elements required per FDOT standards and include temporary centerline/stop bar delineation at all non working times, stationing/offsets, and any edge of pavement reclamation where required.

Milling Existing Pavement

Average depth shall be 1.5" and shall be achieved with a milling machine or engineer approved equivalent.

Borrow

Shall be placed at direction of engineer

Asphalt 12.5

Includes placement of SP 12.5 @ +/-165 lb/sy.

Seed and Mulch

Shall be placed at all disturbed areas not sodded, as directed by the engineer.

Painted Pavement Markings

Shall include striping the parking lot as shown on the plans

ALL ITEMS MAY BE INCREASED, DECREASED, OR OMITTED AS DIRECTED BY THE ENGINEER.

- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BOTH THE REQUIREMENTS OF THE LATEST FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FDOT DESIGN STANDARDS.
- ALL INCIDENTAL WORK INCLUDED IN THESE ITEMS. ALL UNIT PRICE AND TOTAL SPACES MUST BE FILLED IN TO CORRELATE WITH EACH ITEM

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS


PROJECT NUMBER F26-09
Columbia County Library - West

BID PROPOSAL

THE UNDERSIGNED hereby propose to furnish all materials, labor and supervision for the construction of the subject project including conformance with the construction requirements and specifications for the following unit prices:

	ITEM	UNIT	QUANTITY	UNIT COST	TOTAL
1	Mobilization	LS	1	\$6,523.40	\$6,523.40
2	Milling Existing Pavement (+/-1.5")	SY	3056	\$2.75	\$8,404.00
3	Borrow	CY	150	\$18.50	\$2,775.00
4	Asphaltic Conc. - Levelling	TN	20	\$183.00	\$3,660.00
5	Asphaltic Conc. - SP 12.5	TN	255	\$183.00	\$46,665.00
6	Seed and Mulch	LS	1	\$730.00	\$730.00
7	Painted Pavement Markings	LS	1	\$3,000.00	\$3,000
TOTAL:					\$71,757.40

Contractor Name (PRINT): Jack J. Norton

Contractor Signature: 

PAY ITEM NOTES

MOT

Shall include all elements required per FDOT standards and include temporary centerline/stop bar delineation at all non working times, stationing/offsets, and any edge of pavement reclamation where required.

Milling Existing Pavement

Average depth shall be 1.5" and shall be achieved with a milling machine or engineer approved equivalent.

Borrow

Shall be placed at direction of engineer

Asphalt 12.5

Includes placement of SP 12.5 @ +/-165 lb/sy.

Seed and Mulch

Shall be placed at all disturbed areas not sodded, as directed by the engineer.

Painted Pavement Markings

Shall include striping the parking lot as shown on the plans

ALL ITEMS MAY BE INCREASED, DECREASED, OR OMITTED AS DIRECTED BY THE ENGINEER.

- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BOTH THE REQUIREMENTS OF THE LATEST FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FDOT DESIGN STANDARDS.
- ALL INCIDENTAL WORK INCLUDED IN THESE ITEMS. ALL UNIT PRICE AND TOTAL SPACES MUST BE FILLED IN TO CORRELATE WITH EACH ITEM

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS


PROJECT NUMBER F26-09
Columbia County Library - West

BID PROPOSAL

THE UNDERSIGNED hereby propose to furnish all materials, labor and supervision for the construction of the subject project including conformance with the construction requirements and specifications for the following unit prices

	ITEM	UNIT	QUANTITY	UNIT COST	TOTAL
1	Mobilization	LS	1	\$1,000.00	\$1,000.00
2	Milling Existing Pavement (+/-1.5")	SY	3056	.65	\$2,000.00
3	Borrow	CY	150	\$10.00	\$1,500.00
4	Asphaltic Conc - Levelling	TN	20	\$260.00	\$5,200.00
5	Asphaltic Conc - SP 12.5	TN	255	\$200.00	\$51,000.00
6	Seed and Mulch	LS	1	\$300.00	\$ 300.00
7	Painted Pavement Markings	LS	1	\$4,300.00	\$4,300.00
TOTAL:				\$65,300.00	

Contractor Name (PRINT) James Boone, President

Contractor Signature 
C.A. Boone Construction, Inc

PAY ITEM NOTES

MOT

Shall include all elements required per FDOT standards and include temporary centerline/stop bar delineation at all non working times, stationing/offsets, and any edge of pavement reclamation where required.

Milling Existing Pavement

Average depth shall be 1.5" and shall be achieved with a milling machine or engineer approved equivalent.

Borrow

Shall be placed at direction of engineer

Asphalt 12.5

Includes placement of SP 12.5 @ +/-165 lb/sy.

Seed and Mulch

Shall be placed at all disturbed areas not sodded, as directed by the engineer.

Painted Pavement Markings

Shall include striping the parking lot as shown on the plans

ALL ITEMS MAY BE INCREASED, DECREASED, OR OMITTED AS DIRECTED BY THE ENGINEER.

- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BOTH THE REQUIREMENTS OF THE LATEST FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FDOT DESIGN STANDARDS.
- ALL INCIDENTAL WORK INCLUDED IN THESE ITEMS. ALL UNIT PRICE AND TOTAL SPACES MUST BE FILLED IN TO CORRELATE WITH EACH ITEM

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS


PROJECT NUMBER F26-09 Columbia County Library - West

BID PROPOSAL

THE UNDERSIGNED hereby propose to furnish all materials, labor and supervision for the construction of the subject project including conformance with the construction requirements and specifications for the following unit prices:

	ITEM	UNIT	QUANTITY	UNIT COST	TOTAL
1	Mobilization	LS	1	\$ 11,550.29	\$ 11,550.29
2	Milling Existing Pavement (+/-1 5")	SY	3056	\$ 5.00	\$ 15,280.00
3	Borrow	CY	150	\$ 23.43	\$ 3,514.50
4	Asphaltic Conc. - Levelling	TN	20	\$ 225.62	\$ 5,640.50
5	Asphaltic Conc - SP 12 5	TN	255	\$ 225.62	\$ 57,533.10
6	Seed and Mulch	LS	1	\$ 1,725.00	\$ 1,725.00
7	Painted Pavement Markings	LS	1	\$ 7,743.00	\$ 4,743.00
TOTAL:				\$ 99,986.39	

Contractor Name (PRINT) WILKS SITE PREP, INC.

Contractor Signature: 

PAY ITEM NOTES

MOT

Shall include all elements required per FDOT standards and include temporary centerline/stop bar delineation at all non working times, stationing/offsets, and any edge of pavement reclamation where required.

Milling Existing Pavement

Average depth shall be 1.5" and shall be achieved with a milling machine or engineer approved equivalent.

Borrow

Shall be placed at direction of engineer

Asphalt 12.5

Includes placement of SP 12.5 @ +/-165 lb/sy.

Seed and Mulch

Shall be placed at all disturbed areas not sodded, as directed by the engineer.

Painted Pavement Markings

Shall include striping the parking lot as shown on the plans

ALL ITEMS MAY BE INCREASED, DECREASED, OR OMITTED AS DIRECTED BY THE ENGINEER.

- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO BOTH THE REQUIREMENTS OF THE LATEST FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE LATEST FDOT DESIGN STANDARDS.
- ALL INCIDENTAL WORK INCLUDED IN THESE ITEMS. ALL UNIT PRICE AND TOTAL SPACES MUST BE FILLED IN TO CORRELATE WITH EACH ITEM