## PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 7-1-15) Zoning Official Building Official
AP# 1908 - 4.5 Date Received 8/13/19 By WIG Permit # 38 4 7 8
Flood Zone X Development Permit Zoning Zonin
Comments Replacing WH in existing with parte.
floor one foot above the road
FEMA Map# Elevation Finished Floor River In Floodway
□ Recorded Deed or Property Appraiser PO □ Site Plan □ EH # 19-6616 □ Well letter OR
Existing well
□ DOT Approval □ Parent Parcel # □ STUP-MH □ 911 App
☐ Ellisville Water Sys
Property ID #34-3S-16-02509-001 SubdivisionWest Lake City Hills Lot#_18-20B
New Mobile Home X Used Mobile Home MH Size 16 x 76 Year 2020
Applicant Dale Burd Phone # 386-365-7674
Address20619 CR 137, Lake City, FL, 32024
CCF Properties LLC  Name of Property Owner Steve Stewart Phone# 904-334-9115
911 Address 147 Helen Dr, Lake City, FL, 32055
Circle the correct power company - (FL Power & Light) - Clay Electric
(Circle One) - <u>Suwannee Valley Electric</u> - <u>Duke Energy</u>
Name of Owner of Makilla Harris Same
Name of Owner of Mobile Home Same Phone # Same
Address11169 Cedar Creek Farms Road, Glen St, Mary, FL, 32040
Relationship to Property Owner <u>Same</u>
Current Number of Dwellings on Property14
Lot Size 312 x 385 Total Acreage 3
Total Acreage -
Do you: Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)  (Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
Is this Mobile Home Replacing an Existing Mobile Home (Yes)
Driving Directions to the Property US 90 West, TR Lake City Ave, TR NW Apple Lane, TL
Helen Dr, 5th lot on right
Name of Licensed Dealer/Installer Brent Strickland Phone # 386-365-7043
Installers Address 1294 Hamp Farmer Road, LC, FL, 32055
License NumberIH-1104218Installation Decal #62058

#### Legend

#### Parcels

2018Aerials

20

Addresses

SRWMD Wetlands

2018 Flood Zones

0.2 PCT ANNUAL CHANCE

A

AE

= AH

LidarElevations

# Columbia County, FLA - Building & Zoning Property Map

Printed: Thu Aug 15 2019 15:27:04 GMT-0400 (Eastern Daylight Time)



#### Parcel Information

Parcel No: 34-3S-16-02509-001 Owner: CCF PROPERTIES LLC Subdivision: WEST LAKE CITY HILLS

Lot:

Acres: 2.670703 Deed Acres: 3 Ac

District: District 3 Bucky Nash Future Land Uses: Residential - Low

Flood Zones:

Official Zoning Atlas: RSF/MH-2



Parcel: 34-3S-16-02509-001

Owner & Pr	operty Info	Resu	lt: 2 of 2		
Owner	CCF PROPERTIES LLC 11169 CEDAR CREEK FARMS ROAD GLEN SAINT MARY, FL 32040				
Site	134 HELEN DR,	134 HELEN DR,			
Description*	LOTS 18, 19, 20-A & 20-B BLOCK A WEST LAKE CITY HILLS S/D. 627-331, 658-700, 692-825, 716-815, 759-1189, 823-2334, 1005 -2113, WD 1018-2305, WD 1041-781, WD 1058-1921, WD 1059-1380, WD 1236-1018, WD 1363-396,				
Area	3 AC	S/T/R	34-38-16		
Use Code**	MH PARK (002802)	Tax District	2		

<sup>\*</sup>The <u>Description</u> above is not to be used as the Legal Description for this parcel in any legal transaction.

#### Property & Assessment Values

2018 Certified Values		2019 Working Values		
Mkt Land (3)	\$38,104	Mkt Land (3)	\$39,354	
Ag Land (0)	\$0	Ag Land (0)	\$0	
Building (9)	\$47,151	Building (8)	\$48,564	
XFOB (2)	\$56,400	XFOB (2)	\$56,100	
Just	\$141,655	Just	\$144,018	
Class	\$0	Class	\$0	
Appraised	\$141,655	Appraised	\$144,018	
SOH Cap [?]	\$0	SOH Cap [?]	\$0	
Assessed	\$141,655	Assessed	\$144,018	
Exempt	\$0	Exempt	\$0	
	county:\$141,655	3.	county:\$144,018	
Total	city:\$141,655	Total	city:\$144,018	
Taxable	other:\$141,655	Taxable	other:\$144,018	
	school:\$141,655		school:\$144,018	


parcel in any legal transaction.


\*\*The <u>Use Code</u> is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.

#### MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NU	MBER	CONTR	ACTOR Brent Stricklar	phone_386-365-7043
		THIS FORM MIIST RE SURMIT	ED PRIOR TO THE ISSUANCE O	F A DEDANT
		11113 1 31111 1113 1 112 33311111	ED FRIOR TO THE ISSUARCE O	CCF Properties LLC
				OOI Troperties LLC
in Columbia Co	ounty one p	ermit will cover all trades doir	ng work at the permitted s	ite. It is <u>KEQUIKED</u> that we have
records of the	subcontrac	tors who actually did the trade	specific work under the	permit. Per Florida Statute 440 and
		tor shall require all subcontractly insurance and a valid Certific		
exemption, ge	Helat liabili	ty mourance and a valid Certiff	cate of Competency licens	e in Columbia County.
Any changes,	the permitt	ed contractor is responsible fo	or the corrected form bein	g submitted to this office prior to the
		or beginning any work. Violati		
ſ	1			
ELECTRICAL	Print Name	Steve Stewart	Signature Signature	tour Stewart
	License #:	Owner	<i>/</i> -	04-334-9115
	•	Qualifier Forr		
			1	1 5
MECHANICAL/	Print Nam	e Steve Stewart	Signature	ton Some
A/C	License #:	Owner	Phone #:9	04-334-9115
		Qualifier Forn	n Attached	
Qualifier Forn	ns cannot l	pe submitted for any Special	ty License.	
Specialty L	icense	License Number Sub-Co	ntractors Printed Name	Sub-Contractors Signature
MASON				
CONCRETE FIN	NISHER			
F. S. 440.103 E	Building per	mits; identification of minimu	ı <b>m premium policy.</b> Ever	y employer shall, as a condition to
		a building permit, show proof		•
compensation	for its empl	oyees under this chapter as pr	ovided in ss. 440.10 and 4	40.38, and shall be presented each
time the employer applies for a building permit.				

Revised 10/30/2015





		marriage wall piers within 2' of end of home per Rule 1SC			Typical pier spacing  Show locations of Longitudinal and Lateral Systems  longitudinal (use dark lines to show these locations)	i understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.	NOTE: If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	ome HAKKITHER DR	Installer Brent Strickland License # IH 1104218
within 2' of end of home spaced at 5' 4" oc Longitudinal Stabilizing Device (LSD)  Longitudinal Stabilizing Device w/ Lateral Arms  Manufacturer  Diffull (1)  Sheanwall  Within 2' of end of home spaced at 5' 4" oc Longitudinal Stabilizing Device (LSD)  Sidewall  Longitudinal Stabilizing Device w/ Lateral Arms  Sheanwall	Opening Pier pad size  4 ft 5 ft FRAME TIES	20 x 20 16 x 25 3/16 112 x 25 1/2 24 x 24 26 x 26	Perimeter pier pad size $\frac{16 \times 16}{16 \times 16}$ $\frac{256}{16 \times 18}$ Other pier pad sizes $\frac{17 \times 2}{16 \times 22.5}$ $\frac{18.5 \times 18.5}{360}$ (required by the mfg.)	8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8	y (sq in) (256) 1/2" (342) (400) (484)* (5)  0 psf	Roof System:TypicalHinged  PIER SPACING TABLE FOR USED HOMES	Triple/Quad ☐ Serial # SPB 0 333 23 AL	Home installed to the Manufacturer's Installation Manual Home is installed in accordance with Rule 15-C Single wide N Wind Zone II Wind Zone III	New Home Used Home

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 25	Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between mult-wide units. Pg. 28	Electrical	Date Tested B-12-19	ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER Installer Name	reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.  Installer's initials	Note: A state approved lateral arm system is being used and 4 ft.  anchors are allowed at the sidewall locations. I understand 5 ft  anchors are required at all centerline tie points where the torque test	- 10	TORQUE PROBE TEST	×1600 × 1600 × 1500	<ol> <li>Using 500 lb. increments, take the lowest reading and round down to that increment.</li> </ol>	POCKET PENETROMETER TESTING METHOD  1. Test the perimeter of the home at 6 locations.  2. Take the reading at the depth of the footer.	×1700 ×1700	er lests are rounded down to 1500 1000 lb. soil without testing.	POCKET PENETROMETER TEST
is accurate and true based on the	Installer verifies all information gives with this second	Other:	Dryer vent installed outside of skirting. Yes N/A Range downflow vent installed outside of skirting. Yes N/A Drain lines supported at 4 foot intervals. Yes Electrical crossovers protected. Yes	Skirting to be installed. Yes a Nic	The bottomboard will be repaired and/or taped. Yes Pg Pg Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes	Weatherproofing	Type gasket  Pg  Between Floors Yes  Between Walls Yes  Bottom of ridgebeam Yes	Installer's initials	homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.	Gasket (weatherproofing requirement) I understand a properly installed gasket is a requirement of all new and used	Walls: Type Fastener: Length: Spacing: Walls: Type Fastener: Length: Spacing: Spacin		Debris and organic material removed  Water drainage: Natural Swale Pad Cother	Site Preparation

Installer Signature	manufactur	Installer verif
The BALLY Stockland Date 8-12-	manufacturer's installation instructions and or Rule 15C-1 & 2	Installer verifies all information given with this permit worksheet
C		

independent water supply systems. Pg. \_

Connect all potable water supply piping to an existing water meter, water tap, or other

SIDEWALL OPENING PIER LOAD
16" BOX WIDTH 20 Ib ROOF LOAD 1244 1413 REQUIRED PIER LOAD (LBS) SIDEMALL OPERAND (FT) 1581 1750 Ø 8 2088 2425 10

"FOR 30 to & 40 to roof load refer to tables 7 & 7a in the installation manual

<u>15'-4"</u> 1 TYPICAL FRAME SUPPORT PIERS D \_62'-0" FRONT DOOR PIERS 33'-4" 30'-5 1/2" 6 22'-5" 15'-4" 14-1 REAR DOOR PIERS 13'-5 1/2" 10'-2" 99 1/2" 42 1/4

NOTES:

SERVICE DROP LEGEND

REFER TO TABLES 6 AND 68 IN THE INSTALLATION MANUAL FOR LOAD ON FRAME PIER FOOTINGS FOR HOMES THAT OO NOT REQUIRE PERIMETER BLOCKING, REFER TO TABLES 7 AND 78 IN THE INSTALLATION MANUAL FOR LOAD ON FRAME PIER FOOTINGS FOR HOMES THAT REQUIRE

PERIMETER BLOCKING, REFER TO TABLES 10 AND 10s TO DETERMINE FOOTING SIZE FOR ALL PIERS.

2. REFER TO TABLE 9 FOR PIER CONFIGURATION AND MAXIMUM ALLOWABLE HEIGHTS. CROSS REFERENCE THE PIER HEIGHT WITH THE MAXIMUM ALLOWABLE FLOOR HEIGHT LISTED IN THE FRAME TIEDOWN CHARTS (TABLE 1s, 19, AND 20).

3. THE MAXIMUM SPACING FOR FRAME SUPPORT PIERS FOR 8" HEAMS IS 8 FEET, 10" & 12" HEAMS IS 10 FEET.

4. SERVICE DROP LOCATIONS IDENTIFIED ARE APPROXIMATE.

5. FLOOR WIDTH SHOWN IS FOR STANDARD PRODUCT ONLY. CONTINUE OFFICERS FACILITY FOR SPECIFICATIONS OF

G .CASMLET DI = DIAV PLLIABING DROP W =WATER INLET E \* ELECTRICAL DROP

Ņ

DAS - PIER PERMETER - PERHAMBEAN

PIER LEGEND

BE - PIER PORCHRECESSED ENTRY

OPTIONS ORDERED.

(W/OPT. PORCH/RECESS "CONDITIONED"

Product Designer: HuitingJ N/A SO.FT. 1 ピ x 7 ピ TRI 1+ Data:2.19.19 Scale: N.T.S. Model #: TRU16763A Drawing #1 TRU-5007-76-3



# STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM APPLICATION FOR CONSTRUCTION DEPARTMENT

PERMIT NO.	19-0616
DATE PAID:	8/13/19
FEE PAID:	\$60.00
RECEIPT #:	1428508

SYSTEM	OR CONSTRUCTION 1		FEE PAID: RECEIPT #:	\$60.00 142850\$
APPLICATION FOR:  [ ] New System [ √ ] Ex [ ] Repair [ ] Ab		] Holding Tank ] Temporary	[ ] Inn	ovative
APPLICANT: CCF Properties LLC				
AGENT: Dale Burd / Dale Burd LLC		TE	ELEPHONE: 386-	365-7674
MAILING ADDRESS: 20619 County Ro	oad 137, Lake City, FL, 32024	***************************************		
TO BE COMPLETED BY APPLICANT BY A PERSON LICENSED PURSUANT APPLICANT'S RESPONSIBILITY TO PLATTED (MM/DD/YY) IF REQUEST	TO 489.105(3)(m) OR PROVIDE DOCUMENTATION OF OTHER TRANSPORTED ING CONSIDERATION OF	489.552, FLORIDA ON OF THE DATE TH	STATUTES.	IT IS THE
PROPERTY INFORMATION				
LOT: 18-20B BLOCK: A S	UBDIVISION: West Lake	City Hills S/D	PLATT	ED: na
PROPERTY ID #: 34-3S-16-02509-001	ZONIR	NG: I/M (	OR EQUIVALENT	:: [ No ]
PROPERTY SIZE: 3 ACRES	WATER SUPPLY: [ ] P	RIVATE PUBLIC [	/]<=2000GPD	[ ]>2000GPD
IS SEWER AVAILABLE AS PER 381 PROPERTY ADDRESS: 147 Helen Dr. L	.0065, FS? [ No ]			
DIRECTIONS TO PROPERTY: US 90		NW Apple Lane, TL NW	Helen Dr, 5th lot of	on right
BUILDING INFORMATION	[ ✓ ] RESIDENTIAL	[ ] COMMERC	IAL	
Unit Type of No Establishment	No. of Building Bedrooms Area Sqft	Commercial/Inst Table 1, Chapte	itutional Sys r 64E-6, FAC	stem Design
1 SF Residential	3 1165	SW for SW Mobile ho	ome park replaceme	ent
2		Floor plans and existing	ng permits attached	
3				
4				
[ ] Floor/Equipment Drains	[ ] Other (Specif	(Y)		
SIGNATURE:			DATE: 8/12/20	19

### STATE OF FLORIDA **DEPARTMENT OF HEALTH**

APPLICATION FOR	ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PIERMIT  Permit Application Number 9-0616
	PART II - SITEPLAN
Scale: 1 inch = 40 feet.	
	Plansa Amehra
	MARGAR ATT

Notes:		
	NE DI.	
Site Plan submitted by:	8/12/18	CONTRACTOR
Plan Approved	Not Approved	Date 97/5/15
Ву	Mangi:	County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

DH 4015, 08/09 (Obsoletes previous editions which may not be used) Incorporated: 64E-6.001, FAC (Stock Number: 5744-002-4015-6)

