

Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

25'11"

Basic Building
Dimension
to outside of Base Rail

25'1"

BUILDING SLAB

Basic Building
Dimension
to outside of Base Rail

30'


Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

30'7"

See Corner
Detail Sheet 3

Building
Base Rail

3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions




Record Measurements
in these spaces provided

[]

All basic building dimensions
are to the outside of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing

See Sheet 3 of 3
for Detail of Building
corner configuration

IMPORTANT - NOTES



TYPICAL BUILDING


FOUNDATION MEASUREMENTS

IMPORTANT - NOTES

Record Measurements
in these spaces provided

All basic building diagonal dimensions
are to the outside corner of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing

See Sheet 3 of 3
for Detail of Building
corner configuration




Building Base Rail


3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions

See Corner
Detail Sheet 3

BUILDING SLAB




TYPICAL WALL SECTION



TYPICAL BUILDING FOUNDATION MEASUREMENTS DIAGONALS

Basic Building Size
is measured to the
outside of the
Base Rail



3-1/2" wide x 1-1/2" high
Notch in Concrete outside
of basic building
dimensions

TYPICAL BUILDING

CORNER DETAIL

