

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation - Residential Performance Method

Project Name: Paul & Leslie McDaniel
 Street: 465 SW Gusty Gln
 City, State, Zip: Lake City, FL, 32024
 Owner: Paul & Leslie McDaniel
 Design Location: FL, Gainesville

Builder Name: Paul & Leslie McDaniel
 Permit Office: Columbia
 Permit Number:
 Jurisdiction: 221200
 County: Columbia (Florida Climate Zone 2)

1. New construction or existing	New (From Plans)
2. Single family or multiple family	Detached
3. Number of units, if multiple family	1
4. Number of Bedrooms	5
5. Is this a worst case?	No
6. Conditioned floor area above grade (ft²)	3952
Conditioned floor area below grade (ft²)	0
7. Windows (475.3 sqft.)	Description Area
a. U-Factor:	Dbl, U=0.47 475.31 ft²
SHGC:	SHGC=0.31
b. U-Factor:	N/A ft²
SHGC:	
c. U-Factor:	N/A ft²
SHGC:	
Area Weighted Average Overhang Depth:	3.458 ft.
Area Weighted Average SHGC:	0.310
8. Skylights	Area
c. U-Factor (AVG):	N/A ft²
SHGC (AVG):	N/A
9. Floor Types (3950.2 sqft.)	Insulation Area
a. Slab-On-Grade Edge Insulation	R=0.0 2285.70 ft²
b. Floor over Garage	R=19.0 943.60 ft²
c. other (see details)	R= 720.90 ft²

10. Wall Types (4485.2 sqft.)	Insulation Area
a. Frame - Wood, Exterior	R=13.0 4098.50 ft²
b. Frame - Wood, Adjacent	R=13.0 386.67 ft²
c. N/A	R= ft²
d. N/A	R= ft²
11. Ceiling Types (3148.0 sqft.)	Insulation Area
a. Under Attic (Vented)	R=30.0 3148.00 ft²
b. N/A	R= ft²
c. N/A	R= ft²
12. Ducts	R ft²
a. Sup: Attic, Ret: Attic, AH: Laundry	6 159
b. Sup: Attic, Ret: Attic, AH: Mech	6 86
13. Cooling systems	kBtu/hr Efficiency
a. Central Unit	45.5 SEER:16.00
b. Central Unit	34.6 SEER:17.00
14. Heating systems	kBtu/hr Efficiency
a. Electric Heat Pump	45.5 HSPF:9.50
b. Electric Heat Pump	34.6 HSPF:9.50
15. Hot water systems	
a. Natural Gas Tankless	Cap: 1 gallons
	EF: 0.800
b. Conservation features	
None	
16. Credits	CF, Pstat

Glass/Floor Area: 0.120

Total Proposed Modified Loads: 93.98

Total Baseline Loads: 117.86

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY: John Pirkle
 DATE: 11/14/2022

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: _____
 DATE: _____

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.



BUILDING OFFICIAL: _____
 DATE: _____

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.

- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires an envelope leakage test report with envelope leakage no greater than 6.17 ACH50 (R402.4.1.2).

INPUT SUMMARY CHECKLIST REPORT

PROJECT

Title:	Paul & Leslie McDaniel	Bedrooms:	5	Address Type:	Street Address
Building Type:	User	Conditioned Area:	3952	Lot #	
Owner Name:	Paul & Leslie McDaniel	Total Stories:	2	Block/Subdivision:	
# of Units:	1	Worst Case:	No	PlatBook:	
Builder Name:	Paul & Leslie McDaniel	Rotate Angle:	0	Street:	465 SW Gusty Gln
Permit Office:	Columbia	Cross Ventilation:	No	County:	Columbia
Jurisdiction:	221200	Whole House Fan:	No	City, State, Zip:	Lake City ,
Family Type:	Detached				FL , 32024
New/Existing:	New (From Plans)				
Comment:					

CLIMATE

✓	Design Location	TMY Site	Design Temp 97.5 %	2.5 %	Int Design Temp Winter	Summer	Heating Degree Days	Design Moisture	Daily Temp Range
_____	FL, Gainesville	FL_GAINESVILLE_REGI	32	92	70	75	1305.5	51	Medium

BLOCKS

Number	Name	Area	Volume
1	System #2	1665	18529.6
2	System #1	2287	24774.5

SPACES

Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Infil ID	Finished	Cooled	Heated
1	Bedroom #2	172	1548	No	1	1	1	Yes	Yes	Yes
2	Bathrm #2	68	612	No	0		1	Yes	Yes	Yes
3	Bedroom #3	172	1548	No	1	1	1	Yes	Yes	Yes
4	Foyer	59	531	No	0		1	Yes	Yes	Yes
5	Dinette	64	576	No	0		1	No	Yes	Yes
6	Pantry	55	495	No	0		1	Yes	Yes	Yes
7	Kitchen	266	2394	Yes	0		1	Yes	Yes	Yes
8	Great Room	311	5193.7	No	0		1	Yes	Yes	Yes
9	Dining	184	3072.8	No	0		1	No	Yes	Yes
10	Mudroom	138	1380	No	0		1	No	Yes	Yes
11	Laundry	123	1230	No	0		1	Yes	Yes	Yes
12	Mstr WIC	119	1190	No	0		1	Yes	Yes	Yes
13	Mstr Bathrm	150	1350	No	0		1	Yes	Yes	Yes
14	Mstr Bedroom	274	2466	No	2	1	1	Yes	Yes	Yes
15	Sitting	132	1188	No	0		1	Yes	Yes	Yes
16	Bedroom #4	156	1825.2	No	1	1	1	Yes	Yes	Yes
17	Bedroom #5	163	1907.1	No	1	1	1	Yes	Yes	Yes
18	1/2 Bath	42	336	No	0		1	No	Yes	Yes
19	1/2 Bath #2	39	312	No	0		1	No	Yes	Yes
20	Shwr	33	264	No	0		1	No	Yes	Yes
21	Mech	143	1144	No	0		1	Yes	Yes	Yes

INPUT SUMMARY CHECKLIST REPORT

SPACES											
Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Infil ID	Finished	Cooled	Heated	
22	Bonus Room	854	9991.8	No	0		1	Yes	Yes	Yes	
23	Landing	235	2749.5	No	0		1	Yes	Yes	Yes	

FLOORS											
✓	#	Floor Type	Space	Perimeter	Perimeter	R-Value	Area	Joist R-Value	Tile	Wood	Carpet
_____	1	Slab-On-Grade Edge Insulatio	Bedroom #2	31.5 ft		0	171.8 ft²	----	1	0	0
_____	2	Slab-On-Grade Edge Insulatio	Bathrm #2	8 ft		0	68 ft²	----	1	0	0
_____	3	Slab-On-Grade Edge Insulatio	Bedroom #3	30 ft		0	172.3 ft²	----	1	0	0
_____	4	Slab-On-Grade Edge Insulatio	Foyer	6 ft		0	58.5 ft²	----	1	0	0
_____	5	Slab-On-Grade Edge Insulatio	Dinette	3.5 ft		0	64 ft²	----	1	0	0
_____	6	Slab-On-Grade Edge Insulatio	Pantry	15 ft		0	55.3 ft²	----	1	0	0
_____	7	Slab-On-Grade Edge Insulatio	Kitchen	27 ft		0	265.5 ft²	----	1	0	0
_____	8	Slab-On-Grade Edge Insulatio	Great Room	15.5 ft		0	311 ft²	----	1	0	0
_____	9	Slab-On-Grade Edge Insulatio	Dining	1 ft		0	184 ft²	----	1	0	0
_____	10	Slab-On-Grade Edge Insulatio	Mudroom	8 ft		0	138 ft²	----	1	0	0
_____	11	Slab-On-Grade Edge Insulatio	Laundry	24.5 ft		0	122.5 ft²	----	1	0	0
_____	12	Slab-On-Grade Edge Insulatio	Mstr WIC	8.5 ft		0	119 ft²	----	1	0	0
_____	13	Slab-On-Grade Edge Insulatio	Mstr Bathrm	24.5 ft		0	150 ft²	----	1	0	0
_____	14	Slab-On-Grade Edge Insulatio	Mstr Bedroom	17 ft		0	273.8 ft²	----	1	0	0
_____	15	Slab-On-Grade Edge Insulatio	Sitting	23 ft		0	132 ft²	----	1	0	0
_____	16	Floor Over Other Space	Bedroom #4	----		----	156.3 ft²	19	1	0	0
_____	17	Floor Over Other Space	Bedroom #5	----		----	12.5 ft²	19	1	0	0
_____	18	Floor Over Other Space	Bedroom #5	----		----	150 ft²	19	1	0	0
_____	19	Floor Over Other Space	1/2 Bath	----		----	42 ft²	19	1	0	0
_____	20	Floor over Garage	1/2 Bath #2	----		----	21 ft²	19	0	0	1
_____	21	Floor Over Other Space	1/2 Bath #2	----		----	18 ft²	19	1	0	0
_____	22	Floor Over Other Space	Shwr	----		----	9 ft²	19	1	0	0
_____	23	Floor Over Other Space	Shwr	----		----	24 ft²	19	1	0	0
_____	24	Floor over Garage	Mech	----		----	26.3 ft²	19	0	0	1
_____	25	Floor Over Other Space	Mech	----		----	63.8 ft²	19	1	0	0

INPUT SUMMARY CHECKLIST REPORT**FLOORS**

✓	#	Floor Type	Space	Perimeter	Perimeter	R-Value	Area	Joist R-Value	Tile	Wood	Carpet
_____	26	Floor Over Other Space	Mech	----	----		52.5 ft²	19	1	0	0
_____	27	Floor over Garage	Bonus Room	----	----		854.3 ft²	19	0	0	1
_____	28	Floor over Garage	Landing	----	----		42 ft²	19	0	0	1
_____	29	Floor Over Other Space	Landing	----	----		105 ft²	19	1	0	0
_____	30	Floor Over Other Space	Landing	----	----		18 ft²	19	1	0	0
_____	31	Floor Over Other Space	Landing	----	----		69.8 ft²	19	1	0	0

ROOF

✓	#	Type	Materials	Roof Area	Gable Area	Roof Color	Rad Barr	Solar Absor.	SA Tested	Emitt	Emitt Tested	Deck Insul.	Pitch (deg)
_____	1	Gable or Shed	Metal	3934 ft²	1180 ft²	Unfinishe	N	0.9	No	0.4	No	0	36.87

ATTIC

✓	#	Type	Ventilation	Vent Ratio (1 in)	Area	RBS	IRCC
_____	1	Full attic	Vented	300	3147 ft²	N	N

CEILING

✓	#	Ceiling Type	Space	R-Value	Ins Type	Area	Framing Frac	Truss Type
_____	1	Under Attic (Vented)	Bedroom #2	30	Blown	172 ft²	0.1	Wood
_____	2	Under Attic (Vented)	Bathrm #2	30	Blown	68 ft²	0.1	Wood
_____	3	Under Attic (Vented)	Bedroom #3	30	Blown	172 ft²	0.1	Wood
_____	4	Under Attic (Vented)	Foyer	30	Blown	59 ft²	0.1	Wood
_____	5	Under Attic (Vented)	Dinette	30	Blown	64 ft²	0.1	Wood
_____	6	Under Attic (Vented)	Pantry	30	Blown	55 ft²	0.1	Wood
_____	7	Under Attic (Vented)	Kitchen	30	Blown	266 ft²	0.1	Wood
_____	8	Under Attic (Vented)	Great Room	30	Blown	311 ft²	0.1	Wood
_____	9	Under Attic (Vented)	Dining	30	Blown	184 ft²	0.1	Wood
_____	10	Under Attic (Vented)	Sitting	30	Blown	132 ft²	0.1	Wood
_____	11	Under Attic (Vented)	Bedroom #4	30	Blown	156 ft²	0.1	Wood
_____	12	Under Attic (Vented)	Bedroom #5	30	Blown	163 ft²	0.1	Wood
_____	13	Under Attic (Vented)	1/2 Bath	30	Blown	42 ft²	0.1	Wood
_____	14	Under Attic (Vented)	1/2 Bath #2	30	Blown	39 ft²	0.1	Wood
_____	15	Under Attic (Vented)	Shwr	30	Blown	33 ft²	0.1	Wood
_____	16	Under Attic (Vented)	Mech	30	Blown	143 ft²	0.1	Wood
_____	17	Under Attic (Vented)	Bonus Room	30	Blown	854 ft²	0.1	Wood
_____	18	Under Attic (Vented)	Landing	30	Blown	235 ft²	0.1	Wood

INPUT SUMMARY CHECKLIST REPORT

WALLS

✓ #	Ornt	Adjacent To	Wall Type	Space	Cavity R-Value	Width Ft	In	Height Ft	In	Area	Sheathing R-Value	Framing Fraction	Solar Absor.	Below Grade%
___ 1	E	Exterior	Frame - Wood	Bedroom #2	13	11	6	9	0	103.5 ft²	0	0.25	0.23	0
___ 2	S	Exterior	Frame - Wood	Bedroom #2	13	14	6	9	0	130.5 ft²	0	0.25	0.23	0
___ 3	W	Exterior	Frame - Wood	Bedroom #2	13	5	6	9	0	49.5 ft²	0	0.25	0.23	0
___ 4	E	Exterior	Frame - Wood	Bathrm #2	13	8	0	9	0	72.0 ft²	0	0.25	0.23	0
___ 5	N	Exterior	Frame - Wood	Bedroom #3	13	13	6	9	0	121.5 ft²	0	0.25	0.23	0
___ 6	E	Exterior	Frame - Wood	Bedroom #3	13	13	6	9	0	121.5 ft²	0	0.25	0.23	0
___ 7	W	Exterior	Frame - Wood	Bedroom #3	13	3	0	9	0	27.0 ft²	0	0.25	0.23	0
___ 8	N	Exterior	Frame - Wood	Foyer	13	6	0	9	0	54.0 ft²	0	0.25	0.23	0
___ 9	N	Exterior	Frame - Wood	Pantry	13	6	6	9	0	58.5 ft²	0	0.25	0.23	0
___ 10	N	Exterior	Frame - Wood	Kitchen	13	16	0	9	0	144.0 ft²	0	0.25	0.23	0
___ 11	E	Exterior	Frame - Wood	Kitchen	13	9	6	9	0	85.5 ft²	0	0.25	0.23	0
___ 12	W	Exterior	Frame - Wood	Kitchen	13	1	6	9	0	13.5 ft²	0	0.25	0.23	0
___ 13	S	Exterior	Frame - Wood	Great Room	13	15	6	16	8	258.3 ft²	0	0.25	0.23	0
___ 14	W	Exterior	Frame - Wood	Laundry	13	7	0	10	0	70.0 ft²	0	0.25	0.23	0
___ 15	W	Exterior	Frame - Wood	Mstr WIC	13	8	6	10	0	85.0 ft²	0	0.25	0.23	0
___ 16	S	Exterior	Frame - Wood	Mstr Bathrm	13	12	0	9	0	108.0 ft²	0	0.25	0.23	0
___ 17	W	Exterior	Frame - Wood	Mstr Bathrm	13	12	6	9	0	112.5 ft²	0	0.25	0.23	0
___ 18	S	Exterior	Frame - Wood	Mstr Bedroo	13	13	6	9	0	121.5 ft²	0	0.25	0.23	0
___ 19	W	Exterior	Frame - Wood	Mstr Bedroo	13	3	6	9	0	31.5 ft²	0	0.25	0.23	0
___ 20	E	Exterior	Frame - Wood	Sitting	13	11	0	9	0	99.0 ft²	0	0.25	0.23	0
___ 21	S	Exterior	Frame - Wood	Sitting	13	12	0	9	0	108.0 ft²	0	0.25	0.23	0
___ 22	E	Exterior	Frame - Wood	Bedroom #4	13	12	6	11	8	145.8 ft²	0	0.25	0.23	0
___ 23	S	Exterior	Frame - Wood	Bedroom #4	13	12	6	11	8	145.8 ft²	0	0.25	0.23	0
___ 24	S	Exterior	Frame - Wood	Bedroom #5	13	13	0	11	8	151.7 ft²	0	0.25	0.23	0
___ 25	W	Exterior	Frame - Wood	Bedroom #5	13	12	6	11	8	145.8 ft²	0	0.25	0.23	0
___ 26	W	Exterior	Frame - Wood	Mech	13	19	0	8	0	152.0 ft²	0	0.25	0.23	0
___ 27	N	Exterior	Frame - Wood	Bonus Room	13	25	6	11	8	297.5 ft²	0	0.25	0.23	0
___ 28	E	Exterior	Frame - Wood	Bonus Room	13	33	6	11	8	390.8 ft²	0	0.25	0.23	0
___ 29	W	Exterior	Frame - Wood	Bonus Room	13	33	6	11	8	390.8 ft²	0	0.25	0.23	0
___ 30	E	Exterior	Frame - Wood	Landing	13	22	6	11	8	262.5 ft²	0	0.25	0.23	0
___ 31	W	Exterior	Frame - Wood	Landing	13	3	6	11	8	40.8 ft²	0	0.25	0.23	0
___ 32	N	Garage	Frame - Wood	Dinette	13	13		10		130.0 ft²		0.23	0.23	0
___ 33	N	Garage	Frame - Wood	Mudroom	13	25	8	10		256.7 ft²		0.23	0.23	0

DOORS

✓ #	Ornt	Door Type	Space	Storms	U-Value	Width Ft	In	Height Ft	In	Area
___ 1	N	Insulated	Foyer	Metal	.29	4		7		28 ft²
___ 2	N	Wood	Mudroom	None	.46	3		7		21 ft²

INPUT SUMMARY CHECKLIST REPORT**WINDOWS**

Orientation shown is the entered, Proposed orientation.

✓	#	Ornt	Wall ID	Frame	Panes	NFRC	U-Factor	SHGC	Imp	Area	Overhang		Int Shade	Screening
											Depth	Separation		
_____	1	S	2	Vinyl	Low-E Double	Yes	0.47	0.31	N	28.4 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	2	E	4	Vinyl	Low-E Double	Yes	0.47	0.31	N	8.0 ft²	1 ft 4 in	12 ft 0 in	Drapes/blinds	Exterior 5
_____	3	N	5	Vinyl	Low-E Double	Yes	0.47	0.31	N	21.3 ft²	6 ft 8 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	4	E	6	Vinyl	Low-E Double	Yes	0.47	0.31	N	16.0 ft²	1 ft 4 in	12 ft 0 in	Drapes/blinds	Exterior 5
_____	5	N	10	Vinyl	Low-E Double	Yes	0.47	0.31	N	21.3 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	6	S	13	Vinyl	Low-E Double	Yes	0.47	0.31	N	84.0 ft²	12 ft 0 in	1 ft 0 in	None	None
_____	7	W	14	Vinyl	Low-E Double	Yes	0.47	0.31	N	7.0 ft²	1 ft 4 in	9 ft 0 in	Drapes/blinds	Exterior 5
_____	8	S	16	Vinyl	Low-E Double	Yes	0.47	0.31	N	11.3 ft²	1 ft 4 in	12 ft 0 in	Drapes/blinds	Exterior 5
_____	9	S	18	Vinyl	Low-E Double	Yes	0.47	0.31	N	32.0 ft²	1 ft 4 in	12 ft 0 in	Drapes/blinds	Exterior 5
_____	10	S	21	Vinyl	Low-E Double	Yes	0.47	0.31	N	28.4 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	11	S	23	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	3 ft 0 in	Drapes/blinds	Exterior 5
_____	12	S	23	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	9 ft 0 in	Drapes/blinds	Exterior 5
_____	13	S	24	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	3 ft 0 in	Drapes/blinds	Exterior 5
_____	14	S	24	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	9 ft 0 in	Drapes/blinds	Exterior 5
_____	15	W	25	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	16	W	26	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	17	N	27	Vinyl	Low-E Double	Yes	0.47	0.31	N	45.0 ft²	1 ft 4 in	3 ft 0 in	Drapes/blinds	Exterior 5
_____	18	N	27	Vinyl	Low-E Double	Yes	0.47	0.31	N	22.5 ft²	1 ft 4 in	9 ft 0 in	Drapes/blinds	Exterior 5
_____	19	W	29	Vinyl	Low-E Double	Yes	0.47	0.31	N	45.0 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5
_____	20	W	31	Vinyl	Low-E Double	Yes	0.47	0.31	N	15.0 ft²	1 ft 4 in	1 ft 0 in	Drapes/blinds	Exterior 5

GARAGE

✓	#	Floor Area	Ceiling Area	Exposed Wall Perimeter	Avg. Wall Height	Exposed Wall Insulation
_____	1	965 ft²	965 ft²	93.67 ft	10 ft	13

INFILTRATION

#	Scope	Method	SLA	CFM 50	ELA	EqLA	ACH	ACH 50
1	Wholehouse	Proposed ACH(50)	.000429	4453.1	244.31	458.67	.1809	6.17

HEATING SYSTEM

✓	#	System Type	Subtype	Speed	Efficiency	Capacity	Block	Ducts
_____	1	Electric Heat Pump/	Split	Singl	HSPF:9.5	45.5 kBtu/hr	2	sys#1
_____	2	Electric Heat Pump/	Split	Singl	HSPF:9.5	34.6 kBtu/hr	1	sys#2

INPUT SUMMARY CHECKLIST REPORT

COOLING SYSTEM

✓	#	System Type	Subtype	Subtype	Efficiency	Capacity	Air Flow	SHR	Block	Ducts
_____	1	Central Unit/	Split	Singl	SEER: 16	45.5 kBtu/hr	1600 cfm	0.7	2	sys#1
_____	2	Central Unit/	Split	Singl	SEER: 17	34.6 kBtu/hr	1200 cfm	0.7	1	sys#2

HOT WATER SYSTEM

✓	#	System Type	SubType	Location	EF	Cap	Use	SetPnt	Conservation
_____	1	Natural Gas	Tankless	Mech	0.8	1 gal	55.1 gal	120 deg	None

SOLAR HOT WATER SYSTEM

✓	FSEC Cert #	Company Name	System Model #	Collector Model #	Collector Area	Storage Volume	FEF
_____	None	None			ft²		

DUCTS

✓	#	Location	Supply R-Value	Area	Location	Return Area	Leakage	Type	Air Handler	CFM 25 TOT	CFM25 OUT	QN	RLF	HVAC # Heat	Cool
_____	1	Attic	6	159 ft²	Attic	61 ft²	Default	Leakage	Laundry	(Default)	(Default)			1	1
_____	2	Attic	6	86 ft²	Attic	34 ft²	Default	Leakage	Mech	(Default)	(Default)			2	2

TEMPERATURES

Programable Thermostat: Y

Ceiling Fans:

Cooling	☒	Jan	☐	Feb	☒	Mar	☐	Apr	☐	May	☒	Jun	☒	Jul	☒	Aug	☒	Sep	☐	Oct	☒	Nov	☒	Dec
Heating	☒	Jan	☒	Feb	☒	Mar	☒	Apr	☒	May	☒	Jun	☒	Jul	☒	Aug	☒	Sep	☒	Oct	☒	Nov	☒	Dec
Venting	☒	Jan	☒	Feb	☒	Mar	☒	Apr	☒	May	☒	Jun	☒	Jul	☒	Aug	☒	Sep	☒	Oct	☒	Nov	☒	Dec

Thermostat Schedule: HERS 2006 Reference

Hours

Schedule Type		1	2	3	4	5	6	7	8	9	10	11	12
Cooling (WD)	AM	78	78	78	78	78	78	78	78	80	80	80	80
	PM	80	80	78	78	78	78	78	78	78	78	78	78
Cooling (WEH)	AM	78	78	78	78	78	78	78	78	78	78	78	78
	PM	78	78	78	78	78	78	78	78	78	78	78	78
Heating (WD)	AM	66	66	66	66	66	68	68	68	68	68	68	68
	PM	68	68	68	68	68	68	68	68	68	68	66	66
Heating (WEH)	AM	66	66	66	66	66	68	68	68	68	68	68	68
	PM	68	68	68	68	68	68	68	68	68	68	66	66

MASS

Mass Type	Area	Thickness	Furniture Fraction	Space
Default(8 lbs/sq.ft.	0 ft²	0 ft	0.3	Bedroom #2
Default(8 lbs/sq.ft.	ft²	ft	0.3	Bathrm #2
Default(8 lbs/sq.ft.	ft²	ft	0.3	Bedroom #3
Default(8 lbs/sq.ft.	ft²	ft	0.3	Foyer
Default(8 lbs/sq.ft.	ft²	ft	0.3	Dinette
Default(8 lbs/sq.ft.	ft²	ft	0.3	Pantry
Default(8 lbs/sq.ft.	ft²	ft	0.3	Kitchen
Default(8 lbs/sq.ft.	ft²	ft	0.3	Great Room
Default(8 lbs/sq.ft.	ft²	ft	0.3	Dining
Default(8 lbs/sq.ft.	ft²	ft	0.3	Mudroom

INPUT SUMMARY CHECKLIST REPORT

MASS				
Mass Type	Area	Thickness	Furniture Fraction	Space
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Laundry
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Mstr WIC
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Mstr Bathrm
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Mstr Bedroom
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Sitting
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Bedroom #4
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Bedroom #5
Default(8 lbs/sq.ft.	ft ²	ft	0.3	1/2 Bath
Default(8 lbs/sq.ft.	ft ²	ft	0.3	1/2 Bath #2
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Shwr
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Mech
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Bonus Room
Default(8 lbs/sq.ft.	ft ²	ft	0.3	Landing