Parcel:

06-78-16-04149-125 (21698)

## **Owner & Property Info**

Result: 12 of 28

CRAIG JERRY K CRAIG CHERI L

Owner

**523 SE 55TH AVE** OCALA, FL 34480

Site

3955 SW WILSON SPRINGS Rd, FORT WHITE

LOT 25 BLOCK 1 WILSON SPRINGS COMMUNITY PHASE 1-A DESC AS: COMM AT NW COR OF SW1/4 OF SEC RUN S 1218.72 FT, CONT SOUTH 967.53 FT TO SE'LY R/W OF SW MEMORIAL

DR, NE ALONG R/W 37.62 FT, CONT NE 735.62 FT, CONT NE 33.33 FT TO N R/W OF

Description\* MAIDENHAIR PL, SE ALONG R/W 176.37 FT, CONT SE 488.53 FT TO INTERS OF W R/W OF

WILSON SPRINGS RD, N ALONG R/W 600.91 FT FOR POB, RUN W 151.75 FT, N 74.25 FT, N 32 DEG E 51.30 FT, E 118.14 FT TO A POINT ON THE W R/W OF WILSON SPRINGS RD, S 120.68 FT

TO POB. 965-2584,2586, 977-1171, 1007-2071, WD 1041-649, WD 1045-1253, CT 1445-2182, <

0.39 AC Area

S/T/R 06-7S-16

Use Code\*\* SINGLE FAMILY (0100)

Tax District 3

## MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

CONTRACTOR Dale Houston

PHONE 386-623-6522

	THIS FO	ORM MUST BE SUBMITTED PRIOR TO	THE ISSUANCE OF A PERMIT  Craig
records of the Ordinance 89-	subcontractors who a 5, a contractor shall re	actually did the trade specific we equire all subcontractors to pro	the permitted site. It is <u>KEQUIKED</u> that we have nork under the permit. Per Florida Statute 440 and ovide evidence of workers' compensation or inpetency license in Columbia County.
			ected form being submitted to this office prior to the sult in stop work orders and/or fines.
ELECTRICAL	Print NameJerry	y Craig	Signature
	License #:Owr	Qualifier Form Attached	Phone #: 352-572-1777
		Qualifier Form Attached	
MECHANICAL/	Print NameJerry	/ Craig	Signature
A/C	License #: Own	ner	Phone #: 352-572-1777
		Qualifier Form Attached	

Qualifier Forms cannot be submitted for any Specialty License.

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 10/30/2015

APPLICATION NUMBER

	marriage wall piers within 2' of end of home per Rule 15C			Typical pier spacing	f home is a single wide fill out on f home is a triple or quad wide sl d Lateral Arm Systems cannot be usidewall ties exceed 5 ft 4 in.	Installer Dale Houston License # IH 1025142 Installer Mobile Phone # 386-623-6522 Address of home System Um The First Sylves West Manufacturer Bellings Length x width	PERMIT NUMBER
within 2' of end of home spaced at 5' 4" oc	wall openings 4 foot or greater. Use this symbol to show the piers.  List all marriage wall openings greater than 4 foot and their pier pad sizes below.  Opening  Pier pad size  4 ft 5 ft 5 ft 5 miles 17 3/16 x 25 3/16  24 x 24  ANCHORS	Pad Size	7' 6" 8' 8' from Rule 15C-1 pier si	oter 16" x 16" 18 1/2" x 18 20" x 20" 22" x 22" 24" 1 in) (256) 1/2" (342) (400) (484)* (5 3' 4' 5" 6' 7' 8'   4'6" 6' 7' 8'	n: Typical Hinged PIER SPACING TABLE FOR U	New Home See Home  Home installed to the Manufacturer's Installation Manual  Home is installed in accordance with Rule 15-C  Single wide Wind Zone II Wind Zone III  Double wide Installation Decal # 90 864	

X

### Connect all sewer drains to an existing sewer tap or septic tank. Pg. Connect electrical conductors between multi-wide units, but not to the main power showing 275 inch pounds or less will require 5 foot anchors here if you are declaring 5' anchors without testing The results of the torque probe test is 285or check here to declare 1000 lb. soil The pocket penetrometer tests are rounded down to This includes the bonding wire between mult-wide units. ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER A state approved lateral arm system is being used and 4 ft. anchors are required at all centerline tie points where the torque test anchors are allowed at the sidewall locations. I understand 5 ft reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity. POCKET PENETROMETER TESTING METHOD Using 500 lb. increments, take the lowest Test the perimeter of the home at 6 locations Take the reading at the depth of the footer. reading and round down to that increment POCKET PENETROMETER TEST TORQUE PROBE TEST Electrical X tope without testing Installer's initials inch pounds or check A test pst 1000 Range downflow vent installed outside of skirting. Skirting to be installed. Yes Siding on units is installed to manufacturer's specifications. a result of a poorly installed or no gasket being installed. I understand a strip Other: Electrical crossovers protected. Dryer vent installed outside of skirting. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes Type gasket of tape will not serve as a gasket I understand a properly installed gasket is a requirement of all new and used Floor The bottomboard will be repaired and/or taped. Yes homes and that condensation, mold, meldew and buckled marriage walls are Root Walls Debris and organic material removed Water drainage: Natural Swale Drain lines supported at 4 foot intervals. Installer verifies all information given with this permit worksheet manufacturer's installation instructions and or Rule 15C-1 & 2 Type Fastener: Type Fastener: Type Fastener: Type Fastener: Length: Spacing: Spacing oofing nails at 2" on center on both sides of the centerline is accurate and true based on the Gasket (weatherproofing requirement) Fastening multi wide units Yes Weatherproofing Site Preparation Miscellaneous Installer's initials OH nstalled 8 Length: Bottom of ridgebeam Yes Between Walls Yes Between Floors Yes Yes Pad V Yes NA Spacing: Spacing: Spacing: Other

Connect all potable water supply piping to an existing water meter, water tap, or other

Installer Signature

Date 8/19/25

independent water supply systems. Pg.

source.


**Date Tested** 

Installer Name

Note:

X 1000

ω



information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office.

GrizzlyLogic.c GrizzlyLogic.com

Cama 282 Dizing F BAPE

21/8/34 SAMS



## Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued:

6/22/2020 2:47:02 PM

Address:

3955 SW WILSON SPRINGS RD

City:

FORT WHITE

State:

FL

Zip Code

32038

Parcel ID

06-7S-16-04149-125

**REMARKS:** 

This address is a verified address in the county's addressing system.

Verification ID: 2f7dc482-f81d-48bc-a31e-dfeec8dd22f8

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By:

**GIS Specialist** 

Columbia County GIS/911 Addressing Coordinator

Columbia County
Department of Information Technology
135 NE Hernando Ave. Lake City, FL 32055
Telephone 386-719-1456




## COLUMBIA COUNTY BUILDING DEPARTMENT

# Application #\_\_\_\_\_

## PRELIMINARY MOBILE HOME INSPECTION REPORT

\$50.00 Fee Paid \_\_\_\_\_

DATE RECEIVED	ВУ	IS THE M/H ON THE PROPERTY WHER	E THE PERMIT WILL B	E ISSUED? No
OWNERS NAME_	Jerry Craig	PHONE	CELL	352-572-1777
	SE 55th Ave, Ocala, F			
MOBILE HOME PA	ARKNo	SUBDIVISIO	Wilson Springs	s Community Lot 25, Blk 1
DRIVING DIRECT	IONS TO MOBILE HOME 247 SOI	uth, TL Norris Road, 1st lot on	left past Barrs G	en
MODUE HOME IN	Dale Houston	2	12	000 000 0500
	INFORMATION	T PHONE	CELL	386-623-6522
		1992 14	- 66	COLOR
		YEAR 1002 SIZE 14	χου	_ COLOR
JERIAL NO.	G8HMF 14076 206			
WIND ZONE 2	Mu	st be wind zone II or higher NO WIND	ZONE I ALLOWED	
INSPECTION ST	TANDARDS			
INTERIOR: (P or F) - P= PA	SS F= FAILED			
SA	NOKE DETECTOR ( ) OPERATION	AL () MISSING		
FL	OORS () SOLID () WEAK ()	HOLES DAMAGED LOCATION		
DO	OORS () OPERABLE () DAMAG	ED		
W	ALLS ( ) SOLID ( ) STRUCTURA	ALLY UNSOUND		
w	INDOWS () OPERABLE () INOI	PERABLE		
PL	UMBING FIXTURES ( ) OPERABLE	( ) INOPERABLE ( ) MISSING		
CEI	LING ( ) SOLID ( ) HOLES ( ) L	EAKS APPARENT		
	CTRICAL (FIXTURES/OUTLETS) ( URES MISSING	OPERABLE ( ) EXPOSED WIRING (	) OUTLET COVERS MIS	SING ( ) LIGHT
EXTERIOR:	LLS / SIDDING ( ) LOOSE SIDING	( ) STRUCTURALLY UNSOUND ( ) NO	T WEATHERTIGHT ( )	NEEDS CLEANING
		GLASS () SCREENS MISSING () WEA	0.00	
RO	OF ( ) APPEARS SOLID ( ) DAMA	GED		
STATUS				
	WITH CONDITIONS:			
NOT APPROVED _	NEED RE-INSPECTION F	OR FOLLOWING CONDITIONS		
BUILDING INSPEC	TOR'S SIGNATURE		ID NUMBER	DATE



### COMFORT HEATING

This menulactured home has been thermally included to conform with the hequipment of the federal manufactured home construction and salety standards for all location

### Air conditioner provided at factory (Alternate I)

Air conditioner manufacturer and model (see list at left).

temperatures are \_\_\_\_\_\_F dry bulb and \_\_\_\_\_\_F well bulb.

The Temperature to which this home can be spoled will change depending upon the amount of exposure of the windows of the home to the sun's radiant heat. Therefore, the amount of exposure of the windows of the shorten to be sun's radiant heat. Therefore, the home is heat gains will kiny dependent upon its presentation to the sun and eny permanent shading provided, information concerning the calculation of cooling baseds at various incidence, sinceput exposures and shadings are provided in Chapter 22 of the 1963 edition of the ASHRAE Mandbook of Euroteenhelm.

Information necessary to calculate cooling loads at various locations and orientations is provided in the apecial conflort cooling information provided with this home.

X3 Air conditioner not provided at factory (Alternate II)
 The air distribution system of this home is autiable for the installation of central eigenful conditioning.

Ar conditioning not recommended (Afternate III) The air distribution system of this home has not been designed in anticipation of its use with a central air conditioning system.

## INFORMATION PROVIDED BY THE MANUFACTURER NECESSARY TO CALCULATE SENSIBLE HEAT GAIN

MICLIFICATION OF THE PROPERTY	1 13
Walts (without windows and doors)	.082
Collings and roofs of light color	na
Cestings and roots of dark color	.137
Floors	.32
Air ducts in floor	na na
Air ducts in ceiting	na
Air ducts installed outside the home	eage of V
The following are the duct areas in this home:	54
Air ducts in floor	na •q "
Air ducts in ceiling	50 H
Air ducts outside the home	

To determine the required capacity of equipment to cool a home efficiently and economically, a cooling load (heat gaint) calculation is required. The cooling load is dependent on the crien-tation, location and the structure of the home. Central air conditioners optimate most efficiently, and provide the greatest comfort when their capacity closers approximates the calculated cooling lead. Each home's air goodstioner should be sized in accordance with Chapter 22 of the American Society of the sting. Refrigerating and air Conditioning Engineers (ASHRAE) Handbook of Fundamentals, since the location and orientation are known.

## **GUTDOOR WINTER DESIGN TEMP. ZONES**





## STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM (OSTDS)

RECEIPT #:

Page 1 of 4

APPLICATION FOR CONS	TRUCTION PERMIT
APPLICATION FOR:  [ ] New System [ ] Existing Sy [ ] Repair [ ] Abandonment	stem [ ] Holding Tank [ ] Innovative
APPLICANT: Jerry & Chevi Crai	
AGENT: SAME	TELEPHONE: 352.572-177
MAILING ADDRESS:	
BY A PERSON LICENSED PURSUANT TO 489.1 APPLICANT'S RESPONSIBILITY TO PROVIDE	ANT'S AUTHORIZED AGENT. SYSTEMS MUST HE CONSTRUCTED 05(3)(m) OR 489.552, FLORIDA STATUTES. IT IS THE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR DERATION OF STATUTORY GRANDFATHER PROVISIONS.
PROPERTY INFORMATION	OSTDS REMEDIATION PLAN? [ Y / N ]
LOT: 25 BLOCK: SUBDIVISION	Wilson Spring   PLATTED:
PROPERTY ID #: 06 75-16-04149-12	Z ZONING: I/M OR EQUIVALENT: [ Y / N ]  A C WAS PUBLIC [ ] <= 2000GPD [ ] >2000GPD
IS SEWER AVAILABLE AS PER 381.0065, FS PROPERTY ADDRESS: 3955 N	( Wilson Springs Rd Fort White
DIRECTIONS TO PROPERTY:	, , ,
BUILDING INFORMATION [ G RES	IDENTIAL [ ] COMMERCIAL
Unit Type of No. of No Establishment Bedrooms	The state of the s
SWMH 2	924
3	
[ ] Floor/Equipment Drains [ ] O	ther (Specify)
SIGNATURE DI	DATE: 7-15-22
DEP 4015 06-21-2022 (Obsoletes previo	as editions which may not be used)
Incorporated 62-6.004, FAC	Page 1 of 4

# STATE OF FLORIDA . DEPARTMENT OF ENVIRONMENTAL PROTECTION APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number 20 - 00

-	*		bloc				-	•			T		1			Γ	T	T	Т	1	T	T	T		1		1	T	1	T	1	1	1
					1.		T					T	T	7			T	$\top$	$\dagger$	1	+	1	1	-		+	-	1	+-	+	+	1	+
		1	,				T	:					T	1			T	1	T	+	1-	$^{+}$	+			-	÷-	+	+	-	+	+	+
					Γ	T					Т	T	1	T			T	T	T	+	+	+	+	-	-		+	-	+	+	+	+	+
						T	T					T	$\dagger$	$\top$		-		T	T	+	†-	+	+	1	1	·	-	+	+	+	+	+	+
					T	T	T				T	T	T	1			$\vdash$	T	$\dagger$	+	1	14	+	1	+	-	-	$\vdash$	+	╀	+	+	+
				٠.		T	T	-	-		Γ	1		Ĺ							+	1	#	7	十	-	+	1	+	+	+	+	+
					Γ	T	T	1	2					1		-		T	1	+		+	+	1	\$	-	<del> </del>	-	1	+	+	+	+
					1	1		-	-				T	1		Wor	*	†	Ħ	T	Τ,	t	+	1	Ť		-	+	-	-	+	+	+
							1	1					T				1	1		1	1	-	+	1	+		-	-	+	+	+	+	+
						1	T					T	1	+	1	1	-	-		$\uparrow$	15	-	1	1	4		-	-	$\vdash$	-	+	+	+
							T			Creation of the Creation of th		1	H	+	- Carrier			20		1	80	-	1	1	1			-	-	-	+-	+	+
					V		1	1				T		X	\$			-		1	127	1	+	1	T	-	-	. :	-	7	+	-	+
	,				7	I	1	1					1	9	3				H	1	4	-	7	1		- 4	-:-	-	-	i-	1	$\vdash$	+-
					-	H	T	V		_			1	1	31			-		1	9			4			•	_	-		+	$\vdash$	+
													1	1	$\dashv$				1	1	5		+	Z					-	-	-	+-	+
							V	I						1	1		-			-	1		•	1	H				1		-	-	+
					,		T	1				10	\$1		7 \$	5 1					10,	-	+	+	H		-	-		-	-	-	-
													T	T	1							-	+	1	1		•	•	-	-	-	$\vdash$	-
								T				-	T	1	7							-	+	+	+		-	: -		-	-	-	ļ
								T	1				1.7	T	7							-	+	+	+	-	-	ž į				-	
							Γ		1				_	T	1	7							12	+	+	-	-	$\vdash$	<del>.</del> –	_	-	-	
es:		12		٠,٠										10	_			1					_	+	_		_1						
																			-			_	•	3						_			
																							*	•			-		-		<del>:</del>	-	
						/	_	=	5	7.		,	_	/	\		7	Y	- 1		_	_	-		-					:		_	_
Pla	n sı	ıbm	itted	by				-/	X	1	7	_		*	十	-	1		_	=	_		٦.	-	-		-						
- 5			•	-3	I	_	/			-		_		7	_	- '	_		4		1		-)	١.		-	•	-	_	_			
Aρ	pro	red_		_	$\geq$	$\leq$	_				_		1	Vot	Ар	prov		=3				_		١,			Da	ate_	7	-,	15	-2	2

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)

Incorporated: 62-6.004,F.A.C.