

# ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

## ESTIMATED ENERGY PERFORMANCE INDEX\* = 99

The lower the Energy Performance Index, the more efficient the home.

,Lake City,FL,32025

1. New construction or existing	New (From Plans)	10. Wall Types(2158.3 sqft.)	Insulation	Area
2. Single family or multiple family	Detached	a. Frame - Wood, Exterior	R=19.0	1958.30 ft <sup>2</sup>
3. Number of units, if multiple family	1	b. Frame - Wood, Adjacent	R=19.0	200.00 ft <sup>2</sup>
4. Number of Bedrooms	4	c. N/A	R=	ft <sup>2</sup>
5. Is this a worst case?	No	d. N/A	R=	ft <sup>2</sup>
6. Conditioned floor area above grade (ft <sup>2</sup> )	2407	11. Ceiling Types(2407.0 sqft.)	Insulation	Area
Conditioned floor area below grade (ft <sup>2</sup> )	0	a. Under Attic (Vented)	R=30.0	2407.00 ft <sup>2</sup>
7. Windows**	Description	b. N/A	R=	ft <sup>2</sup>
a. U-Factor:	Sgl, U=0.55	c. N/A	R=	ft <sup>2</sup>
SHGC:	SHGC=0.50	12. Ducts, location & insulation level	R	ft <sup>2</sup>
b. U-Factor:	N/A	a. Sup: Attic, Ret: Attic, AH: Main	6	481.4
SHGC:		b.		
c. U-Factor:	N/A	c.		
SHGC:		13. Cooling Systems	kBtu/hr	Efficiency
Area Weighted Average Overhang Depth:	0.000 ft	a. Central Unit	30.8	SEER:16.00
Area Weighted Average SHGC:	0.500	14. Heating Systems	kBtu/hr	Efficiency
8. Skylights	Description	a. Electric Heat Pump	42.1	HSPF:8.90
U-Factor:(AVG)	N/A	15. Hot Water Systems		
SHGC(AVG):	N/A	a. Electric		Cap: 50 gallons
9. Floor Types	Insulation	b. Conservation features		UEF: 1.260
a. Slab-On-Grade Edge Insulation	R= 0.0	16. Credits		
b. N/A	R=			None
c. N/A	R=			CF, Pstat

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Address of New Home: \_\_\_\_\_ City/FL Zip: Lake City,FL,32025



\*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

\*\*Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.

**FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION**

Florida Department of Business and Professional Regulation - Residential Performance Method

Project Name: Sellers Residence Street: City, State, Zip: Lake City, FL, 32025 Owner: Design Location: FL, Gainesville			Builder Name: Permit Office: Permit Number: Jurisdiction: County: Columbia(Florida Climate Zone 2)		
1. New construction or existing 2. Single family or multiple family 3. Number of units, if multiple family 4. Number of Bedrooms 5. Is this a worst case? 6. Conditioned floor area above grade (ft <sup>2</sup> ) Conditioned floor area below grade (ft <sup>2</sup> ) 7. Windows(390.0 sqft.) a. U-Factor: Sgl, U=0.55 SHGC: SHGC=0.50 b. U-Factor: N/A SHGC: SHGC: c. U-Factor: N/A SHGC: Area Weighted Average Overhang Depth: Area Weighted Average SHGC: 8. Skylights U-Factor:(AVG) N/A SHGC(AVG): N/A 9. Floor Types a. Slab-On-Grade Edge Insulation R= 0.0 b. N/A R= ft <sup>2</sup> c. N/A R= ft <sup>2</sup>		New (From Plans) Detached 1 4 No 2407 0 Description Area 390.00 ft <sup>2</sup> ft <sup>2</sup> ft <sup>2</sup> ft <sup>2</sup> 0.000 ft 0.500 Description Area N/A ft <sup>2</sup> ft <sup>2</sup> Insulation Area 2407.00 ft <sup>2</sup> ft <sup>2</sup> ft <sup>2</sup>		10. Wall Types(2158.3 sqft.) a. Frame - Wood, Exterior b. Frame - Wood, Adjacent c. N/A d. N/A 11. Ceiling Types(2407.0 sqft.) a. Under Attic (Vented) b. N/A c. N/A 12. Ducts, location & insulation level a. Sup: Attic, Ret: Attic, AH: Main b. c. 13. Cooling Systems a. Central Unit 14. Heating Systems a. Electric Heat Pump 15. Hot Water Systems a. Electric b. Conservation features 16. Credits	Insulation Area R=19.0 1958.30 ft <sup>2</sup> R=19.0 200.00 ft <sup>2</sup> R= ft <sup>2</sup> R= ft <sup>2</sup> Insulation Area R=30.0 2407.00 ft <sup>2</sup> R= ft <sup>2</sup> R= ft <sup>2</sup> R ft <sup>2</sup> 6 481.4 kBtu/hr Efficiency 30.8 SEER:16.00 kBtu/hr Efficiency 42.1 HSPF:8.90 Cap: 50 gallons UEF: 1.260 None CF, Pstat
Glass/Floor Area: 0.162		Total Proposed Modified Loads: 62.83 Total Baseline Loads: 63.42		PASS	
I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.			Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.		
PREPARED BY: _____ DATE: _____			BUILDING OFFICIAL: _____ DATE: _____		
I hereby certify that this building, as designed, is in compliance with the Florida Energy Code. OWNER/AGENT: _____ DATE: _____			 <p>The Great Seal of the State of Florida, featuring a central shield with a sun rising over water, a ship, and a Seminole Indian, surrounded by the text "THE GREAT SEAL OF THE STATE OF FLORIDA" and "IN GOD WE TRUST".</p>		

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Default duct leakage does not require a Duct Leakage Test Report.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires a PERFORMANCE envelope leakage test report with envelope leakage no greater than 5.00 ACH50 (R402.4.1.2).

**INPUT SUMMARY CHECKLIST REPORT****PROJECT**

Title:	Sellers Residence	Address type:	Street Address
Building Type:	User	Lot #:	---
Owner:	Conditioned Area:	Block/SubDivision:	---
Builder Name:	2407	PlatBook:	---
Permit Office:	Total Stories: 1	Street:	
Jurisdiction:	Worst Case: No	County:	Columbia
Family Type:	Rotate Angle: 0	City, State, Zip:	Lake City, FL, 32025
New/Existing:	Cross Ventilation: Whole House Fan:		
Year Construct:	Terrain: Suburban		
Comment:	Shielding: Suburban		

**CLIMATE**

✓ Design Location	Tmy Site	Design Temp	Int Design Temp	Heating	Design	Daily temp
		97.5%	2.5%	Winter	Degree Days	Range
FL, Gainesville	FL_GAINESVILLE_REGIONA	32	92	70	75	1305.5 51 Medium

**BLOCKS**

✓ Number	Name	Area	Volume
1	Block1	2407	24070

**SPACES**

✓ Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Finished	Cooled	Heated
1	Main	2407	24070	Yes	4	4	Yes	Yes	Yes

**FLOORS** (Total Exposed Area = 2407 sq.ft.)

✓ #	Floor Type	Space	Exposed Perim	Perimeter R-Value	Area	U-Factor	Joist R-Value	Tile	Wood	Carpet
1	Slab-On-Grade Edge Ins	Main	296	0	2407 ft	0.461	---	0.00	0.90	0.10

**ROOF**

✓ #	Type	Materials	Roof Area	Gable Area	Roof Color	Rad Barr	Solar Absor.	SA Tested	Emiss	Emiss Tested	Deck Insul.	Pitch (deg)
1	Gable or shed	Composition shingles	2787 ft <sup>2</sup>	702 ft <sup>2</sup>	Medium	N	0.96	No	0.9	No	5	30.26

**ATTIC**

✓ #	Type	Ventilation	Vent Ratio (1 in)	Area	RBS	IRCC
1	Full attic	Vented	300	2407 ft <sup>2</sup>	N	N

**CEILING** (Total Exposed Area = 2407 sq.ft.)

✓ #	Ceiling Type	Space	R-Value	Ins. Type	Area	U-Factor	Framing Frac.	Truss Type
1	Under Attic(Vented)	Main	30.0	Blown	2407.0ft <sup>2</sup>	0.030	0.11	Wood

**INPUT SUMMARY CHECKLIST REPORT****WALLS**

(Total Exposed Area = 2158 sq.ft.)

✓ #	Ornt	Adjacent To	Wall Type	Space	Cavity R-Value	Width Ft	Width In	Height Ft	Height In	Area sq.ft.	U-Factor	Sheath R-Value	Frm. Frac.	Solar Absor.	Below Grade
— 1	S	Exterior	Frame - Wood	Main	19.0	44.0	4	10.0	0	443.3	0.061	0.23	0.75	0 %	
— 2	S	Garage	Frame - Wood	Main	19.0	20.0	0	10.0	0	200.0	0.061	0.23	0.75	0 %	
— 3	W	Exterior	Frame - Wood	Main	19.0	45.0	1	10.0	0	450.8	0.061	0.23	0.75	0 %	
— 4	N	Exterior	Frame - Wood	Main	19.0	64.0	4	10.0	0	643.3	0.061	0.23	0.75	0 %	
— 5	E	Exterior	Frame - Wood	Main	19.0	42.0	1	10.0	0	420.8	0.061	0.23	0.75	0 %	

**DOORS**

(Total Exposed Area = 144 sq.ft.)

✓ #	Ornt	Adjacent To	Door Type	Space	Storms	U-Value	Width Ft	Width In	Height Ft	Height In	Area
— 1	S	Exterior	Insulated	Main	None	0.46	3.00	0	8.00	0	24.0ft <sup>2</sup>
— 2	S	Exterior	Insulated	Main	None	0.46	6.00	0	8.00	0	48.0ft <sup>2</sup>
— 3	S	Garage	Insulated	Main	None	0.46	3.00	0	8.00	0	24.0ft <sup>2</sup>
— 4	N(Front)	Exterior	Insulated	Main	None	0.46	6.00	0	8.00	0	48.0ft <sup>2</sup>

**WINDOWS**

(Total Exposed Area = 390 sq.ft.)

✓ #	Ornt	Wall ID	Frame	Panes	NFRC	U-Factor	SHGC	Imp	Storm	Total Area (ft <sup>2</sup> )	Same Units	Width (ft)	Height (ft)	--Overhang-- Depth (ft)	Interior Shade	Screen
— 1	S	1	Vinyl	Low-E Single	Y	0.55	0.50	N	N	105.0	7	3.00	5.00	0.0	0.0	Drapes/blinds
— 2	W	3	Vinyl	Low-E Single	Y	0.55	0.50	N	N	75.0	5	3.00	5.00	0.0	0.0	Drapes/blinds
— 3	N	4	Vinyl	Low-E Single	Y	0.55	0.50	N	N	180.0	10	3.00	6.00	0.0	0.0	Drapes/blinds
— 4	E	5	Vinyl	Low-E Single	Y	0.55	0.50	N	N	30.0	2	3.00	5.00	0.0	0.0	Drapes/blinds

**INFILTRATION**

✓ #	Scope	Method	SLA	CFM50	ELA	EqLA	ACH	ACH50	Space(s)
— 1	Wholehouse	Proposed ACH(50)	0.00032	2006	110.05	206.60	0.1071	5.0	All

**GARAGE**

✓ #	Floor Area	Roof Area	Exposed Wall Perimeter	Avg. Wall Height	Exposed Wall Insulation
— 1	624 ft <sup>2</sup>	624 ft <sup>2</sup>	64 ft	8 ft	1

**MASS**

✓ #	Mass Type	Area	Thickness	Furniture Fraction	Space
— 1	Default(8 lbs/sq.ft.)	0 ft <sup>2</sup>	0 ft	0.30	Main

**HEATING SYSTEM**

✓ #	System Type	Subtype/Speed	AHRI #	Efficiency	Capacity kBtu/hr	---Geothermal	HeatPump----	Ducts	Block
					Entry	Power	Volt	Current	
— 1	Electric Heat Pump	Split/Single		HSPF: 8.90	42.1	0.00	0.00	0.00	sys#1 1

**INPUT SUMMARY CHECKLIST REPORT****COOLING SYSTEM**

✓ #	System Type	Subtype/Speed	AHRI #	Efficiency	Capacity kBtu/hr	Air Flow cfm	SHR	Duct	Block
___ 1	Central Unit	Split/Single		SEER:16.0	30.8	930	0.85	sys#1	1

**HOT WATER SYSTEM**

✓ #	System Type	Subtype	Location	EF(UEF)	Cap	Use	SetPnt	Fixture Flow	Pipe Ins.	Pipe length
___ 1	Electric	Heat Pump	Garage	0.92 (1.26)	50.00 gal	70 gal	120 deg	Standard	None	99
	Recirculation System	Recirc Control Type	Loop length	Branch length	Pump power	DWHR	Facilities Connected	Equal Flow	DWHR Eff	Other Credits
___ 1	No		NA	NA	NA	No	NA	NA	NA	None

**DUCTS**

✓ Duct #	Supply Location	R-Value	Area	Return Location	R-Value	Area	Leakage Type	Air Handler	CFM 25 TOT	CFM 25 OUT	QN	RLF	HVAC # Heat Cool
___ 1	Attic	6.0	481 ft <sup>2</sup>	Attic	6.0	120 ft <sup>2</sup>	Default Leakage	Main	(Default)	(Default)			1 1

**MECHANICAL VENTILATION**

✓ Type	Supply CFM	Exhaust CFM	HRV	Fan	Run Time	Heating System	Cooling System
___ Fans/ERV	0.0	50.0	0.0	20.0 W	3 %	1 - Electric Heat Pump	1 - Central Unit

**TEMPERATURES**

Programable Thermostat: Y				Ceiling Fans: N											
Cooling	[ ] Jan	[ ] Feb	[ ] Mar	[ ] Apr	[ ] May	[X] Jun	[X] Jul	[X] Aug	[X] Sep	[ ] Oct	[ ] Nov	[ ] Dec			
Heating	[X] Jan	[X] Feb	[X] Mar	[X] Apr	[ ] May	[ ] Jun	[ ] Jul	[ ] Aug	[ ] Sep	[ ] Oct	[X] Nov	[X] Dec			
Venting	[ ] Jan	[ ] Feb	[X] Mar	[X] Apr	[ ] May	[ ] Jun	[ ] Jul	[ ] Aug	[ ] Sep	[X] Oct	[X] Nov	[ ] Dec			
✓ Thermostat Schedule: HERS 2006 Reference															
Schedule Type		1	2	3	4	5	6	7	8	9	10	11	12	Hours	
___ Cooling (WD)		AM	78	78	78	78	78	78	78	80	80	80	80	78	78
		PM	80	80	78	78	78	78	78	78	78	78	78	78	78
___ Cooling (WEH)		AM	78	78	78	78	78	78	78	78	78	78	78	78	78
		PM	78	78	78	78	78	78	78	78	78	78	78	78	78
___ Heating (WD)		AM	66	66	66	66	66	66	66	68	68	68	68	68	68
		PM	68	68	68	68	68	68	68	68	68	68	68	68	68
___ Heating (WEH)		AM	66	66	66	66	66	66	66	68	68	68	68	68	68
		PM	68	68	68	68	68	68	68	68	68	68	68	68	68