

DATE 03/10/2008

Columbia County Building Permit

PERMIT

This Permit Must Be Prominently Posted on Premises During Construction

000026829

APPLICANT SHIRLEY BENNETT PHONE 288-2428
ADDRESS 3104 SW OLD WIRE RD FT. WHITE FL 32038
OWNER CLYDIE WHEELER PHONE 752-1234
ADDRESS 282 SE OPAL WAY LAKE CITY FL 32055
CONTRACTOR ROBERT SHEPPARD PHONE 623-2203

LOCATION OF PROPERTY 90E, TR ON SR 100, TR ON PRICE CREEK RD, TR ON PLANT ST, TL
ON OPAL WAY, LAST PROPERTY ON RIGHT, CORNER OF OPAL/FAYE

TYPE DEVELOPMENT MH, UTILITY ESTIMATED COST OF CONSTRUCTION 0.00

HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES

FOUNDATION WALLS ROOF PITCH FLOOR

LAND USE & ZONING RR MAX. HEIGHT

Minimum Set Back Requirments: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00

NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 03-4S-17-07570-091 SUBDIVISION SUZANNE

LOT 17 BLOCK PHASE UNIT TOTAL ACRES

IH0000833

Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor

EXISTING 08-209 CS JH N

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, EXISTING MH MUST BE REMOVED

Check # or Cash 2671

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by

Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by

Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by

Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by

Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by

M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by

Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by

M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00

MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$

FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 375.00

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGRESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

CK# 2671

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 11-30-07) Zoning Official aps 3/5/08 Building Official OK JTH 3-5-08

AP# 0803-06 Date Received 3/4/08 By G Permit # 26829

Flood Zone X Development Permit — Zoning RR Land Use Plan Map Category RVLD

Comments Existing MH to be removed

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

☒ Site Plan with Setbacks Shown ☒ EH # 08-0216-MD ☐ EH Release ☐ Well letter ☒ Existing well

☒ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from installer

☐ State Road Access ☐ Parent Parcel # _____ ☐ STUP-MH _____

☐ Unincorporated area ☐ Incorporated area ☐ Town of Fort White ☐ Town of Fort White Compliance letter

Property ID # 03-45-17-07570-091 Subdivision Suzanne Unit 3 Lot 17

- New Mobile Home ☒ Used Mobile Home _____ Year 2008
- Applicant Wendy Grennell Phone # 386-298-2424
- Address 3104 S.W. Old Wire Rd Ft White FL 32024
- Name of Property Owner Clydie Wheeler Phone # WK: 386-752-1234
hm: 386-365-2154
- 911 Address 282 S.E. Opal Way Lake City FL 32055
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy

- Name of Owner of Mobile Home Clydie Wheeler Phone # 386-365-2154
- Address 282 S.E. Opal Way Lake City, FL 32055
- Relationship to Property Owner SAME

- Current Number of Dwellings on Property 1 to be replaced
- Lot Size 204 x 97.5 Total Acreage _____


- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

- Is this Mobile Home Replacing an Existing Mobile Home Yes (Pd)
- Driving Directions to the Property go west on Price Creek Rd / CR 245
turn (R) to Plant St (R) to Opal Way turn (L)
last property on (R) at corner of Opal + Faye


- Name of Licensed Dealer/Installer Robert Sheppard Phone # 386-623 2203
- Installers Address 6355 S.E. City Rd 245 Lake City FL 32025
- License Number IH 0000833 Installation Decal # 278547

Spoke to Wendy 3/5/08

SITE PLAN EXAMPLE / WORKSHEET



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them. Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.



COMMENCE AT THE SOUTHWEST CORNER OF THE NE ¼ OF SECTION 5, TOWNSHIP 4, SOUTH, RANGE 17, EIGHTH PRINCIPAL MERIDIAN, OKLAHOMA COUNTY, FLORIDA, AND RUN N 48° 28' W, 28.76 FEET TO SAID WEST CORNER, THENCE CONTINUE N 48° 28' W ALONG SAID WEST CORNER, 161.49 FEET TO POINT OF BEGINNING, THENCE CONTINUE N 24° 48' E, 78.28 FEET TO SAID NE ¼ CORNER, THENCE CONTINUE N 24° 48' E, 109.00 FEET TO THE LAST LINE OF THE SW ¼ OF SECTION 5, THENCE CONTINUE N 24° 48' E, 109.00 FEET TO THE EAST LINE OF THE SW ¼ OF SECTION 5, THENCE CONTINUE N 24° 48' E, 109.00 FEET TO THE SOUTH LINE OF SAID NE ¼, THENCE CONTINUE N 24° 48' E, 109.00 FEET TO THE POINT OF BEGINNING.

KNOW ALL MEN BY THESE PRESENTS THAT LENVIL H. DICKS, AS OWNER, HAS CAUSED THE LANDS HEREIN DESCRIBED TO BE SURVEYED, LAID OUT, SUBDIVIDED AND PLATTED TO BE KNOWN AS "SUZANNE SUBDIVISION - UNIT 3", AND THAT THE ROADS AND EASEMENTS ARE HEREBY DEDICATED TO THE PUBLIC.

DATE 7/27/78

WITNESS David J. McDowell

STATE OF FLORIDA
COUNTY OF COLUMBIA
ON THIS 20th DAY OF JULY, A.D. 1978, THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED
BEFORE ME BY LENNIE H. DICKS.

SURVEYOR'S CERTIFICATE:

I HEREBY CERTIFY THAT THIS PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE LANDS SURVEYED AND SHOWN HEREON, THAT THE SURVEY WAS MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION, THAT PERMANENT REFERENCE MONUMENTS AND PERMANENT CONTROL POINTS HAVE BEEN PLACED AS SHOWN, AND THAT THE SURVEY DATA SHOWS HEREON COMPLES WITH ALL THE REQUIREMENTS OF CHAPTER 177, FLORIDA STATUTES.

SIGNED W.C. Hale
W.C. HALE, LAND SURVEYOR
FLORIDA CERTIFICATE NO. 1519

I HEREBY CERTIFY THAT I HAVE EXAMINED THE FOREGOING PLAT AND THAT IT COMPLIES IN FORM WITH THE REQUIREMENTS OF CHAPTER 177, FLORIDA STATUTES,

SIGNED Donald J. Papp
COUNTY ATTORNEY

APPROVED BY THE BOARD OF COUNTY COMMISSIONERS
COLUMBIA COUNTY, FLORIDA:

SIGNED Martha Mann CHAIRMAN
ATTEST Myra S. Quinn CLERK


DATE August 1, 1978

CERTIFICATE OF THE CLERK:

I HEREBY CERTIFY THAT THE FOREGOING PLAT, HAVING BEEN DULY APPROVED BY THE BOARD OF COUNTY COMMISSIONERS OF COLUMBIA COUNTY, FLORIDA, WAS ACCEPTED BY ME AND FILED FOR RECORD THIS 30 DAY OF MARCH, A.D. 1978, IN PLAT BOOK 4, PAGE 25, OF THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA.

SENDER
Mary A. Chide
CLERK OF CIRCUIT COURT
COLUMBIA COUNTY, FLORIDA

FILE NO. 72-6814
RECORDED
BOOK 4 PAGE 92
BIB AUG-3 AM 11:3
May S. Buis
CLERK OF CIRCUIT COURT
CHESAPEAKE COUNTY, VIRGINIA



Columbia County Property Appraiser

DB Last Updated: 1/15/2008

2008 Proposed Values

Tax Record

Property Card

Interactive GIS Map

Print

Parcel: 03-4S-17-07570-091 HX

Owner & Property Info

Owner's Name	WHEELER FREDDIE PAUL & CLYDIE		
Site Address	OPAL		
Mailing Address	MAE 282 SE OPAL WAY LAKE CITY, FL 32025		
Use Desc. (code)	MOBILE HOM (000200)		
Neighborhood	3417.02	Tax District	2
UD Codes	MKTA06	Market Area	06
Total Land Area	0.000 ACRES		
Description	LOT 17 SUZANNE S/D UNIT 3.		

<< Prev Search Result: 14 of 34 Next >>

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (2)	\$20,750.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (1)	\$13,412.00
XFOB Value	cnt: (1)	\$450.00
Total Appraised Value		\$34,612.00

Just Value	\$34,612.00
Class Value	\$0.00
Assessed Value	\$24,715.00
Exempt Value	(code: HX) \$24,715.00
Total Taxable Value	\$0.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale Vlmp	Sale Qual	Sale RCode	Sale Price
5/1/1982	527/540	WD	V	Q		\$7,100.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	MOBILE HME (000800)	1980	Alum Siding (26)	1433	1713	\$13,412.00
Note: All S.F. calculations are based on exterior building dimensions.						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0040	BARN,POLE	0	\$450.00	1.000	23 x 37 x 0	(.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000102	SFR/MH (MKT)	1.000 LT - (.000AC)	1.00/1.00/1.00/1.00	\$20,000.00	\$20,000.00
009947	SEPTIC (MKT)	1.000 UT - (.000AC)	1.00/1.00/1.00/1.00	\$750.00	\$750.00

Columbia County Property Appraiser

DB Last Updated: 1/15/2008

>> Print as PDF <<

LOT 17 SUZANNE S/D UNIT 3. WHEELER FREDDIE PAUL & CLYDIE 03-4S-17-07570-091 Columbia Cou
 MAE
 282 SE OPAL WAY
 LAKE CITY, FL 32025
 PRINTED 1/15/2008 17:40
 APPR 3/31/2005 TW

BUSE 000800 MOBILE HME	AE? Y	1433 HTD AREA	109.900 INDEX	3417.02 SUZANNE	PUSE 000:
MOD 2 MOBILE HME BATH	2.00	1503 EFF AREA	30.772 E-RATE	100.000 INDX	STR 3- 4S- 17
EXW 26 ALM SIDING FIXT		46250 RCN		1980 AYB	MKT AREA 06
% N/A BDRM	4	29.00 %GOOD	13,412 B BLDG VAL	1980 EYB	(PUD1
RSTR 03 GABLE/HIP RMS		FIELD CK:			AC
RCVR 01 MINIMUM UNITS		LOC: 282 OPAL WAY SE			NTCD
% N/A C-W%					APPR CD
INTW 04 PLYWOOD HGHT					CNDO
% N/A PMTR					SUBD
FLOR 14 CARPET STYS	1.0		+-----15---+		BLK
10% 08 SHT VINYL ECON			IBAS1993 I		LOT
HTPW 04 AIR DUCTED FUNC			I 1		MAP#
A/C 03 CENTRAL SPCD			2 2		HX
QUAL 05 05 DEPR 09			0 +--8+--+		TXDT 002
			I 8UOP1993		
FNDN N/A UD-1 N/A			I I I		
SIZE N/A UD-2 N/A			+-----36-----+--10+5+--+		BLDG TRA
CEIL N/A UD-3 N/A			IBAS1993		BAS1993=W36 S23 E15 UOP
ARCH N/A UD-4 N/A			I		36 N23 UOP1993=E3 N8 W8:
FRME 01 NONE UD-5 N/A			I		8 E5 N12 W15 S20 E10\$ 1
KTCH 01 01 UD-6 N/A			2		
WINDO N/A UD-7 N/A			3		
CLAS N/A UD-8 N/A			I		
OCC N/A UD-9 N/A			I		
COND 03 03 % N/A			I		
SUB A-AREA % E-AREA SUB VALUE			+-----15---+-----27-----+-----+		PERMIT:
BAS93 1433 100 1433 12787			8UOP1993 8		NUMBER DESC
UOP93 280 25 70 625			I I		
			+-----27-----+		SALE
					BOOK PAGE DATE
					527 540 5/01/198:
					GRANTOR
					GRANTEE
					GRANTOR
					GRANTEE

TOTAL 1713 1503 13412																	
EXTRA FEATURES																	
AE BN CODE	DESC	LEN	WID	HGHT	QTY	QL	YR	ADJ	UNITS	UT	PRICE	ADJ	UT	PR	SPCD	%	
Y 0040	BARN, POLE	23	37		1	0000	1.00		1.000	UT	450.000		450.000			1	
LAND DESC ZONE ROAD {UD1 {UD3 FRONT DEPTH FIELD CK:																	
AE CODE	TOPO	UTIL	{UD2 {UD4 BACK DT	ADJUSTMENTS													
Y 000102 SFR/MH	00			1.00 1.00 1.00 1.00	UNITS UT PRICE ADJ UT P												
Y 009947 SEPTIC	00			1.00 1.00 1.00 1.00	1.000 LT 20000.000 20000.0												
B001 - BELMONT MH					1.000 UT 750.000 750.0												
2008																	


PERMIT NUMBER

Installer Robert Sheppard License # JH 0000833
 Address of home being installed 282 SE Opel way
Lake City FL 32057
 Manufacturer Live Dat Length x width 32x72

NOTE: if home is a single wide fill out one half of the blocking plan
 if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
 where the sidewall ties exceed 5 ft 4 in.

Installer's initials RS



PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*
1000 psf	3'	4'	4'	5'	6'	7'
1500 psf	4'	6'	6'	7'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'
2500 psf	7'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x22

Perimeter pier pad size 17x22

Other pier pad sizes (required by the mfg.) 17x22

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size.

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer oliver 1101 v

OTHER TIES

Nu

Sidewall

Longitudinal

Marriage wall

Shearwall

POPULAR PADS

Pad Size
16 x 16
16 x 18
18.5 x 18.5
16 x 22.5
17 x 22
13 1/4 x 26 1/4
20 x 20
17 3/16 x 25 3/16
17 1/2 x 25 1/2
24 x 24
26 x 26

ANCHORS

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

x 1600 x 1700

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1700 x 1700

TORQUE PROBE TEST

The results of the torque probe test is 295 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb. holding capacity.

RS Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Robert Sheppard

Date Tested

1-15-08

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 29

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 28

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 28

Site Preparation

Debris and organic material removed ☒ Swale ☒ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: 1ag5 Length: 5" Spacing: 16" Walls: Type Fastener: screws Length: 4" Spacing: 16" Roof: Type Fastener: 1ag5 Length: 6" Spacing: 16" For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

RS Installer's initials

Type gasket Pg. 28 Foam

Installed:

Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg. 22 Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water. Yes


Miscellaneous

Skirting to be installed. Yes ☒ No ☐ Dryer vent installed outside of skirting. Yes ☒ Range downflow vent installed outside of skirting. Yes ☒ Drain lines supported at 4 foot intervals. Yes ☒ Electrical crossovers protected. Yes ☒ Other: N/A

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Robert Sheppard Date 1-16-08



[Hatched Box] MARRIAGE LINE OPENING SUPPORT PIERTYP.
 [Hatched Box] SUPPORT PIERTYP

11/29/07

FOUNDATION NOTES:
 • THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
 • FOOTINGS ARE SHOWN FOR EXAMPLE ONLY QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONDITION, ETC.
 • FOOTINGS ARE REQUIRED AT SUPPORT POSTS, SEE INSTALLATION MANUAL FOR REQUIREMENTS.

- | | |
|------------------------------|---|
| (A) MAIN ELECTRICAL | (G) DUCT CROSSOVER |
| (B) ELECTRICAL CROSSOVER | (H) SEWER DROPS |
| (C) WATER INLET | (I) RETURN AIR (W/OPT. HEAT PUMP OH DUCT) |
| (D) WATER CROSSOVER (IF ANY) | (J) SUPPLY AIR (W/OPT. HEAT PUMP OH DUCT) |
| (E) GAS INLET (IF ANY) | |
| (F) GAS CROSSOVER (IF ANY) | |

Live Oak Homes
MODEL: L-3684A - 32 X 68
4-BEDROOM / 2-BATH

L-3684A

Wendy Grennell - Permit Services

3104 S W Old Wire Rd

Ft White, FL 32038

Wendy Grennell Owner

386-288-2428 Cell

386-466-1866 Office / Fax

MOBILE HOME INSTALLER LIMIT POWER OF ATTORNEY

I, Robert D. Shepard, license number IH 0000833 authorize Wendy Grennell or Shirley Bennett to be my representative and act on my behalf in all aspects of applying for and obtaining a mobile home permit, along with any license registration necessary, to be placed on the following described property. Property located in

Columbia County, State of Florida.

Mobile Home Owner Name: Clydie Wheeler

Property Owner Name: Clydie Wheeler

911 Address: 282 SE Opal Way City Lake City

Sec: 03 Twp: 45 Rge: 17 Tax Parcel # 07570-091

Signed: Robert Shepard
Mobile Home Installer


Sworn to and described before me this 31 day of January 2008

Paula K. Ionescu-Adams
Notary public

Paula K. Ionescu-Adams
Notary Name

Personally known

DL ID ✓



Wendy Grennell - Permit Services

3104 S W Old Wire Rd

Ft White, FI 32038

Wendy Grennell Owner

386-288-2428 Cell

386-466-1866 Office / Fax

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction, of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150

I, Robert D. Shepard, license number IH 0000833 state that the installation of the manufactured home for owner Chad Wheeler at _

911 Address: 282 SE Opal Way City Lake City

will be done under my supervision.

Signed: Robert D. Shepard
Mobile Home Installer


Sworn to and described before me this 31 day of January 2008

Paula K. Ionescu-Adams
Notary public

Paula K. Ionescu-Adams
Notary Name

Personally known _____

DL ID ✓



COLUMBIA COUNTY FLORIDA

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 03-4S-17-07570-091

Building permit No. 000026829

Permit Holder ROBERT SHEPPARD

Owner of Building CLYDIE WHEELER

Location: 282 SE OPAL WAY, LAKE CITY, FL

Date: 03/18/2008



Tony Dick ✓

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)