



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd, Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Donald Binetti
195 sw okaloosa glen
Lake city, FL 32024
H: (813)455-0677
C: (813)245-1290

ID#	ROOM	SIZE	DETAILS
-----	------	------	---------

Entry door, Provia Door, Quantity 1, Unit size 35 9/16 x 81 11/16

Construction: , ProVia Entry , Door (Single Panel 6'8") (1) **Material:** , None

PRODUCTS: 12 WINDOWS: 9 PATIO DOORS: 1 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 2


Updated 11/30/23

JOB NOTES

A crew 1 day b crew 2 days
ProVia entry door
Bring 2x4 as potential termite damage
Drywall return
Brick exterior
Curtains present
Replace marble sills for gliders if they break

Estimated Duration: 2 days

FLOORPLAN - 1ST FLOOR



UNIT NOTES

Unit size 35 9/16 x 81 11/16

- 101** Replace marble sill if broken on removal.
Carrera 97.5"
Drywall return
- 102** Replace marble sill if broken on removal.
Carrera 73"
Drywall return
- 107** Pad top and sides with 1/2 inch pads to fit standard door

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Donald Binetti
195 sw okaloosa glen
Lake city, FL 32024
H: (813)455-0677
C: (813)245-1290

ID#	ROOM	SIZE		DETAILS
JOB				
101	Living	97" 97-1/8"	49" 48-1/2"	Window: , Gliding, Triple, 1:2:1, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 30 DP Rating: + 30 / - 30 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , Interior synthetic marble sill (per opening) (1) Material: , F-Trim, (12 ft), White , (3), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (1)
102	Bedroom 1	72" 72-5/8"	36" 36-1/8"	Window: , Gliding, Double, 1:1, Passive / Active, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 30 DP Rating: + 30 / - 30 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , Interior synthetic marble sill (per opening) (1) Material: , F-Trim, (12 ft), White , (2), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (1)
103	Bedroom 1	36" 35-1/2"	37" 36-1/2"	Window: , Awning, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: ,



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Donald Binetti
195 sw okaloosa glen
Lake city, FL 32024
H: (813)455-0677
C: (813)245-1290

ID#	ROOM	SIZE		DETAILS
				None Construction: , None Material: , 2.25" x 5/8" L-Trim, (12 ft), White , (2), Interior Caulk- White (5), Caulk - White Exterior , (5), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (1)
104	Bedroom 2	36" 35-5/8"	37" 36-1/2"	Window: , Awning, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , 2.25" x 5/8" L-Trim, (12 ft), White , (2), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
105	Bedroom 2	36" 35-5/8"	37" 36-3/8"	Window: , Awning, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , 2.25" x 5/8" L-Trim, (12 ft), White , (2), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
106	Kitchen	36" 35-5/8"	37" 36-3/8"	Window: , Awning, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 40



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Donald Binetti
195 sw okaloosa glen
Lake city, FL 32024
H: (813)455-0677
C: (813)245-1290

ID#	ROOM	SIZE		DETAILS
				DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , 2.25" x 5/8" L-Trim, (12 ft), White , (2), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
107	Living	70-1/2 "	79-1/2 "	Patio Door: , Gliding, 200 Series Perma-Shield, 2 Panel, Active / Stationary, Clear Andodize Sill, Exterior White, Interior White Performance Calculator: , PG Rating: 25 DP Rating: + 25 / - 25 Glass: , All Sash: Tempered High Perf. SmartSun Glass Hardware: , Albany, White, Exterior Keyed Lock, Auxiliary Foot Lock Color Matched Screen: , No Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , Power Grab Adhesive (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
108b	Office	37 "	36 "	Window: , Awning, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , 2.25" x 5/8" L-Trim, (12 ft), White , (2),
		36 "	36-1/4 "	



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Donald Binetti
195 sw okaloosa glen
Lake city, FL 32024
H: (813)455-0677
C: (813)245-1290

ID#	ROOM	SIZE		DETAILS
				Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
108a	Office	37" 36"	36" 36-1/4"	Window: , Awning, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , 2.25" x 5/8" L-Trim, (12 ft), White , (2), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
110	Primary Bedroom	73" 72-5/8"	37" 36-3/8"	Window: , Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 35 DP Rating: + 35 / - 35 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , Interior synthetic marble sill (per opening) (1) Material: , Glider Clips (8), F-Trim, (12 ft), White , (2), Interior Caulk- White (1), Caulk - White Exterior , (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), 3.25" X 3/16" Tap-Con (Masonry) (0.25), Foam: Low Expansion Polyurethane (1), Flashing Tape (0.5)
		0"	0"	Misc: , Misc, Entry door, Provia Door, Quantity 1 Construction: , None Material: , None (Storm Door Installed on Entry Door.)
	entry	0"	0"	Misc: , Misc,