


DIMENSIONS ON STRUCTURAL SHEETS ARE NOT EXACT. REFER TO ARCHITECTURAL FLOOR PLAN FOR ACTUAL DIMENSIONS

> — 6"X6" W1.4XW1.4 W.W.M. PLACED AT 2" DEPTH ON CHAIRS OR FIBERMESH CONCRETE -4" CONCRETE SLAB 3000 - PSI AT 218 DAYS 6 MIL VAPOR IBARRIER WITH 6" LAPS; SEALED WITH POLY TAPE TERMITE TREATED COMPACTED FILL

> > (2) #5 CONTINUOUS

MONOLITHIC FOOTING S-2 SCALE: 1/2" = 1'-0"



HEADER LEGEND

STRUCTURAL PLAN SCALE: 1/4" = 1'-0"

STRUCTURAL PLAN NOTES

SN-1 ALL LOAD BEARING FRAME WALL & PORCH HEADERS SHALL BE A MINIMUM OF (2) 2X12 SYP #2 (U.N.O.)

SN-2 ALL LOAD BEARING FRAME WALL HEADERS SHALL HAVE (1) JACK STUD & (1) KING STUD EACH SIDE (U.N.O.)

DIMENSIONS ON STRUCTURAL SHEETS SN-3 ARE NOT EXACT. REFER TO ARCHITECTURAL FLOOR PLAN FOR ACTUAL DIMENSIONS

PERMANENT TRUSS BRACING IS TO BE INSTALLED AT LOCATIONS AS SHOWN ON THE SEALED TRUSS DRAWINGS. SN-4 LATERAL BRACING IS TO BE RESTRAINED PER BCSI1-03, BCSI-B1, BCSI-B2, & BCSI-B3. BCSI-B1, BCSI-B2, & BCSI-B3 ARE FURNISHED BY THE TRUSS SUPPLIER, WITH THE SEALED

WALL LEGEND

HEADER/BEAM CALL-OUT (U.N.O.)	EXTERIOR WALL
NUMBER OF KING STUDS (FULL LENGTH)	
NUMBER OF JACK STUDS (UNDER HEADER)	INTERIOR NON LOAD READING WALL
SPAN OF HEADER	 INTERIOR NON-LOAD BEARING WALL
SIZE OF HEADER MATERIAL	
NUMBER OF PLIES IN HEADER	INTERIOR LOAD BEARING WALL w/ NO UPLIFT
	INTERIOR LOAD BEARING WALL w/ UPLIFT

TOTAL SHEAR WALL SEGMENTS INDICATES SHEAR WALL SEGMENTS

	REQUIRED	ACTUAL	
RANSVERSE	31.1'	39.0'	
ONGITUDINAL	16.0'	65.0'	

SOFTPIAN ARCHITECTURAL DESIGN SOFTWARE

REVISIONS

WINDLOAD ENGINEER: Mark Disosway, PE No.53915, POB 868, Lake City, FL 32056, 386-754-5419

Stated dimensions supercede scaled dimensions. Refer all questions to Mark Disosway, P.E. for resolution. Do not proceed without clarification.

COPYRIGHTS AND PROPERTY RIGHTS:
Mark Disosway, P.E. hereby expressly reserves
its common law copyrights and property right in
these instruments of service. This document is
not to be reproduced, altered or copied in any
form or manner without first the express written
permission and consent of Mark Disosway.

CERTIFICATION: I hereby certify that I have examined this plan, and that the applicable portions of the plan, relating to wind engineering comply with section R301.2.1, florida building code residential 2007, to the best of my knowledge.

LIMITATION: This design is valid for one building, at specified location.



Stanley Crawford Construction

Jones

ADDRESS: Columbia County, Florida

Mark Disosway P.E. P.O. Box 868 Lake City, Florida 32056 Phone: (386) 754 - 5419 Fax: (386) 269 - 4871

PRINTED DATE: March 07, 2012

STRUCTURAL BY DRAWN BY: David Disosway

FINALS DATE: 7Mar12

JOB NUMBER: 1203022

S-2

DRAWING NUMBER

OF 2 SHEETS