


EXISTING TRUSSED OR CONVENTIONAL FRAMED RAFTER #8 x 1/2" S.M.S. @ 8"O.C. BOTH SIDES #10 x 1 1/2" S.M.S. OR **NEW ROOF PANEL** WOOD SCREW (2) PER-RAFTER OR TRUSS TAIL EXISTING FASCIA BD.


ROOF PANEL TO FASCIA DETAIL

SCALE: N.T.S.



ROOF PANEL TO WALL DETAIL


SCALE: N.T.S.



ALT. COMPOSITE ROOF PANEL TO WALL DETAIL

SCALE: N.T.S.


ROOF PANEL TO BM. DETAIL




(4) 1/4 " LAGS PER PANEL ON BEARING SIDE 6" FROM ENDS NO GREATER THEN 24"O.C.


1/4 " @ 24"O.C. ON NON BEARING SIDE

ACRYLIC, VINYL & SCREEN RMS





TYP. UPRIGHT DET.



VASD =124 MPH
NDWARD SURFACE 49 PSF
LEEWARD SURFACE 39 PSF
SCREEN UPLIFT 14 PSF
GOLID SURFACE UPLIFT 41 PSF



This item has been digitally signed and sealed by [Tomas Ponce PE, FL # 0050068], on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

(2) #10 x 1 1/2"S.M.S. IN SCREW BOSSES OR EXTERNAL OR INTERNAL CLIP WITH (4) #10 x 1/2"

ATTACHED TO 1 x 2 WITH (4) -#10 x 1 1/2" S.M.S. SCREWS IN SCREW BOSSES OR EXTERNAL OR INTERNAL CLIP WITH (4) #10 x 1 1/2" S.M.S.

EXTRUSION

.044

.044

.044

.045

.045

1 x 2 HOLLOW

1 x 3 HOLLOW

2 x 2 HOLLOW

2 x 3 HOLLOW

2 x 4 HOLLOW

2 x 5 HOLLOW

1 x 2, 1 x 3 TO FRONT POST WITH -#10 x 1 1/2" S.M.S. WITHIN 6" FROM END NO GREATER THEN 24" O.C. 1" MIN. FROM EDGE OF SLAB SEE PLAN FOR-**FOUNDATION**

TYP. & ALTERNATE CORNER DET.

SCALE: N.T.S.





218 SW CADENCE GLEN LAKE CITY, FL 32024