

Revised 3/15/12

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2010 FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHINICAL CODE, FLORIDA FUEL. AND GAS CODE 2010 EFFECTIVE 15 MARCH 2012 AND 2008 NATIONAL ELECTRICAL

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

COMMERCIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609-A THROUGH 1609-C ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

	GENERAL-REQUIREMENTS:	C	to Incl Box she ircled a oplicabl	ill be s
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void	(YES)	NO	N/A
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	(YES)	NO	N/A
3	The design professional signature shall be affixed to the plans	YES)	NO	ΝA
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	(YES)	NO	N/A

Two (2) complete sets of plans containing the following information

	Building Site Plan Requirements	Laci C	Box s) ircled oplical	ole
4	Parking, including provision Florida Building Code Accessibility Code	(Y X \$)	No	(N/A')
5	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	INA
6	Driving/turning radius of parking lots	Yes	No	(N/A)
7	Vehicle loading include truck dock loading or rail site loading	Yes	No	(N/A)
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	(N/A)
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all	Yes	No	/N/AS
	separation including assumed property lines			Same
	Location of specific tanks (above or under grown, water lines and sewer lines and septic tank and		***************************************	pingerition.
10	dram fields	Yes	No	(N/A)
11	All structures exterior views include finished floor elevation	Yes	No	DNW
12	Total height of structure(s) form established grade	Yes	No	(N/A)
	Review required by the Columbia County Fire Department Items 13 th 43			
8	Occupancy / Group Gr	Group		iroup
	group use A B F F H I M R	S	1	O
l.	circle all			
	HSCS CONTROL OF THE PROPERTY O		T.L.	16576
13	Special occupancy requirements.	Yes	Na	WW,
14	Incidental use areas (total square footage for each room of use area)	Yes	No	N/A/
15	Mixed occupancies	Yes	No	0/0
16	REQUIRED SEPARATION OF OCCUPANCIES IN HOURS FBC TABLE 707.3 9	Yes)	No	N/A
	Minimum type of permitted construction by code for occupancy use circle the construction	typenu	C 007	
17	Type I Type II Type III Type IV Type V	<u>t</u>	بعضائه	1
Luciania			waite y	
********	Fire-resistant construction requirements shall be shown, include the following compo	ients	T 57	T 3773
18	Fire-resistant separations	(Yes) (Yes)	No	N/A
$\frac{19}{20}$	Fire-resistant protection for type of construction		No.	N/A
21	Protection of openings and pencirations of rated walls	Yes	No.	N/A
22	Protection of corridors and penetrations of rated walls Fire blocking and draftstopping and calculated fire resistance	(Yes) (Yes)	No No	N/A N/A
44	Fire suppression systems shall be shown include:	77.05	1 100	LINA
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes	Yes	No	T N/A)
24		Yes	No:	粉粉
25	Standpipes Pre-engineered systems	Yes	No	NA
26	Riser diagram	Yes	No	NVA
<u> </u>	Life safety systems shall be shown include the following requirements:	T 109	1.30	1342
27	Occupant load and egress capacities	(Yes)	No	N/A
28	Early warning	Yes	No	N/A
29	Smoke control	Yes	No	N/A
30	Stair pressurization	Yes	No	(N/A)
31	Systems schematic	/Yes)	No	TN/A
. 3	Occupancy load/cgress requirements shall be shown include:	4.3.2		
32	Occupancy load Occupancy load	Pves)	No	N/A
33	Gross occupancy load	ZŸŸ	No	N/A
34	Net occupancy load	(Yes)	No	N/A
35	Means of egress	1825	No.	N/A
36	Exit access	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	No	N/A
37	Exit discharge	Nes -	Nα	NA
38	Stairs construction/geometry and protection	Yes	No	(N/A)
39	Doors	/Y6s)	No	NA
40	Emergency lighting and exit signs	Yes	No.	N/A
41	Specific occupancy requirements	1 1 cs	No	KNA)
42	Construction requirements	Yes2	No	N/A
43	Horizontal exits/exit passageways	Yes)	No	N/A
	I WILEY HER VARGAAR JEGTES WYD I WYD DE GENERALD WYD WYD WYD WYD WYD WYD WYD WYD WYD WY	K 1 48/	1.430	T 13133 1

		Each Box shall			
			rcled :		
S _{protection}		Appli	cable		
	Structural requirements shall be shown include:	Secretaria de la compansión de la compan	درېمپوپوسون		
44	Soil conditions/analysis	Yes	No	N/A	
45	Termite protection	Yes	No	(N/A)	
46	Design loads	Yes	No	(NA)	
47	Wind requirements	Yes	No	(N/A/	
48	Bulding envelope	Yes	No	(N/A)	
49	Structural calculations (if required)	Yes	No	JAV/A	
50	Foundation For structures with foundation which establish new electrical utility	Yes	No 1	N/A	
	companies service connection a Concrete Encased Electrode will be required				
	within the foundation to serve as an grounding electrode system.				
	Per the National Electrical Code article 250.52.3				
				Janes V	
51	Wall systems	Yės	No	N/A/	
52	Floor systems	Yes	No	(N/A/	
53	Roof systems	Yes	No	(N/A)	
54	Threshold inspection plan	Yes	No	N/AL	
55	Stair systems	Yes	No	(N/A)	
	Materials shall be shown include the following				
56	Wood	(Yes)	No	N/A	
57	Steel	(Yes)	No	N/A	
58	Aluminum	(Yes	No	N/A	
59	Concrete	Yes	No	(N/A)	
60	Plastic	Yes	No	N/A)	
61	Glass	Yes	No	(N/A)	
62	Masonry	Yes	No	(N/A)	
63	Gypsum board and plaster	(Yes)	No	N/A	
64	Insulating (inechanical)	Yes	No	(N/AV)	
65	Roofing	Yes	No	NAZ	
66	<u>Insulation</u>	Yes	No	(N/A)	
	Accessibility requirements shall be shown include the following 🧥 🕏			7.5	
67	Site requirements	Yes	No	(N/A)	
68	Accessible route	Yes	No	N/A	
69	Vertical accessibility	Yes	No	(N/A)	
70	Totlet and bathing facilities	(Yes)	No	NZA	
71	Drinking fountains Les recommende immediate i	Yes	No	N/A)	
72	Laupment	Yes	No	(N/A)	
73	Special occupancy requirements	Yes	No	(N/A)	
74	Fair housing requirements	Yes	Νö	(N/A)	
	interior requirements shall include the following		9.8		
75	Review required by the Columbia County Fire Department Items 75 th 80	Yes/	No	N/A	

77			
77 Sanitation (Ye	s I L	Vo	N/A
Special systems			7-5
78 Flevators Ye	s N	lo (MAX
79 Escalators Ye	s N	la (N/A/
80 Lifts Ye	s N	la (N/A
Swimming pools		15.26	4
81 Barrier requirements Ye	s N	la 1	WAZ
82 Spas and Wading pools Ye	s N	lo (N/A
83 Access required per Florida Building Code 424 1 2.5.6 Ye	s N	10	N/A/

Interior finishes (flame spread/smoke development)

Items to Include-

Items to Include-Each Box shall be Circled as Applicable	0.33		
Electrical			
Wiring	<u> </u>	No	N/A
5 Services For structures with foundation which establish new electrical utility	Yeş	No.	N/A
companies service connection a Concrete Encased Electrode will be required	and the second		
within the foundation to serve as an grounding electrode system			
Per the National Flectrical Code article 250.52.3			
	10		
6 Feeders and branch circuits	(Yes/	No	N/A
7 Overcurrent protection	\ <u>\V.es</u> /	No	N/A
8 Grounding	(Y,cs)	No	N/A
9 Wiring methods and materials		No	N/A
O GPCIs	(Yes)	No	N/A
1. Equipment	(Yes	No	N/A
2 Special occupancies	Xe	No	N/A
3 Emergency systems	i (Υ̃eã	No	N/A
Communication systems	ŶŶĔŜ	No	N/A
5 Low voltage	ĬŶĔŶ	No	N/A
Load calculations	Tres	No	TÑA
Plumbing	163	1 100	Aliana Aliana Residente
7 Minimum plumbing facilities	T(Vcs)	No	N/A
Fixture requirements	W.	No	N/A
B Fixture requirements D Water supply piping	Yes	No	TN/A
	Yes)	No.	188
0 Samtary dramage		Lawrence and the same	
Mater heaters	<u> </u>	No	N/A
22 Vents	Yes Yes	No	<u>N/A</u>
Roof drainage	Yes	No	(NA)
14 Back flow prevention	Yes	No	MAZ
5 Irrigation	Yes	No	(0/A)
6 Location of water supply line	Yes	No	(N/A)
77 Grease traps	Yes	No	N/A N/A
98 Environmental requirements	Yes	No	
9 Plumbing riser	Yes	No	(N/A
Mechanical	24	iya maayoo 	100
0 Energy calculations	Yes	No	NA
Review required by the Columbia County Fire Department Items 1113 th 11	4 Yes	No	(N/A)
Exhaust systems	a una commission dien verderden	I and the section of	1
2 Clothes dryer exhaust	Yes	No	(N/A)
3 Kitchen equipment exhaust	Yes	No	N/A
4 Specialty exhaust systems	Yes	No	(N/A)
Equipment location 1 4			<i>)</i>
5 Make-up air	Yes	No	MA
6 Roof-mounted equipment	Yes	No	(N/A
7 Duct systems	Yes	No	8%
8 Ventilation	Yes	No	N/A
9 Laboratory	Yes	No	(N/A)
0 Combustion air	Yes	No	TOVA
Chimneys, fireplaces and vents	Yes	No	(N/A) (N/A)
2 Appliances	Yes	No	TN/A
3 Boilers	Yes	No	(N/A)
4 Refrigeration	Yes	No	01/8
5 Bathroom ventilation	Yes	No	N/A
er (yezgyteset yeze ryaktany). Ma Tanahanan mangamunan mangangangan mangangan mangangan mangangan mangangan mangangan mangangan mangangan sajaa manjahih mangan Tanahan mangangan mangan mangangan			
	Itéms	to Inc	ludo
	Lach		inn de
	Circle		
	Applic	able	
Gas			Same of the second
	4 Yes	No /	N/A
	a lineal	~ ~ %.8	
6 Review required by the Columbia County Fire Department Items 126 Th 13-Gas piping 7 Ventug		No:	N/A)

128 Combustion air	Yes	No	(N/A/
129 Chimneys and vents	Yes	No	LN/A/
130 Appliances	Yes	No.	NA
131 Type of gas	Yes	No	LNW
132 Frieplaces	Yes	No	JN/A/
133 LP tank location	LYos	No	(N/A
134 Riser diagram/shutoffs	Yes	No	(N/A)
Notice of Commenceme	The state of the s		
135 A recorded (in the Columbia County Clerk Office) notice of commences			
file with the building department Before Any Inspections Will Be Don	<u>e(Yeşi</u>	No	N/A
Disclosure Statement for Owner Builders	(Vos)	No	N/A

	Private Potable Water						
136	Horse power of pump motor			More	%.Fin	(3)	
2 2 2 2		Wall latter mercidad		Y es	INO	11/1/2	
137	Capacity of pressure tank	Well letter provided		Vac	Nio	(NI/A)	
132	Cycle stop valve if used	from the well driller			***************************************	222	
130	Shan man senso is more			Yes	No	(N/A)	

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Permit Application		A current On-Line Building Permit Application www.cepermit.com is to be completed by following the checklist all supporting documents must be submitted. There is a \$15 00 application fee.		No	WA
140 Parcel Number		Parcel Number The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also requested (386) 758-1084		(es)	No	N/A
141	Environmental Health Permit or Sewer Tap Approval	disposal permi is required befo	pproved Environmental Health (386) 758-1058 waste water to ran approved City of Lake City(386) 752-2031 sewer tap are a building permit can be issued.	Yes	No	(N/A)
142	Driveway Connection	If the property application for Works Dept di instillation and granted Culve conform to the	the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00). County Public Works Dept determines the size and length of every culvert before instillation and completes a final inspection before permanent power is granted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with			
	Market Andrews Control of the Contro	Florida Depar	tment of Transportation specifications. If the project is to n F D O T maintained road, then an I D O T. access permit			Transportation of the state o

143	Management District Approval	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued	(Yes	No	N/A	3
144	Flood Management	All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8-8 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.7 of Columbia County Land Development Regulations. A development permit will also be required. The development permit cost is \$50.00	(Yos)	No	Ν⁄Α	- Company

is required

Suwannee River Water

formered un	\$*************************************	In the second se		r	
L					
145	Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED	Yes	No	N/A
146	911 Address	An application for a 911address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125 Ext. 3	Yes	No.	N/A

Pursuant to Chapter one (administration) section R101 2.1 of the Florida Building Code: Section 105.3.2 Time limitation of application. An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued, except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.4.1 **Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1 1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105 4.1 2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Section 105.4.1.3 Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4 1.4 The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.

PRODUCT APPROVAL SPECIFICATION SHEET

Location: /3/	SW WEGES	Glen the	Project Name:	Lake	city

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
A. EXTERIOR DOORS			
1 Swinging			
2. Sliding			gangingangangganganggangganggangganggang
3. Sectional	WIA		
4. Roll up		And the state of t	
5. Automatic			
6 Other			
B. WINDOWS	L XIIA		
1. Single hung			
2 Horizontal Slider			
3. Casement			
4. Double Hung	***************************************		
5. Fixed			
6. Awning	or response to the real real real real real real real rea	ogedavaksuuttormin teerim viitelii viiteliiin. Astrijoi teit rommineriteinin viitele <u>eneesiisiniden ja johtusiisiniden ja johtusta ja johtusta ja johtusiisiniden ja johtusta ja joh</u>	and the second s
7. Pass -through	and an annual survey of the su	nder der entre trette der eine der eine der der eine der eine der eine der entre entre entre entre entre entre	A children market marke
8. Projected			
9. Mullion			
10. Wind Breaker	<u> </u>		
11 Dual Action		and the second s	
12. Other	. da livera de la companya de la com		
C. PANEL WALL			
1. Siding	and the second s		and the second s
2. Šoffits	and the second		
		and the agreement of the contraction of the contrac	indicing and a supplication of the property of the supplication of
4. Storefronts	and an an annual surprise and a surp	the control of the co	naarateeraajaymin menimin menimin jajin kurtauraa jajankaa mijaraka aa kaita aar macelee aha ya s
5. Curtain walls			annimental and a second and a se
6. Wall louver	· -	inganinaminintalom a kanganamanan ilinaminintilahikananamankitatikkip	
7. Glass block	Total Committee State Committee Comm		ancadiminanianianianian vira imminimiamanianianistiminimianiaideitiminimiani
8. Membrane			annigamina annia anni
9 Greenhouse	***************************************		~ 4~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
10. Other	······································	and representative the control of the first of the control of the	
	 		
). ROOFING PRODUCTS			······································
1. Asphalt Shingles			one and the second
2. Underlayments			on the state of th
3. Roofing Fasteners			
4. Non-structural Metal Rf			inner fresk keine inner 1980 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (1888 (
6. Built-Up Roofing			
6. Modified Bitumen			
7. Single Ply Roofing Sys			
B. Roofing Tiles			
9. Roofing Insulation	L		
10. Waterproofing			
11. Wood shingles /shakes			
12. Roofing Slate			

Category/Subcategory (cont.)	Manufacturer	Product Description	Approval Number(s)
13. Liquid Applied Roof Sys	1900-1-100-1-100-1-1-1-1-1-1-1-1-1-1-1-1		
14. Cements-Adhesives -	***************************************		<u>annon en en</u>
Coatings		·	99
15. Roof Tile Adhesive			and the second s
16, Spray Applied			
Polyurethane Roof			
17 Other			
SHUTTERS	NIIA		
1. Accordion			
2 Bahama			
3. Storm Panels			
4. Colonial			
5. Roll-up			institution and transfer and the section of the sec
6 Equipment			
7. Others	**************************************		ontan nata aa aa intan ahaa ahaa ahaa ahaa ahaa ahaa ahaa
SKYLIGHTS	1 × 1/2		
1. Skylight			anni anni de la company de
2. Other	<u> </u>		
STRUCTURAL	17171		
COMPONENTS		and the state of t	incommentation in the second contraction of
1. Wood connector/anchor			
2. Truss plates			
3. Engineered lumber	······································		
4. Railing			estrenours om temperaturalisasis questingue inharmanne assais, que tripasant en que que propriete de se transcriptoria
5. Coolers-freezers			
6. Concrete Admixtures	***************************************	control contro	aninibuminumpintusemelejujutusielija manestusitusikisesikisestaastaastaastaastaastaastaista kiritistastatuluus
7. Material	<u> </u>		eminen varini pri pri pre pri
8. Insulation Forms	***************************************		ataraanaanaanaanaanaanaanaanaanaanaanaanaa
9. Plastics			**************************************
10. Deck-Roof		no wining many ang anarawana anarana anarana anarana anarang bayaka baka ang anishi pana anishi anarana anaran	amentica francominata para fantativalist territoria de mente de mente de mente de mente de mente de mente de m
71 Wall	***************************************		teidennestatut esimestatut en en sammet esimente en
12. Sheds			espiration and the second s
13. Other	*****************************		varates internaturalisis ja ja kannungaran makamanda ja kunturan ma
NEW EXTERIOR			spacement delicement in the continue of the co
ENVELOPE PRODUCTS	alailaine ann an		indicarrane at the state of the
<u>.</u>			1 46
interpretary and the distribution of the control of	*	ii ja	ammanumitation of a contribute per describe a contribution of the
		ate product approval at plan revie	
		lowing information must be avail	
osite; 1) copy of the produc	:t approval, 2) tl	he performance characteristics y	vhich the product was tested
d certified to comply with,	3) copy of the a	pplicable manufacturers installa	tion requirements.
• •		****	
nuerstanu triose products	may nave to be	removed if approval cannot be	oemoŭstrareo onudi iusbeciloj
	***************************************	nerennen var var det en var de verste de	noderitenskiinininminmuurininmuurinin maaisin yhtyön yön maan en maan en maan en maaisin maaisin maaisin maasi
tusuuseen saaneen kateen tuun on maanaan kan ka	Marianna and an anni and an anni anni anni		in the second
ogodostalikuspostojanos or oronooronooronooronooronooronooro	anna ann an t-aireann ann an t-aireann ann ann an t-aireann ann ann an t-aireann ann an t-aireann ann an t-air		
		saan maanan maanan maanan maana ka	
		2000	1-15-1 60001
utractor or Contractor's Authorized	Agent Signature	Print Name	Date
131 SW W655	5660	æ ል ልአንት ·ቃ ንፃላልጸፉነተ	2.4.24424
	annia anni	reconnection and an artist of the second	
ocation (L. C. A.	annia anni	ioniminaniminaniminani Vistorif	