



### **ROOF PANEL TO FASCIA DETAIL**

SCALE: N.T.S.



# **ROOF PANEL TO WALL DETAIL**


SCALE: N.T.S.



# **ALT. COMPOSITE ROOF** PANEL TO WALL DETAIL

SCALE: N.T.S.


#### **ROOF PANEL TO BM. DETAIL**




(4) 1/4 " LAGS PER PANEL ON BEARING SIDE 6" FROM ENDS NO GREATER THEN 24"O.C.


1/4 " @ 24"O.C. ON NON BEARING SIDE

### **ACRYLIC, VINYL & SCREEN RMS**





## TYP. UPRIGHT DET.



**BOT. TO WOOD DET.** 

**EXTRUSION** 

.044

.044

.044

.045

.045

.050

MAS PO

1 x 2 HOLLOW

1 x 3 HOLLOW

2 x 2 HOLLOW

2 x 3 HOLLOW


2 x 4 HOLLOW

2 x 5 HOLLOW

VASD =124 MPH
NDWARD SURFACE 49 PSF
LEEWARD SURFACE 39 PSF
SCREEN UPLIFT 14 PSF
GOLID SURFACE UPLIFT 41 PSF

Digitally signed by Tomas Ponce Date: 2024.07.16 14:38:19-04'00'

This item has been digitally signed and sealed by [Tomas Ponce PE, FL # 0050068], on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



ATTACHED TO 1 x 2 WITH (4) -#10 x 1 1/2" S.M.S. SCREWS IN SCREW BOSSES OR EXTERNAL OR INTERNAL CLIP WITH (4) #10 x 1 1/2" S.M.S.

1 x 2, 1 x 3 TO FRONT POST WITH -#10 x 1 1/2" S.M.S. WITHIN 6" FROM END NO GREATER THEN 24" O.C. 1" MIN. FROM EDGE OF SLAB SEE PLAN FOR-**FOUNDATION** 

TYP. & ALTERNATE CORNER DET.

SCALE: N.T.S.



MARONDA HOMES