



Columbia County, FL. Building & Zoning Culvert Permit #000038750



OWNER: BROWN ROAD PROPERTIES LLC

PHONE: 386-365-5829

DATE ISSUED: October 15, 2019

PARCEL ID: 20-3S-16-02202-109

ADDRESS:

556 NW HIGH POINTE DR
LAKE CITY, FL 32055

ACRES: 2.86

SUBDIVISION: HIGH POINTE

LOT:

BLK:

PHASE:

UNIT:

ZONING: AGRICULTURE - 3 PRD

FLOOD ZONE: X

Latitude: 30.206897

Longitude: -82.735245

CONTRACTOR

NAME: ISAIAH CULLY

ADDRESS:

818 WEST DUVAL ST
LAKE CITY, FL 32055

PHONE: 386-867-0086

BUSINESS: IC CONSTRUCTION LLC

LICENSE: CBC1259655 -

PROJECT DETAILS

HOUSE CLEAR OF 200 BUFFER, FLOOR 1' ABOVE RD

BUILDING PERMIT #:

000038749

REQUIREMENTS:

Install min, 24 ft x 18in corr metal culvert w /
concrete mitred ends, w / 6 " x 6 " welded wire,
rebar or culvert bolts in mitred ends, concrete
mitred ends W -3ft x L -4ft, with 4" of limerock on
top cover.

Notice: in addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county. The issuance of this permit does not waive compliance by permittee with deed restrictions.

Notice: all other applicable state or federal permits shall be obtained before commencement of this permitted development.

**"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF
COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR
IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN
FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE
RECORDING YOUR NOTICE OF COMMENCEMENT."**

Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous inspection.