



Columbia County, FL. Building & Zoning Culvert Permit #000039099



OWNER: RANDY & TRACY CAMPBELL

PHONE: 248-343-3623

DATE ISSUED: January 02, 2020

PARCEL ID: 27-3S-16-02345-001

SUBDIVISION: WEST LAKE CITY HILLS ADDITION NO 2

ZONING: RESIDENTIAL - LOW RSF/MH-2 **FLOOD ZONE:** X

ADDRESS:

201 NW AMANDA ST
LAKE CITY, FL 32055

ACRES: 0.00

LOT: **BLK:** E **PHASE:** **UNIT:**

Latitude: 30.191549 **Longitude:** -82.697535

CONTRACTOR

NAME: RANDY & TRACY CAMPBELL

ADDRESS:

201 NW AMANDA ST LAKE CITY, FL
32055

PHONE: 248-343-3623

BUSINESS:

LICENSE: -

PROJECT DETAILS

STANDARDS:

Shall conform to Public Works Determinations as
stated below

REQUIREMENTS:

Install min. 32' x 18" corr metal culvert w /
concrete mitred ends, w / 6" x 6" welded wire,
rebar or culvert bolts in mitred ends, concrete
mitred ends W -3ft x L -4ft, with 4" of limerock on
top cover.

Notice: in addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county. The issuance of this permit does not waive compliance by permittee with deed restrictions.

Notice: all other applicable state or federal permits shall be obtained before commencement of this permitted development.

**"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF
COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR
IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN
FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE
RECORDING YOUR NOTICE OF COMMENCEMENT."**

Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous inspection.

2/26/2020 12:00 PM