



ELECTRICAL	COUNT	SYMBOL
Light	11	⬤
automatic garage dr opener	1	⬤
cable tv outlet	4	⬤
ceiling fan	4	⬤
fluorescent lt fixture	1	⬤
garage dr opener	1	⬤
gfi waterproof outlet	2	⬤
light	2	⬤
outlet	26	⬤
outlet 220v	3	⬤
outlet gfi	1	⬤
smoke detector	5	⬤
switch	21	⬤
switch 3 way	4	⬤
telephones	5	⬤
vent light combo	2	⬤

#### ELECTRICAL PLAN NOTES

- E-1 WIRE ALL APPLIANCES, HYAC UNITS AND OTHER EQUIPMENT PER MANUFACTORS SPECIFICATIONS.
- E-2 CONSULT THE OWNER FOR THE NUMBER OF SEPERATE TELEPHONE LINES TO BE INSTALLED.
- E-3 ALL INSTALLATIONS SHALL BE PER NATIONAL ELECTRIC CODE.
- E-4 ALL SMOKE DETECTORS SHALL BE 120V W/BATTERY BACKUP OF THE PHOTOELECTRIC TYPE, AND SHALL BE INTERLOCKED TOGETHER. INSTALL INSIDE AND NEAR ALL BEDROOMS.
- E-5 TELEPHONE, TELEVISION AND OTHER LOW VOLTAGE DEVICES OR OUTLETS SHALL BE AS PER THE OWNERS DIRECTION AND IN ACCORDANCE WITH APPLICABLE SECTIONS OF NATIONAL ELCT. CODE LATEST EDITION.
- E-6 ELECTRICAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND SIZING OF ELECTRICAL SERVICE AND CIRCUITS.
- E-7 ENTRY OF SERVICE UNDERGROUND OR OVERHEAD) IS TO BE DETERMINED BY THE POWER COMPANY.
- E-8 ALL BEDROOM RECEPTALS ARE TO BE AFCI (ARC FAULT CIRCUIT INTERRUPT)

## \* ELECTRICAL PLAN \*

SCALE : 1/4" = 1'-0"

THE THOMAS  
LOT #19  
OF  
CSE

LAKE CITY  
FLORIDA

Teena M. Ruffo  
251 NW Hall of Fame Dr.  
Lake City, Florida 32055  
Phone: (386) 755-9993  
Cell: (386) 867-1191  
Email: easystreet@ianet.net

PRINTED DATE:  
November 16, 2005

DRAWN BY: Teena M. Ruffo

CHECKED BY:

DESIGNED BY:  
Teena M. Ruffo

FINALS DATE:

JOB NUMBER:

DRAWING NUMBER

A-2

OF 2 SHEETS