







Best Choice Roofing

You Chase the Best!

666-BESTCHOICE



CAVITY SEAL
CORROSION
PROOFING
CODE APPROVED



MEETS ASTM D4869 & D2276
eavetopeak.com/rhinorooft | 800-567-9777

Slip resistance may vary with surface conditions, weather, footwear, and roof pitch
Resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et le toit pente

Copyright © 2019 Owens Corning. All Rights Reserved.

12



RhinoRoof®

U20



129321



Slip resistance may vary with surface conditions, weather, etc.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, el tiempo, etc.
Le degré de résistance au glissement peut varier dépendant de la température, etc.

127



Choice Roofing
You Choose the Best!
866-BEST-CHOICE

866-868-8688
www.866bestchoice.com
1-800-868-8688



Best
866-BEST-CHOICE





BCR
Best Choice Roofing
You Choose the Bear!
866-BESTCHOICE

BCR
Best Choice Roofing
You Choose the Bear!
866-BESTCHOICE

BCR
Best Choice Roofing
You Choose the Bear!
866-BESTCHOICE

BCR
Best Choice Roofing
You Choose the Bear!
866-BESTCHOICE

RhinoRoof
U20

MEETS ASTM D4869 & D526
RhinoRoof.com
800-567-9727

MEETS ASTM D4869 & D526
RhinoRoof.com
800-567-9727

RhinoRoof
U20





