

560



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM

PERMIT #: 12-SC-2112453
APPLICATION #: AP1527927
DATE PAID: 7/27/20
FEE PAID: 186.00
RECEIPT #:
DOCUMENT #: PR1380270

CONSTRUCTION PERMIT FOR: OSTDS New

APPLICANT: TRENT**20-0594 GIEBEIG CONSTRUCTION

PROPERTY ADDRESS: 149 SW PLATEAU Gln Lake City, FL 32024

LOT: 41 BLOCK: C SUBDIVISION: WISE ESTATES

PROPERTY ID #: 03113-171 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [1,050] GALLONS / GPD Septic Tank CAPACITY
A [] GALLONS / GPD N/A CAPACITY
N [] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K [] GALLONS DOSING TANK CAPACITY [] GALLONS 9 [] DOSES PER 24 HRS #Pumps []

D [500] SQUARE FEET Drainfield SYSTEM
R [] SQUARE FEET N/A SYSTEM

A TYPE SYSTEM: [X] STANDARD [] FILLED [] MOUND []
I CONFIGURATION: [X] TRENCH [] BED []

N
F LOCATION OF BENCHMARK: 8" oak tree N of site

I ELEVATION OF PROPOSED SYSTEM SITE [24.00] [INCHES] FT [] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT
E BOTTOM OF DRAINFIELD TO BE [54.00] [INCHES] FT [] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT

L
D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [0.00] INCHES

O The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.

T
H
E
R

SPECIFICATIONS BY: William D Bishop II

TITLE: Master Septic Contractor

APPROVED BY: Dustin W Jones

TITLE: Environmental Specialist II Columbia CHD

DATE ISSUED: 07/29/2020

EXPIRATION DATE: 01/29/2022

DH 4016, 08/09 (Obsoletes all previous editions which may not be used)
Incorporated: 64E-5.003, FAC

3857582197

386-961-8770

p.4

16:31:12 02-07-2019

2/3


20-0594

STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number

PART II - SITEPLAN

Wise Estates Lot 41



Notes: Trent Gehrig Const.

LOT 41 BIK C. WISE ESTATES

0.570 ACRES

149 SW PLATEAU GIN

(Neighbor Wells 215')

24-45-16-03113-171

William D. Bishop II

Site Plan submitted by Robert W. Bishop

7-23-2020

agent

Plan Approved

Not Approved

By

Date

7/29/20

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT