


.Safety - Privacy fence and pool alarm existing provided by owner.
Pool lighting is 12 volt LED
No 8"x8" Deck Footer
No 3IN Deck drain across pool deck
Bonding per code page 2 of 7
Pool is 452 SqFt
Pool Deck is 441 SQ Ft
Pool depth 4' to 6' 4" rim



. Samantha Reid-Layne
. 1911 Southwest County .
Road 252B
. Lake City, FL. 32024

Par ID 10-4S-16-02862-118
Contractor; My Favorite Pool Builder,
Inc. CPC1459058 Steve Cronin
386-965-0066 steve@mfpblc.com


Distance from Pool water line to property line.

92 FT to North
61FT to South
141 FT to East
147 FT to West
17' Pool to house 15' to porch
City water and power

Power Company Clay Ele Rt side
of house. Power to house is run
above ground and is more than
40.5' away from pools waters edge

NO Glass with 60IN Of pools water

Pool deck water will Drain away from pool onto ground. No 3" deck drain. No change to current water drainage direction



Contractor: My Favorite Pool Builder, Inc. CPC1459058 Steve Cronin
386-965-0066 steve@mfpblc.com

Pump Pentair Inteliflow VSF
Filter Pentair Sand Dollar SD80 350 lbs.
Pump and filter information located on page 2 of 7

PLAN EXPIRES 1 YEAR FROM THE
SIGNATURE DATE OR THE EFFECTIVE
DATE OF A MAJOR FLORIDA
BUILDING CODE CHANGE
WHICHEVER IS SOONER

7/11/2023



My Favorite Pool Builder, Inc.
4887 N US Hwy 441
Lake City, FL. 32055
(386) 269-3304 OFF
(386) 965-0066 Cell
CPC1459058

Swimming Pool Specification For:
Samanthia Reid-Layne
1911 Southwest County Road
252B Lake City, FL 32024
352-318-1700

Scale: None Rev
Page 6 of 7