



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey
665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

FLOORPLAN - 1ST FLOOR



UNIT NOTES

- 101 Brick exterior
Wood trim
Wood return
- 102 Brick exterior
Wood trim
Wood return
- 103 Brick exterior
Wood trim
Wood return
- 104 Brick exterior
Wood trim
Wood return
- 105 Brick exterior
Wood trim
Wood return
- 106 Brick exterior
Wood trim
Wood return
- 107 Brick exterior
Wood trim
Wood return
- 108 Brick exterior
Wood trim
Wood return
- 109 Brick exterior
Wood trim
Wood return
- 110 Brick exterior
Wood trim
Wood return
- 111 Brick exterior
Wood trim
Wood return
- 112 Brick exterior
Wood trim
Wood return
- 113 Brick exterior
Wood trim
Wood return
- 114 Brick exterior
Wood trim
Wood return

*See individual units for more notes.

JOB PHOTOS




Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey
665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

ID#	ROOM	SIZE		DETAILS
JOB				
101	den	73" 72-3/4"	62" 61-5/8"	Window: Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 20 DP Rating: + 20 / - 20 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Prairie 3w x 3h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8), F-Trim, (12 ft), Terratone (4)
102	master bedroom	73" 72-5/8"	50" 49-5/8"	Window: Gliding, Double, 1:1, Meets Egress, Active / Passive, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 35 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Prairie 3w x 3h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8), F-Trim, (12 ft), Terratone (4)
103	master bedroom	36" 35-3/4"	50" 49-3/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Modified Prairie 3w x 2h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey
665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

ID#	ROOM	SIZE		DETAILS
104	master bath	25" 25-1/8"	37" 37"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (3)
105	garage	36" 35-5/8"	53" 49-1/4"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Modified Prairie 3w x 2h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)
106	garage	36" 35-3/4"	53" 49-1/4"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Modified Prairie 3w x 2h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafila.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey

665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

ID#	ROOM	SIZE		DETAILS
107	laundry room	36" 35-5/8"	37" 37"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)
108	kitchen sink	36" 35-5/8"	37" 37"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)
109	dining room boh	36" 35-5/8"	50" 49-3/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey
665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

ID#	ROOM	SIZE		DETAILS
110	living room boh	36" 35-5/8"	50" 49-1/4"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)
111	living room	25" 25-1/8"	62" 61-5/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)
112	living room	25" 25-1/8"	62" 61-5/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey
665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

ID#	ROOM	SIZE		DETAILS
113	sons room	36" 35-5/8"	50" 49-1/4"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Modified Prairie 3w x 2h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), 2.25" x 5/8" L-Trim, (12 ft), Terratone (4)
114	sons room	73" 72-7/8"	50" 49-1/4"	Window: Gliding, Double, 1:1, Meets Egress, Active / Passive, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 35 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Prairie 3w x 3h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8), F-Trim, (12 ft), Terratone (4)
115	guest bedroom foh	73" 72-7/8"	62" 61-5/8"	Window: Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 20 DP Rating: + 20 / - 20 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: All Sash: Prairie 3w x 3h Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8), F-Trim, (12 ft), Terratone (4)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Seth Lieberman,

Michael & Diane Mulvey
665 SW Giza Lane
Lake City, FL 32024
H: (813)919-5142

ID#	ROOM	SIZE	DETAILS
116	living room	72-1/2" 79-1/2" 72-1/2" 79-1/2"	Patio Door: Gliding, 200 Series Narroline, 2 Panel, Active / Stationary, Exterior Terratone®, Interior Pine Performance Calculator: PG Rating: 25 DP Rating: + 25 / - 25 Glass: All Sash: Tempered High Perf. SmartSun Glass Hardware: Tribeca®, Stone Screen: Gliding, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: Caulk - Terratone Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)

PRODUCTS: 16 WINDOWS: 15 PATIO DOORS: 1 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 0

Updated 11/21/22

JOB NOTES

Unit #5 is in master bath. Window is not visible from outside as the exterior of window is inside the garage.

Also, some of the windows measure 2-4 inches larger on exterior vs interior as some have wood casings along outer edge of window frames. Customer would prefer this wood casing stay in tact if possible.

Estimated Duration: 2 days