


FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation

<p>Project Name Willis Office Street _____ City, State, Zip _____, FL, Owner _____ Design Location FL, Gainesville</p>	<p>Builder Name _____ Permit Office _____ Permit Number _____ Jurisdiction _____ County Columbia(Florida Climate Zone 2)</p>
<p>1 New construction or existing New (From Plans) 2 Single family or multiple family Detached 3 Number of units, if multiple family 1 4 Number of Bedrooms 0 5 Is this a worst case? No 6 Conditioned floor area above grade (ft²) 5150 Conditioned floor area below grade (ft²) 0 7 Windows(716 3 sqft.) Description Area a U-Factor Dbl, U=0 26 716 33 ft² SHGC SHGC=0 20 b U-Factor N/A ft² SHGC c U-Factor N/A ft² SHGC Area Weighted Average Overhang Depth 1 500 ft Area Weighted Average SHGC 0 200 8 Skylights Description Area U-Factor (AVG) N/A N/A ft² SHGC(AVG) N/A 9 Floor Types Insulation Area a Slab-On-Grade Edge Insulation R= 0 0 5150 00 ft² b N/A R= ft² c N/A R= ft²</p>	<p>10 Wall Types(3355 0 sqft.) Insulation Area a Frame - Wood, Exterior R=19 0 3355 00 ft² b N/A c N/A d N/A 11 Ceiling Types(5150 0 sqft.) Insulation Area a Single assembly, no ai (Unvented) R=21 0 5150 00 ft² b N/A c N/A 12 Roof(Metal, Unvent) Deck R=21 0 5962 ft² 13 Ducts, location & insulation level R ft² a Sup Business , Ret Business , AH Business 6 1030 b c 14 Cooling Systems kBtu/hr Efficiency a Central Unit 120 0 SEER2:17 10 15 Heating Systems kBtu/hr Efficiency a Electric Heat Pump 120 0 HSPF2 8 50 16 Hot Water System a PropaneTankless Cap 1 gallons EF 0 590 b Conservation features None 17 Credits Pstat</p>



PASS

Glass/Floor Area 0 139 Total Proposed Modified Loads 69 26
 Total Baseline Loads 104 47

NOTE. Proposed residence must have annual total normalized Modified Loads that are less than or equal to 95 percent of the annual total loads of the standard reference design in order to comply

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code

PREPARED BY _____
 DATE 3-2-26

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code

OWNER/AGENT _____
 DATE _____

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code Before construction is completed this building will be inspected for compliance with Section 553 908 Florida Statutes

BUILDING OFFICIAL _____
 DATE _____

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Compliance with a proposed duct leakage Qn requires a PERFORMANCE Duct Leakage Test Report confirming duct leakage to outdoors, tested in accordance with ANSI/RESNET/ICC 380, is not greater than 0.030 Qn for whole house.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires a PERFORMANCE envelope leakage test report with envelope leakage no greater than 6.00 ACH50 (R402.4.1.2).

INPUT SUMMARY CHECKLIST REPORT

PROJECT

Title	Willis Office	Address type	Street Address
Building Type:	User	Bedrooms	0
Owner		Conditioned Area	5150
Builder Home ID		Total Stories	1
Builder Name		Worst Case	No
Permit Office		Rotate Angle	0
Jurisdiction		Cross Ventilation	
Family Type	Detached	Whole House Fan	
New/Existing	New (From Plans)	Terrain	Urban
Year Construct	2026	Shielding	Urban
Comment			

CLIMATE

Design Location	Tmy Site	Design Temp 97 5%	Design Temp 2 5%	Int Design Temp Winter	Int Design Temp Summer	Heating Degree Days	Design Moisture	Daily temp Range
FL, Gainesville	FL_GAINESVILLE_REGIONA	32	92	70	75	1305 5	51	Medium

BLOCKS

Number	Name	Area	Volume
1	Block1	5150	51500 cu ft

SPACES

Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Finished	Cooled	Heated
1	Business Areas	5150	51500	Yes	65		Yes	Yes	Yes

FLOORS

(Total Exposed Area = 5150 sq.ft.)

#	Floor Type	Space	Exposed Perim(ft)	Area	R-Value Perim	U-Factor Joist	Slab Insul Vert/Horiz	Tile	Wood	Carpet	
1	Slab-On-Grade Edge Ins	Business Areas	310	5150 sqft	0 0	---	0 473	0 (ft)/0 (ft)	0 00	1 00	0 00

ROOF

#	Type	Materials	Roof Area	Gable Area	Framing Fract	Roof Color	Rad Barr	Solar Absor	SA Tested	Emitt	Emitt Tested	Deck Insul	Pitch (deg)
1	Gable or shed	Metal	5962 ft²	1502 ft²	0 11	Dark	N	0 9	No	0 9	No	21	30 26

ATTIC

#	Type	Ventilation	Vent Ratio (1 in)	Area	RBS	IRCC
1	No attic	Unvented	0	5150 ft²	N	N

CEILING

(Total Exposed Area = 5150 sq.ft.)

#	Ceiling Type	Space	R-Value	Ins Type	Area	U-Factor	Framing Frac.	Truss Type
1	Single assembly, no airspace(Unvented)	Business Areas	21.0	Blown	5150 0ft²	0 025	0 11	Wood

INPUT SUMMARY CHECKLIST REPORT

WALLS

(Total Exposed Area = 3355 sq.ft.)

✓ #	Ornt	Adjacent To	Wall Type	Space	Cavity R-Value	Width Ft In	Height Ft In	Area sq.ft.	U-Factor	Sheath R-Value	Frm Frac	Solar Absor.	Below Grade
___ 1	N	Exterior	Frame - Wood	Business Areas	19 0	100 0 0	10 0 0	1000 0	0.061			0 23 0 75	0 0 %
___ 2	E	Exterior	Frame - Wood	Business Areas	19 0	50 0 0	10 0 0	500 0	0 061			0 23 0 75	0 0 %
___ 3	S	Exterior	Frame - Wood	Business Areas	19 0	35 0 0	10 0 0	350 0	0 061			0 23 0 75	0 0 %
___ 4	E	Exterior	Frame - Wood	Business Areas	19 0	5 0 0	10 0 0	50 0	0 061			0 23 0 75	0 0 %
___ 5	S	Exterior	Frame - Wood	Business Areas	19 0	30 0 0	18 0 6	555 0	0 061			0 23 0 75	0 0 %
___ 6	W	Exterior	Frame - Wood	Business Areas	19 0	5 0 0	10 0 0	50 0	0 061			0 23 0 75	0 0 %
___ 7	S	Exterior	Frame - Wood	Business Areas	19 0	35 0 0	10 0 0	350 0	0 061			0 23 0 75	0 0 %
___ 8	W	Exterior	Frame - Wood	Business Areas	19 0	50 0 0	10 0 0	500 0	0 061			0 23 0 75	0 0 %

DOORS

(Total Exposed Area = 108 sq.ft.)

✓ #	Ornt	Adjacent To	Door Type	Space	Storms	U-Value	Width Ft In	Height Ft In	Area
___ 1	E	Exterior	Insulated	Business Areas	None	0.46	3 00 0	6 00 8	20 0ft²
___ 2	E	Exterior	Insulated	Business Areas	None	0.46	3 00 0	6 00 8	20 0ft²
___ 3	S	Exterior	Insulated	Business Areas	None	0.46	6 00 0	8 00 0	48 0ft²
___ 4	W	Exterior	Insulated	Business Areas	None	0.46	3 00 0	6 00 8	20 0ft²

WINDOWS

(Total Exposed Area = 716 sq.ft.)

✓ #	Ornt	Wall ID	Frame	Panes	NFRC U-Factor	SHGC	Imp	Storm	Total Area (ft²)	Same Units	Width (ft)	Height (ft)	--Overhang-- Depth (ft) Sep (ft)	Interior Shade	Screen
___ 1	N	1	Vinyl	Low-E Double	Y 0.26	0.20	N	N	90 0	6	3 00	5 00	15 13	None	None
___ 2	E	2	Vinyl	Low-E Double	Y 0.26	0.20	N	N	30 0	2	2 50	6 00	15 13	None	None
___ 3	S	3	Vinyl	Low-E Double	Y 0.26	0.20	N	N	108.0	6	3 00	6 00	15 13	None	None
___ 4	S	5	Vinyl	Low-E Double	Y 0.26	0.20	N	N	65 1	1	5 50	11 83	15 13	None	None
___ 5	S	5	Vinyl	Low-E Double	Y 0.26	0.20	N	N	81 6	1	5 50	14 83	15 13	None	None
___ 6	S	5	Vinyl	Low-E Double	Y 0.26	0.20	N	N	57 0	1	6 00	9 50	15 13	None	None
___ 7	S	5	Vinyl	Low-E Double	Y 0.26	0.20	N	N	81 6	1	5 50	14 83	15 13	None	None
___ 8	S	5	Vinyl	Low-E Double	Y 0.26	0.20	N	N	65 1	1	5 50	11 83	15 13	None	None
___ 9	S	7	Vinyl	Low-E Double	Y 0.26	0.20	N	N	108 0	6	3 00	6 00	15 13	None	None
___ 10	W	8	Vinyl	Low-E Double	Y 0.26	0.20	N	N	15 0	1	3 00	5 00	15 13	None	None
___ 11	W	8	Vinyl	Low-E Double	Y 0.26	0.20	N	N	15 0	1	2 50	6 00	15 13	None	None

INFILTRATION

✓ #	Scope	Method	SLA	CFM50	ELA	EqLA	ACH	ACH50	Space(s)	Infiltration Test Volume
___ 1	Wholehouse	Proposed ACH(50)	0 00038	5150	282 54	530 45	0 1285	6 0	All	51500 cu ft

MASS

✓ #	Mass Type	Area	Thickness	Furniture Fraction	Space
___ 1	Default(8 lbs/sq ft)	0 ft²	0 ft	0 30	Business Areas

HEATING SYSTEM

✓ #	System Type	Subtype/Speed	AHRI #	Efficiency	Capacity kBtu/hr	---Geothermal HeatPump--- Entry Power Volt Current	Ducts	Block

INPUT SUMMARY CHECKLIST REPORT

COOLING SYSTEM												
✓ #	System Type	Subtype/Speed	AHRI #	Efficiency	Capacity kBtu/hr	Air Flow cfm	SHR	Duct	Block			
___	1A Central Unit	None/Single	214824242	SEER2 17 1	60 0	1800	0 78	Ductless	1			
___	1B Central Unit	None/Single	214824242	SEER2 17 1	60 0	1800	0 78	Ductless	1			

HOT WATER SYSTEM												
✓ #	System Type	Subtype	Location	EF(UEF)	Cap	Use	SetPnt	Fixt. Flow	Trap	Pipe Ins	Pipe length	
___	1 Propane	Tankless	Exterior	0 59 (0 59)	1 0 gal	60 gal	120 deg	Standard	Yes	None	99	
	Recirculation System	Recirc Control Type	Loop length	Branch length	Pump power	DWHR	Facilities Connected	Equal Flow	DWHR Eff	Other Credits		
___	1 No		NA	NA	NA	No	NA	NA	NA	None		

DUCTS													
✓ Duct #	Location	Supply R-Value	Area	Return Location	R-Value	Area	Leakage Type	AHU Location	CFM 25 TOT OUT	QN OUT	AHU SEALED	RLF	HVAC # Heat Cool
___	1 Business Area	6 0	1030 ft²	Business Area	6 0	258 ft²	Prop Leak Free	Business A	---	0 030	Yes	0 50	1 1

TEMPERATURES														
Programable Thermostat Y					Ceiling Fans N									
Cooling	<input type="checkbox"/> Jan	<input type="checkbox"/> Feb	<input type="checkbox"/> Mar	<input type="checkbox"/> Apr	<input type="checkbox"/> May	<input checked="" type="checkbox"/> Jun	<input checked="" type="checkbox"/> Jul	<input checked="" type="checkbox"/> Aug	<input checked="" type="checkbox"/> Sep	<input type="checkbox"/> Oct	<input type="checkbox"/> Nov	<input type="checkbox"/> Dec		
Heating	<input checked="" type="checkbox"/> Jan	<input checked="" type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input type="checkbox"/> Apr	<input type="checkbox"/> May	<input type="checkbox"/> Jun	<input type="checkbox"/> Jul	<input type="checkbox"/> Aug	<input type="checkbox"/> Sep	<input type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input checked="" type="checkbox"/> Dec		
Venting	<input type="checkbox"/> Jan	<input type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input type="checkbox"/> May	<input type="checkbox"/> Jun	<input type="checkbox"/> Jul	<input type="checkbox"/> Aug	<input type="checkbox"/> Sep	<input checked="" type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input type="checkbox"/> Dec		
✓ Thermostat Schedule	Schedule Type	HERS 2006 Reference												
		1	2	3	4	5	6	7	8	9	10	11	12	
___	Cooling (WD)	AM PM	78 80	78 80	78 80	78 80	78 78	78 78	78 78	78 78	80 78	80 78	80 78	
___	Cooling (WEH)	AM PM	78 80	78 80	78 80	78 80	78 78	78 78	78 78	78 78	80 78	80 78	80 78	
___	Heating (WD)	AM PM	65 68	65 68	65 68	65 68	65 68	65 68	65 68	68 68	68 68	68 68	68 68	
___	Heating (WEH)	AM PM	65 68	65 68	65 68	65 68	65 68	65 68	65 68	68 68	68 68	68 68	68 68	

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 66

The lower the Energy Performance Index, the more efficient the home

,,FL,

1 New construction or existing	New (From Plans)		10 Wall Types(3355 0 sqft.)	Insulation	Area
2 Single family or multiple family	Detached		a Frame - Wood, Exterior	R=19 0	3355 00 ft ²
3 Number of units, if multiple family	1		b. N/A		
4 Number of Bedrooms	0		c. N/A		
5 Is this a worst case?	No		d N/A		
6 Conditioned floor area above grade (ft ²)	5150		11 Ceiling Types(5150 0 sqft)	Insulation	Area
Conditioned floor area below grade (ft ²)	0		a Single assembly, no ai (Unvented)	R=21 0	5150 00 ft ²
7 Windows**	Description	Area	b N/A		
a U-Factor	DbI, U=0 26	716 33 ft ²	c. N/A		
SHGC	SHGC=0 20		12 Roof(Metal, Unvent)	Deck R=21 0	5962 ft ²
b U-Factor	N/A	ft ²	13 Ducts, location & insulation level		R ft ²
SHGC			a Sup Business , Ret Business , AH Business	6	1030
c. U-Factor	N/A	ft ²	b		
SHGC			c		
Area Weighted Average Overhang Depth	1 500 ft		14 Cooling Systems	kBtu/hr	Efficiency
Area Weighted Average SHGC	0 200		a Central Unit	120 0	SEER2 17 10
8 Skylights	Description	Area	15 Heating Systems	kBtu/hr	Efficiency
U-Factor (AVG)	N/A	N/A ft ²	a Electric Heat Pump	120 0	HSPF2 8 50
SHGC(AVG)	N/A				
9 Floor Types	Insulation	Area	16 Hot Water Systems		
a Slab-On-Grade Edge Insulation	R= 0 0	5150 00 ft ²	a PropaneTankless	Cap 1 gallons	
b N/A	R=	ft ²		EF 0 590	
c. N/A	R=	ft ²	b Conservation features		None
					Pstat
			17 Credits		

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature _____ Date _____

Address of New Home _____ City/FL Zip ,FL,



*Note This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

**Label required by Section R303 1 3 of the Florida Building Code, Energy Conservation, if not DEFAULT