

29768

Mar 19 10 01:32p

Raymond Peeler

1450-100-001-1

SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER

110-14

CONTRACTOR

Raymond Peeler

PHONE

755-2648

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name _____ License #: _____	Signature _____ Phone #: _____
MECHANICAL/ A/C _____	Print Name _____ License #: _____	Signature _____ Phone #: _____
PLUMBING/ GAS	Print Name _____ License #: _____	Signature _____ Phone #: _____
ROOFING	Print Name _____ License #: _____	Signature _____ Phone #: _____
SHEET METAL	Print Name _____ License #: _____	Signature _____ Phone #: _____
FIRE SYSTEM/ SPRINKLER	Print Name _____ License #: _____	Signature _____ Phone #: _____
SOLAR	Print Name _____ License #: _____	Signature _____ Phone #: _____

Specialty License	License Number	Subcontractor Name	Signature
MASON			
CONCRETE FINISHER	856	Jeff Nylander	Jeff Nylander
FRAMING			
INSULATION			
STUCCO			
DRYWALL			
PLASTER			
CABINET INSTALLER			
PAINTING			
ACOUSTICAL CEILING			
GLASS			
CERAMIC TILE			
FLOOR COVERING			
ALUM/VINYL SIDING			
GARAGE DOOR			
METAL BLDG ERECTOR			

F. S. 440.105 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Continued Form 14-Subcontractor Form 6-00

CERTIFIED PEELER POOLS

PEELER POOLS
2007 FLORIDA RESIDENT CODE WITH 2008 REVISIONS
2007 FLORIDA COMMERCIAL CODE WITH 2008 REVISIONS
2007 FLORIDA MECHANICAL CODE WITH 2008 REVISIONS
2007 FLORIDA FIRE PROTECTION CODE WITH 2008 REVISIONS
2007 FLORIDA SAFETY CODE
2007 FLORIDA ELECTRICAL CODE WITH 2008 REVISIONS
2007 FLORIDA PLUMBING CODE WITH 2008 REVISIONS
2007 FLORIDA GAS PIPING CODE WITH 2008 REVISIONS
2007 FLORIDA HAZARDOUS WASTE CODE WITH 2008 REVISIONS
2007 FLORIDA AIR CONDITIONING AND REFRIGERATION CODE WITH 2008 REVISIONS
2007 FLORIDA SOUND AND VIBRATION CODE WITH 2008 REVISIONS
2007 FLORIDA TELECOMMUNICATIONS CODE WITH 2008 REVISIONS
2007 FLORIDA TRANSPORTATION CODE WITH 2008 REVISIONS
2007 FLORIDA UTILITIES CODE WITH 2008 REVISIONS
2007 FLORIDA WASTE MANAGEMENT CODE WITH 2008 REVISIONS
2007 FLORIDA WATER SUPPLY CODE WITH 2008 REVISIONS
2007 FLORIDA WINDBURN CODE WITH 2008 REVISIONS
2007 FLORIDA WOOD PRESERVATION CODE WITH 2008 REVISIONS
2007 FLORIDA YACHTING CODE WITH 2008 REVISIONS
2007 FLORIDA ZONING CODE WITH 2008 REVISIONS
2007 FLORIDA BUILDING CODE WITH 2008 REVISIONS
2007 FLORIDA ELECTRICAL CODE WITH 2008 REVISIONS
2007 FLORIDA PLUMBING CODE WITH 2008 REVISIONS
2007 FLORIDA GAS PIPING CODE WITH 2008 REVISIONS
2007 FLORIDA HAZARDOUS WASTE CODE WITH 2008 REVISIONS
2007 FLORIDA AIR CONDITIONING AND REFRIGERATION CODE WITH 2008 REVISIONS
2007 FLORIDA SOUND AND VIBRATION CODE WITH 2008 REVISIONS
2007 FLORIDA TELECOMMUNICATIONS CODE WITH 2008 REVISIONS
2007 FLORIDA TRANSPORTATION CODE WITH 2008 REVISIONS
2007 FLORIDA UTILITIES CODE WITH 2008 REVISIONS
2007 FLORIDA WASTE MANAGEMENT CODE WITH 2008 REVISIONS
2007 FLORIDA WATER SUPPLY CODE WITH 2008 REVISIONS
2007 FLORIDA WINDBURN CODE WITH 2008 REVISIONS
2007 FLORIDA WOOD PRESERVATION CODE WITH 2008 REVISIONS
2007 FLORIDA YACHTING CODE WITH 2008 REVISIONS
2007 FLORIDA ZONING CODE WITH 2008 REVISIONS

LEGEND

SYMBOL	DESCRIPTION
	ELEVATION MARK
	SECTION MARK
	DETAIL CALLOUT
	ELEVATION INDICATOR
	DOOR TAG
	WINDOW TAG
	ROOM TAG
	REVISION CLOUD w/ TAG

DRAWING INDEX - BUILDING PACKAGE

SHEET #	SHEET TITLE	REV #	REV DATE
T-1.0	TITLE SHEET	0	05-18-10
S-1.0	SECTIONS	0	05-18-10
A-1.0	PLAN VIEW	0	05-18-10

GENERAL DESIGN REQUIREMENTS:

- DESIGN DIMENSIONS SHALL COMPLY WITH SPECIFICATIONS IN ANSI/NSPI 5 RESIDENTIAL IN-GROUND POOLS BASED ON THE POOL TYPE AND NSPI 3 PERMANENTLY INSTALLED RESIDENTIAL SPAS.
- SEE ANSI/NSPI 5 FOR DRAIN WATER ENVELOPES.
- SLIDES SHALL MEET MANUFACTURER'S INSTALLATION REQUIREMENTS.
- ENTRY/EXIT: SHALL COMPLY WITH ANSI/NSPI 5 AND NSPI 3 LADDERS, UNDERWATER SEATS AND SWIM OUTFS (MAX. 20" BELOW WATER).
- CIRCULATION SYSTEMS, COMPONENTS & EQUIPMENT SHALL COMPLY W/ NSF 50.
- THE MAXIMUM TURNOVER RATE IS 12 HOURS.
- FILTERS SHALL HAVE AN AIR RELIEF AND PRESSURE GAUGE.
- PUMPS 3 HP AND LESS SHALL MEET ANSI/UL 1081, CORROSION RESISTANT STRAINER AND MEET THE REQUIRED FLOW.
- SURFACE SKIMMERS SHALL MEET NSF 50 AND THERE SHALL BE ONE FOR EVERY 800 SQUARE FEET OF SURFACE AREA.
- RETURN INLETS SHALL BE A MINIMUM OF ONE FOR EVERY 800 SQ. FT.
- HEATERS SHALL MEET ANSI-Z21.56 OR UL1261 OR UL559.
- DISINFECTANT EQUIPMENT SHALL COMPLY WITH NSF 50.
- PRESSURE TEST PIPING AT 35 PSI FOR 15 MINUTES OR MEET LOCAL CODE IF GREATER.
- POOL SHAPE IS FREE FORM, ABOVE SHAPE AND DIMENSION ARE APPROXIMATE.
- ASSUMED SOIL BEARING = 1.5 KSF.
- INSTALL CONTROL JOINTS @ 20'-0" O.C. IN POOL DECKING.
- CONCRETE STAIRS ARE 12" TREAD WITH AND 10" MAX. HEIGHT.
- LIGHTING IF INSTALLED WILL BE FIBER OPTIC OR LED.
- ALL EQUIPMENTAL BONDING SHALL BE INSTALLED PER 2008 NEC 680.26.
- SLAB AND FOOTING : 2500 PSI CONCRETE, GRADE 40 STEEL REBAR.

SPECIAL SPA REQUIREMENTS:

- MAXIMUM WATER DEPTH 4', MAXIMUM SEAT DEPTH 28".
- MAXIMUM FLOOR SLOPE 1:12.
- STEPS: MINIMUM TREAD = 10"x12", MINIMUM RISE=7".
- MAXIMUM RISE= 12" EXCEPT THE BOTTOM STEP MAY BE 14" IF IT IS THE SEAT. INTERMEDIATE TREADS AND RISES TO BE UNIFORM.
- SLIDES SHALL MEET MANUFACTURER'S INSTALLATION REQUIREMENTS.
- IF THE SPA IS OPERATED INTERMITTENTLY IT SHALL HAVE A ONE HOUR TURNOVER.
- MAXIMUM TEMPERATURE IS 104° FAHRENHEIT.
- MEET ANSI/NSPI ARTICLE XVII SAFETY INSTRUCTION/SAFETY SIGN.
- PRESSURE TEST PIPING AT 35 PSI FOR 15 MINUTES OR MEET LOCAL CODE IF GREATER.
- ELECTRICAL REQUIREMENTS.
- WIRING AND BONDING AND ALL ELECTRICAL TO NEC ARTICLE 680 OR LOCAL CODE.
- NO OUTLET OR OVERHEAD POWER WITHIN 10' IF WITHIN 15' PROTECT BY GFI TRANSFORMER MINIMUM 10' FROM POOL, 8' ABOVE WATER J BOX, 4' FROM POOL, BRASS TO J BOX OR TRANSFORMER WHICH EVER IS FIRST EXCEPT WHERE PVC IS APPROVED.
- EQUIPOTENTIAL BONDING GRID TO BE ACCOMPISHED PER THE NEC 2008, SECTION 680.26 (C)(3)b.

ADDITIONAL NOTES:

- POOL INSTALLATION SHALL BE BY A QUALIFIED AND LICENSED CONTRACTOR, THE INSTALLATION SHALL CONFORM TO ALL LOCAL, BUILDING CODES, I.E. PERMITS, SPECIFICATIONS, CODES, RULES, INSPECTIONS, WORKMANSHIP, ETC.
- POOL SHELL SHALL BEAR ON UNDISTURBED SOIL, FREE OF PEAT, MUCK, OR OTHER DELETERIOUS MATERIAL OF ANY SIGNIFICANT AMOUNT.
- BACKFILL MATERIAL MUST NOT CONTAIN ROCKS OR OTHER MATERIALS THAT COULD DAMAGE POOL WALLS.
- POOL TURNOVER SHALL BE 12 HOURS, MAXIMUM WITH CARTRIDGE FILTER, APPROVED PUMP (MIN. 1 HP WITH 29 GPM @ 20 TDH).
- STEPS SHALL BE PROVIDED AT THE SHALLOW END OF THE POOL.
- LADDERS ARE TO BE PROVIDED IN POOLS WITH GREATER THAN 5' DEPTH WITHOUT SWIM OUTFS.
- INSTALL LOW VOLTAGE LIGHT PER NEC 680 DURING HURRICANE WARNING OR ALERT, THIS POOL SHALL BE FILLED WITH WATER.
- ALL GLASS WITHIN 5' OF WATER'S EDGE SHALL COMPLY WITH R308.419 FOR SAFETY GLAZING.



PEELER POOLS
CERTIFIED POOL PLANS
FLORIDA



P.O. BOX 187
130 W. HOWARD STREET
LIVE OAK, FL 32064
PHONE: (386) 362-3676
FAX: (386) 362-6133
GARY J. GILL, PE 51942
AUTH. # 9461

REV #	DATE	REVISION NOTES
0	05-18-10	ISSUED FOR CONSTRUCTION

TITLE SHEET

T-1.0

19 10 01:29p

Raymond Peeler

386-755-5577

p.2

SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER

110-14

CONTRACTOR

Raymond Peeler

PHONE

755-2848

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL ✓ 318	Print Name: <u>Craig Holder</u> License #: <u>ER 0014642</u>	Signature: <u>[Signature]</u> Phone #: <u>397 3810</u>
MECHANICAL/ P/C	Print Name: _____ License #: _____	Signature: _____ Phone #: _____
PLUMBING/ AS	Print Name: _____ License #: _____	Signature: _____ Phone #: _____
ROOFING	Print Name: _____ License #: _____	Signature: _____ Phone #: _____
WELDED METAL	Print Name: _____ License #: _____	Signature: _____ Phone #: _____
WIRE SYSTEM/ RINKLER	Print Name: _____ License #: _____	Signature: _____ Phone #: _____
GLAZING	Print Name: _____ License #: _____	Signature: _____ Phone #: _____

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
ASON			
CONCRETE FINISHER			
GLAZING			
INSULATION			
MUCCO			
RYWALL			
MASTER			
CABINET INSTALLER			
PAINTING			
ACOUSTICAL CEILING			
GLASS			
CERAMIC TILE			
FLOOR COVERING			
CEILING/VINYL SIDING			
SLIDE DOOR			
METAL BLDG ERECTOR			

§ 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.