

This Permit Expires One Year From the Date of Issue

APPLICANT GARY THOMPSON PHONE 935-2118

ADDRESS 3554 256TH STREET LAKE CITY FL 32071

OWNER GRANT COTTEN PHONE

ADDRESS 139 SW PARTRIDGE COURT LAKE CITY FL 32025

CONTRACTOR GARY THOMPSON PHONE

LOCATION OF PROPERTY BRANFORD HIGHWAY, TR CONVEY COURT, TR ON BIRDIE COURT, 1ST ON RIGHT

TYPE DEVELOPMENT SFD, UTILITY ESTIMATED COST OF CONSTRUCTION 93800.00

HEATED FLOOR AREA 1876.00 TOTAL AREA 2463.00 HEIGHT 00 STORIES 1

FOUNDATION CONC WALLS FRAMED ROOF PITCH 6/12 FLOOR SLAB

LAND USE & ZONING RSF2 MAX. HEIGHT 16

Minimum Set Back Requirements: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00

NO. EX D U 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 01-4S-16-02678-215 SUBDIVISION QUAIL HEIGHTS TOTAL ACRES

LOT 15 BLOCK PHASE UNIT

000000215

Culvert Permit No. CRC046869

PERMIT Culvert Waiver Contractor's License Number RJ Applicant Owner/Contractor

04-0034-N BK

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, NOC ON FILE

Check # or Cash 7438

FOR BUILDING & ZONING DEPARTMENT ONLY

Temporary Power Foundation Monolithic (footer/Slab) date/app by

Under slab rough-in plumbing Slab Sheathing/Nailing date/app by

Framing Rough-in plumbing above slab and below wood floor date/app by

Electrical rough-in Heat & Air Duct Peri. beam (Lmtel) date/app by

Permanent power C.O. Final Culvert date/app by

M/H tie downs, blocking, electricity and plumbing Pool date/app by

Reconnection Pump pole Utility Pole date/app by

M/H Pole Travel Trailer Re-roof date/app by

Building Permit Application

215 | 21540

Application No. 0401-53

Date Jan 13

Applicants Name & Address Gary L. Thompson 3554 256 St O'Brien, FL 32071 Phone 935-2118

Owners Name & Address Grant Cotton, Lake City, FL Phone

Fee Simple Owners Name & Address Phone

Contractors Name & Address Gary W Thompson Construction 3554 256 St O'Brien, FL 32071 Phone 935-2118

Legal Description of Property Lot 15, Cove Court, Quail Hedges S/O

Location of Property Quail Hedges Country Club - Low right onto Cove Court off of Section Driving Directions Welcome Rd. Low right on Birdie Court. Lot 15

Tax Parcel Identification No. 01-45-16-02678-215 Estimated Cost of Construction \$ 138,000

Type of Development Residential Number of Existing Dwellings on Property 0

Comprehensive Plan Map Category Residential Low Density Zoning Map Category RSF-2

Building Height 16' Number of Stories 1 Floor Area Total Acreage in Development

Distance From Property Lines (Set Backs) Front 30.50 Side 20.50 Rear 20 Street 20

Flood Zone X Certification Date Development Permit N/A

Bonding Company Name & Address Architect/Engineer Name & Address Gary Gill PE 4105 Oak, FL 3870 R 417

Mortgage Lenders Name & Address N/A

Application is hereby made to obtain a permit to do the work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner or Agent (including contractor) Grant L. Cotton

Contractor Gary W Thompson

Contractor License Number CRCO 46869

CAM110M01 S

CamaUSA Appraisal System

12/15/2003 8:45

Property Maintenance

Year T Property

2004 R 01-4S-16-02678-215

Owner COTTEN GRANT R

Address 2004 BRICKELL AVE

19500

Land 001 *

AG 000

Bldg 000

Xfea 000

TOTAL B

Total Acres

Renewal Notice

(PUD2)

(PUD3)

City, St MIAMI

Country

FL Zip 33129

(PUD1)

ApprBy WAND 10/17/1997

TxDist Nbhd 002

1416.05

COVEY COUR

House# LOT 15

Subd N/A

Sect 1 Twn 4S Rnge 16 Subd Blk

Legals LOT 15 COVEY COURT S/D. ORB 736-668, 816-1696,

1000-2680

Map# 45

AppCode UseCd 0000000 VACANT

MktA ExCode Exemption/%

01

Street COVEY COURT S/D

City Condo .00 N/A

MD Dir #

Retain Cap? Renewal Notice

N

(PUD2)

F1=Task F2=ExTx F3=Exit F4=Prompt F11=Docs F10=GoTo PGUP/PGDN F24=MoreKeys

Mnt 12/09/2003 JEFF

Permit No. _____

Tax Parcel No. _____

COLUMBIA COUNTY NOTICE OF COMMENCEMENT

STATE OF FLORIDA

Inst: 2004-001628 Date: 01/26/2004 Time: 12:19

DC, P. DeWitt Cason, Columbia County B:1005 P:899

COUNTY OF COLUMBIA

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1. Description of property: (legal description of the property, and street address if available.)

LOT 15 CUBERT COURT QUAIL HILLS S/D

~~15~~

2. General description of improvement: Single family new construction

3. Owner Information:

A. Name and address:

GRANT CORP

B. Interest in property:

FREE SIMPLE

C. Name and address of fee simple titleholder (if other than owner):

4. Contractor: (name and address)

V. GRANT, JR. - THOMPSON CONSTRUCTION

8. In addition to himself, owner designates GARY W. THOMPSON
of THOMPSON CONST. to receive a copy of
the Lienor's Notice as provided in Section 713.13 (1) (a) 7., Florida Statutes.

9. Expiration date of notice of commencement (the expiration date is 1 year from the
date of recording unless a different date is specified) _____.

[Signature]
(Signature of Owner)

SWORN TO and subscribed before me this 23 day of January
19 2004.



(NOTARIAL
SEAL)

[Signature]
Notary Public

My Commission Expires: March 11, 2007

Inst: 2004001628 Date: 01/26/2004 Time: 12:19

DC, P. Dewitt Cason, Columbia County B: 1005 P: 900



STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

04-0634-N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes:

COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949
PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: February 17, 2004

ENHANCED 9-1-1 ADDRESS:

139 SW PARTRIDGE CT (LAKE CITY, FL 32025)

Addressed Location 911 Phone Number: NOT AVAIL.

OCCUPANT NAME: NOT AVAIL.

OCCUPANT CURRENT MAILING ADDRESS: _____

PROPERTY APPRAISER MAP SHEET NUMBER: 70A

PROPERTY APPRAISER PARCEL NUMBER: 01-4S-16-02678-215

Other Contact Phone Number (If any): _____

Building Permit Number (If known): _____

Remarks: LOT 15 COVEY COURT S/D

COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949
PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Posting of Address Numbers in accordance with Ordinance 2001-9, Section 5:

- A. Principal Buildings (residence, apartment building or "In Town" business) shall display the assigned address number made of Arabic numerals not less than 3 inches in height and 1 ½ inches in width of a contrasting color to the background on which affixed, as near to the front entrance as possible and practical so that the number is visible and legible from the sidewalk (if any), the public or private way on which the principal building fronts and the opposite side of the public or private way, day or night.
- B. Private Lane and Long Driveways: for any principal building (residence, apartment building or business) (except malls or shopping centers) located so that the address number is not clearly legible and visible from the public or private way, shall post an additional set of numbers at the intersection of the driveway to the principal building at the public or private way. The additional address number shall be made up of Arabic numerals not less than 3 inches in height and 1-1/2 inches in width. Numbers shall be contrasting in color with the background on which they are affixed, visible day or night, and placed upon a post or other structure which displays the number so it is visible and legible to emergency services personnel approaching from either direction along the public or private way.
- C. Industrial and Commercial Structures in Low Density Areas: All industrial and commercial structures located in low-density development areas (areas in which small residential style address numbers are not visible from the public or private way) shall display address numbers of not less than 10 inches in height. The numbers shall contrast in color with the background on which they are affixed and shall be visible and legible day or night from the public or private way. When possible, the number shall be displayed beside or over the main entrances of the structure.
- D. Apartment Buildings and High-Rises: All apartment buildings and high-rises style principal buildings shall display address numbers above or to the side of the primary entrance to the Addressed location. Numbers shall contrast with the color of the background to which they are affixed, and shall be at least 6 inches in height and visible and legible day or night. Apartment numbers for individual units within the complex shall be displayed on, above, or to the side of the doorway of each unit. Assigned number shall be displayed on each separate front entrance in the case of a principal building which is occupied by more than one

Pat Lynch

LYNCH DRILLING Corp.

P. O. BOX 934

Branford, FL 32008-0934

(386) 935-1076

Gary Thompson Const

3554 256th St

Obrien FL 32071

DATE: 2-13-64

Quail Heights Subd

Lot 15

4" Water well complete with 4" black water well steel casing, 1HP submersible pump (20 gpm) with 1 1/4" galvanized drop pipe, and 81 gallon captive air tank (21.9 gallon drawdown) (maximum 100 feet included)

Well will be complete at the well site. We do not include electrical nor plumbing connections from the well to the home and/or power pole.

Prices on estimates are subject to change, if estimate is over 30 days old, unless specific arrangements are made to extend limit. Estimated depths are available upon request and after review of the specified location.

THANK YOU!

Seller shall retain title to the described merchandise until such merchandise has been paid for by the buyer, however, buyer shall have the right to use, display, move, prepare, or otherwise deal with the merchandise solely in connection with the sale of such merchandise to buyers in the ordinary course of business. The merchandise delivered hereby is to be paid for upon delivery and if not paid for within thirty (30) days after receipt, interest and service charges shall accrue at the rate of 1 1/4% per month; this charge is equivalent to an interest rate of 18% per annum from the date of receipt. In the event it shall become necessary for seller to collect the purchase price, or any part thereof, buyer agrees to pay to seller all of the cost of collection including reasonable attorney's fees and all incidental damages suffered by the seller. The buyer shall have five (5) days after receipt to notify seller of any defects or shortages in the merchandise. If buyer has not so notified seller within such five-day period such rights shall have waived and such merchandise

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs
Residential Whole Building Performance Method A

Project Name: **Grant Cotton Residence**

Builder:

Address:

Permitting Office:

City, State:

Permit Number: **21540**

Owner:

Jurisdiction Number: **221000**

Climate Zone: **North**

Grant Cotton

North

1. New construction or existing	New	12. Cooling systems	Cap: 48.0 kBtu/hr SEER: 11.00
2. Single family or multi-family	Single family	a. Central Unit	
3. Number of units, if multi-family	1	b. N/A	
4. Number of Bedrooms	3	c. N/A	
5. Is this a worst case?	Yes	13. Heating systems	Cap: 48.0 kBtu/hr HSPF: 7.00
6. Conditioned floor area (ft ²)	1876 ft ²	a. Electric Heat Pump	
7. Glass area & type		b. N/A	
a. Clear - single pane	224.0 ft ²	c. N/A	
b. Clear - double pane	0.0 ft ²	14. Hot water systems	Cap: 40.0 gallons EF: 0.88
c. Tint/other SHGC - single pane	0.0 ft ²	a. Electric Resistance	
d. Tint/other SHGC - double pane	0.0 ft ²	b. N/A	
8. Floor types		c. Conservation credits (HIR-Heat recovery, Solar DHP-Dedicated heat pump)	
a. Slab-On-Grade Edge Insulation	R=0.0, 244.0(p) ft	15. HVAC credits (CF-Ceiling fan, CV-Cross ventilation, HIF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)	CF
b. N/A			
c. N/A			
9. Wall types			
a. Frame, Wood, Exterior	R=13.0, 1686.0 ft ²		
b. N/A			
c. N/A			
d. N/A			
e. N/A			
10. Ceiling types			
a. Under Attic	R=30.0, 1969.0 ft ²		
b. N/A			
c. N/A			
11. Ducts			
a. Sup: Unc. Ret: Unc. All: Interior	Sup. R=6.0, 200.0 ft		
b. N/A			

Glass/Floor Area: 0.12

Total as-built points: 26760

Total base points: 28179

PASS

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT							
GLASS TYPES				Overhang							
.18 X Conditioned X BSPM = Points Floor Area				Type/SC	Ormt	Len	Hgt	Area	X SPM	X SOF = Points	
.18	1876.0	20.04	6767.1	Single, Clear	W	2.0	6.3	60.0	40.92	0.86	2111.1
				Single, Clear	W	2.0	6.3	30.0	40.92	0.86	1055.5
				Single, Clear	E	2.0	7.0	60.0	44.69	0.89	2375.6
				Single, Clear	E	2.0	4.3	9.0	44.69	0.74	299.3
				Single, Clear	E	2.0	6.3	20.0	44.69	0.86	767.5
				Single, Clear	E	2.0	6.3	10.0	44.69	0.86	383.7
				Single, Clear	N	2.0	6.3	20.0	20.36	0.91	369.0
				Single, Clear	N	2.0	6.3	15.0	20.36	0.91	276.8
				As-Built Total:				224.0 7638.6			
WALL TYPES				Type	R-Value		Area		X SPM	= Points	
Adjacent Exterior	0.0	0.00	0.0	Frame, Wood, Exterior	13.0		1686.0		1.50 2529.0		
Base Total:				As-Built Total:		1686.0		2529.0			
DOOR TYPES				Type	Area		X SPM	= Points			
Adjacent Exterior	0.0	0.00	0.0	Exterior Wood	42.0		6.10 256.2				
Base Total:				As-Built Total:		42.0 256.2					
CEILING TYPES				Type	R-Value		Area		X SPM X SCM	= Points	
Under Attic	1876.0	1.73	3245.5	Under Attic	30.0		1969.0		1.73 X 1.00 3406.4		
Base Total:				As-Built Total:		1969.0		3406.4			
FLOOR TYPES				Type	R-Value		Area		X SPM	= Points	
Slab	244.0(p)	-37.0	-9028.0	Slab-On-Grade Edge Insulation	0.0		244.0(p)		-41.20 -10052.8		

SUMMER CALCULATIONS
Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE		AS-BUILT					
Summer Base Points:		23260.9	Summer As-Built Points:				
Total Summer Points	X System Multiplier	=	Cooling Points				
23260.9	0.4266		9923.1				
				Total Component	X Cap Ratio	X Duct Multiplier	X System Multiplier
						(DM x DSM x AHU)	X Credit Multiplier
				22931.3	1.000	(1.090 x 1.147 x 0.91)	0.950
				22931.3	1.00	1.138	0.310
							0.950
							7690.0
							7690.0

WINTER CALCULATIONS
Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT									
GLASS TYPES				Overhang									
.18 X Conditioned X BWPM = Points Floor Area				Type/SC	Ornt	Len	Hgt	Area	X	WPM	X	WOF = Points	
.18	1876.0	12.74	4302.0	Single, Clear	W	2.0	6.3	60.0	23.35	1.04		1456.3	
				Single, Clear	W	2.0	6.3	30.0	23.35	1.04		728.2	
				Single, Clear	E	2.0	7.0	60.0	21.24	1.05		1332.5	
				Single, Clear	E	2.0	4.3	9.0	21.24	1.11		212.0	
				Single, Clear	E	2.0	6.3	20.0	21.24	1.06		448.8	
				Single, Clear	E	2.0	6.3	10.0	21.24	1.06		224.4	
				Single, Clear	N	2.0	6.3	20.0	27.44	1.00		551.1	
				Single, Clear	N	2.0	6.3	15.0	27.44	1.00		413.4	
As-Built Total:								224.0	5366.6				
WALL TYPES				Type	R-Value		Area X		WPM		Points		
Adjacent	0.0	0.00	0.0	Frame, Wood, Exterior	13.0		1686.0		3.40		5732.4		
Exterior	1686.0	3.70	6238.2										
Base Total:				1686.0			1686.0				5732.4		
DOOR TYPES				Type	R-Value		Area X		WPM		Points		
Adjacent	0.0	0.00	0.0	Exterior Wood			42.0		12.30		516.6		
Exterior	42.0	12.30	516.6										
Base Total:				42.0			42.0				516.6		
CEILING TYPES				Type	R-Value		Area X		WPM X WCM		Points		
Under Attic	1876.0	2.05	3845.8	Under Attic	30.0		1969.0		2.05 X 1.00		4036.4		
Base Total:				1876.0			1969.0				4036.4		
FLOOR TYPES				Type	R-Value		Area X		WPM		Points		
Slab	244.0(n)	8.9	2171.6	Slab-On-Grade Edge Insulation	0.0		244.0(n)		18.80		4587.2		

WINTER CALCULATIONS
Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE		AS-BUILT				
Winter Base Points:		Winter As-Built Points:				
Total Winter Points	X System Multiplier =	Heating Points	Total Component	X Cap Ratio	X Duct Multiplier (DM x DSM x AHU)	X System Multiplier = Heating Points
15967.4	0.6274	10017.9	19132.4	1.000	(1.069 x 1.169 x 0.93)	1.000
			19132.4	1.00	0.487	1.000
						10831.8
						10831.8

WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

BASE				AS-BUILT									
WATER HEATING													
Number of Bedrooms	X	Multiplier	=	Total	Tank Volume	EF	Number of Bedrooms	X	Tank Ratio	Multiplier	X	Credit = Total	
3		2746.00		8238.0	40.0	0.88	3		1.00	2746.00	1.00	8238.0	
					As-Built Total:							8238.0	

CODE COMPLIANCE STATUS													
BASE						AS-BUILT							
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points
9923		10018		8238		28179	7690		10832		8238		26760

PASS



Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: , , ,

PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors Exterior & Adjacent Walls	606.1.ABC.1.1	Maximum: 3 cfm/sq. ft. window area; 5 cfm/sq. ft. door area.	
	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors; dampers; combustion space heaters comply with NFPA, have combustion air.	

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610 Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

Summary Energy Code Results

Residential Whole Building Performance Method A

Grant Cotton

Project Title:
Grant Cotton Residence

Class 3 Rating
Registration No. 0
Climate: North

02/17/04

Building Loads	
Base	As-Built
Summer: 23261 points	Summer: 22931 points
Winter: 15967 points	Winter: 19132 points
Hot Water: 7249 points	Hot Water: 7249 points
Total: 46478 points	Total: 49313 points

Energy Use	
Base	As-Built
Cooling: 9923 points	Cooling: 7690 points
Heating: 10018 points	Heating: 10832 points
Hot Water: 8238 points	Hot Water: 8238 points
Total: 28179 points	Total: 26760 points

Columbia County Building Department **Culvert Permit No.**
Culvert Permit **000000215**

DATE 02/23/2004 PARCEL ID # 01-4S-16-02678-215
APPLICANT GARY THOMPSON PHONE 935-2118
ADDRESS 3554 256TH STREET O'BRIEN FL 32071
OWNER GRANT COTTEN PHONE
ADDRESS 139 SW PATRIDGE COURT LAKE CITY FL 32025
CONTRACTOR GARY THOMPSON CONSTRUCTION PHONE 935-2118
LOCATION OF PROPERTY BRANFORD HIGHWAY, TR ON COVEY COURT, TR ON BIRDIE COURT, 1ST HOUSE
ON RIGHT

SUBDIVISION/LOT/BLOCK/PHASE/UNIT QUAIL HEIGHTS 15

SIGNATURE

Gary Thompson

INSTALLATION REQUIREMENTS

Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
 - b) the driveway to be served will be paved or formed with concrete.
- Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.

☐

Culvert installation shall conform to the approved site plan standards.

☐

Department of Transportation Permit installation approved standards.

☐

Other

Notice of Treatment

Applicator Florida Pest Control & Chemical Co. 10756

Address 5310 SE Bay

City Lake City **Phone** 7521703

Site Location **Subdivision**

Lot# **Block#** **Permit#** 215410

Address 139 SW Partridge Ct

AREAS TREATED

Area Treated	Date	Time	Gal.	Print Technician's Name
Main Body	3/17/04	100.425		STEVEN
Patio/s #				
Stoop/s #				
Porch/s #				
Brick Veneer				
Extension Walls				
A/C Pad				
Walk/s #				
Exterior of Foundation				
Driveway Apron				
Out Building				
Tub Trap/s				
(Other)				

Name of Product Applied DURSBA