

Outside measurement of foundation  
Equals Basic Building Dimension  
plus Seven (7) inches

60'7"

Basic Building  
Dimension  
to outside of Base Rail

60'

BUILDING SLAB

Basic Building  
Dimension  
to outside of Base Rail

40'


Outside measurement of foundation  
Equals Basic Building Dimension  
plus Seven (7) inches

40'7"

See Corner  
Detail Sheet 3

Building  
Base Rail

3-1/2" wide x 1-1/2" high Notch  
in Concrete outside  
of basic building  
dimensions



TYPICAL WALL SECTION

## IMPORTANT - NOTES

Record Measurements  
in these spaces provided

All basic building dimensions  
are to the outside of the  
frame Base Rail and DO NOT  
INCLUDE the 3-1/2" x 1-1/2"  
notch in the concrete footing

See Sheet 3 of 3  
for Detail of Building  
corner configuration



TUBULAR BUILDING  
SYSTEMS


## TYPICAL BUILDING FOUNDATION MEASUREMENTS

# IMPORTANT - NOTES

Record Measurements  
in these spaces provided

All basic building diagonal dimensions  
are to the outside corner of the  
frame Base Rail and DO NOT  
INCLUDE the 3-1/2" x 1-1/2"  
notch in the concrete footing

See Sheet 3 of 3  
for Detail of Building  
corner configuration




Building  
Base Rail


3-1/2" wide x 1-1/2" high Notch  
in Concrete outside  
of basic building  
dimensions

See Corner  
Detail Sheet 3

BUILDING SLAB




TYPICAL WALL SECTION



## TYPICAL BUILDING FOUNDATION MEASUREMENTS DIAGONALS

Basic Building Size  
is measured to the  
outside of the  
Base Rail




Siding rests on  
concrete notch

FOUNDATION  
GROUND

BASE RAIL

BASE RAIL

3-1/2" wide x 1-1/2" high  
Notch in Concrete outside  
of basic building  
dimensions



# TYPICAL BUILDING CORNER DETAIL